



Construction Products Regulation 2011 (retained EU Law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020

Declaration of Performance

DoP Number: MER/DOP-31.03/32.03

UKCA Certificate of Conformity Number: AG8066

- **Unique identification code of the product-type:** 31.03/32.03 Series Mortice Bathroom Lock
- **Intended use or uses:** Fire and smoke compartmentation doors, to fulfil self-closing requirements
- **Name of manufacturer:** Merlin Architectural Ltd, Rossmore House, Rossmore Road East, Ellesmere Port, Cheshire, CH65 3DA
- **System of assessment product as set out in CPR, Annex V:** System 1
- **Harmonised standard:** EN12209: 2003/AC: 2005
- **Notified body:** 1121 Warrington Certification Ltd

Declared Performance:

Essential Characteristic	Performance:	Harmonised Technical Specification:
Self Closing	-Closing force: Pass (Grade 8) -Re-latching force of latch bolt: Pass (>2.5N)	EN12209: 2003/AC:2005
Durability of Self Closing	-Durability of self closing: Pass (Grade X)	
Ability to maintain the door in the closed position and not contribute to its spread of fire	- Pass (Grade 1)	
Control of dangerous substances	The materials in the product/s do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations.	

Signed for and on behalf of the manufacturer by:

A handwritten signature in black ink, appearing to read "EJ Shorto".

Edward Shorto
Director
Merlin Architectural Ltd

Date of First Issue: **21/01/2021**

Updated: **01/08/2023**