



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1720-CPR-0234

In compliance with Statutory Instruments 2019 No.465 of the United Kingdom Houses of Parliament 5th March 2019 (The Construction Products (Amendment etc.) (EU Exit) Regulations 2019), this certificate applies to the construction product:

Merlin Architectural 50.17.03 BC Overhead Door Closer

an overhead surface mounted closer for use on single action, single or double leaf fire resisting and smoke control doors.

Particular conditions applicable: **Adjustable power size 2 to 4 in Standard and Transom fixing position with back-check. Adjustable power size 2 to 4 in Parallel Arm position with adjustable latch and back-check**

product classification

4	8	2 4	1	1	3
---	---	--------	---	---	---

produced by

Merlin Architectural Ltd

Rossmore House
Rossmore Road East
Ellesmere Port
Cheshire CH65 3DA

and produced in the manufacturing plant(s)

Factory Code: B - O

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

BS EN 1154:1997 + A1:2002

Under system 1 are applied and that the product fulfils all the prescribed requirements set out above.

This certificate was first issued on 4th August 2021 and will remain valid as long as neither the designated standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are not modified significantly unless suspended or withdrawn by the approved product certification body.



Princes Risborough, UK

Director of Certification

IFC Certification Ltd

UK Approved Body No. 1720

20 Park Street, Princes Risborough, Buckinghamshire, HP27 9AH, UK
Tel: +44(0) 1844 275500, Fax: +44(0) 1844 274002, E-mail: info@ifccertification.com

Registered No: 4777898 England

©IFC Certification Ltd 2021