



HPE-Storages

Inventory HPE-Storages 3PAR, Alletra and Primera

TITLE	HPE-Storages
AUTHOR	Docusnap Consulting
DATE	12/4/2024
VERSION	1.0 valid from 11/19/2024

This document contains proprietary information and may not be reproduced in any form or parts whatsoever, nor may be used by or its contents divulged to third parties without written permission of itelio GmbH. All rights reserved.

CONTENTS

1. Introduction	4
2. Perform Storage remote inventory	5
3. Script-based Storage inventory	6
3.1 Performing a Script-based Inventory	6
3.2 Import inventory	6

1. Introduction

Docusnap can inventory the HPE storages 3PAR, Alletra and Primera. This means that your HPE storage information is also available in Docusnap.

The inventory is carried out via an API (https) and uses the following ports depending on the model:

- 3PAR: 8080
- Alletra & Primera: 443

2. Perform Storage remote inventory

For the network inventory of the HPE-Storages clusters, start the corresponding wizard:

- Discovery - All Wizards - Storage
- Inventory - All Wizards - Storage
- All jobs - All wizards - Storage

In **step 1**, select your company or your customer's company.

In **step 2**, select the Discovery Service via which you would like to carry out the inventory.

For a time-controlled inventory, select the Docusnap Server Discovery or a Discovery Service configured by you.

In **step 3**, you can now specify the Storages with a respective user with the Browse Role

3. Script-based Storage inventory

3.1 Performing a Script-based Inventory

Docusnap also offers the option of capturing storage information using a script-based inventory. This can be necessary / useful if the firewall releases cannot be performed.

The script file can be found in the Docusnap installation directory:

- %Docusnap-InstallationDirectory%\Tools\Discovery-HPE.exe

The following parameters can be used for execution:

- -t Name/IP of the storage
- -u User
- -p Password
- -o \\Server\Share - to store the result file on a share (write access required)

3.2 Import inventory

After the inventory is finished, you will find two files:

- hpe-Storage- crypticName.dsi

You can import this data to Docusnap using the File Import wizard:

- Discovery - All Wizards - File Import
- Inventory - All Wizards - File Import
- All Orders - All Wizards - File Import

In **step 1**, select your company or your client's company.

In **step 2**, select the discovery service through which you want to perform the inventory.

For a scheduled inventory, select Docusnap Server Discovery or a discovery service you have configured here.

Note here that the user running one of the services must have read and write access to the path selected in the next step.

Local system = storage directory can only be local

In **step 3**, select the directory where you have stored the generated DSI files.

This directory can also be a network drive. Note the share permissions.

In **step 4**, you can now search for valid script files.

If there are files from other script inventories (Active Directory, DNS, Windows, etc.) in the folder you selected, these will also be considered.

VERSION HISTORY

Date	Description
11/19/2024	HowTo created