

THE PETS DECODER

House Breaking Made Simple

The complete, no-judgment guide to house training.
Puppies, dogs, kittens, cats. Schedules, cleanup, troubleshooting.

PLUS 2 FREE TRICK TRAININGS INSIDE

What's Inside

1. Introduction: You're Not Failing
2. **Part 1: Puppies & Dogs**
    1. The Schedule That Works
    2. Crate Training Done Right
    3. Accidents Happen — Cleanup & Recovery
    4. Special Situations: Rescues, Apartments, Regression, Marking
3. **Part 2: Kittens & Cats**
    1. Litter Box Mastery
    2. When Cats Go Outside the Box
    3. Kittens: Week by Week
4. Part 3: When to Worry (See a Vet)
5. Quick-Reference Printables
6. **Bonus:** 2 Free Trick Trainings — Sit & Come
7. What's Next

Introduction: You're Not Failing

> If you're reading this at 2 AM after cleaning up another accident — you're not failing. Every pet owner goes through this. This guide will get you through it.

Here's what the Pets Decoder wants you to understand first: **house breaking is not about your pet's intelligence or your competence. It's about biology and scheduling.**

A puppy's bladder is tiny and their bowel control is still developing. A rescue dog may have spent months or years without consistent outdoor access. A cat avoiding the litter box is almost always telling you something is wrong with the setup — not being spiteful.

Once you understand the why, the how becomes straightforward. This guide gives you:

- Exact schedules by age — no guessing when to go out
- Crate training done the humane, effective way
- Cleanup methods that actually eliminate odor (so your pet doesn't return to the same spot)
- Troubleshooting for rescues, apartments, regression, and marking
- Complete cat section: litter box science, stress triggers, kitten timelines
- Clear guidance on when it's medical — see a vet, not a trainer

The One Rule

Never punish accidents. No yelling, no rubbing noses in it, no "time out" after the fact. Here's why: your pet cannot connect punishment to something they did minutes ago. All punishment teaches is that you're scary and unpredictable — which creates anxiety, which causes more accidents. Every modern veterinary behaviorist agrees on this. The Pets Decoder is firm: reward the right behavior, manage the environment to prevent the wrong behavior, and be patient.

> **How fast will this work?** Puppies: most families see major improvement in 2–4 weeks of consistent scheduling. Adult rescues: 2–6 weeks depending on history. Cats: litter box

> issues often resolve within days once the setup is corrected. Consistency matters more than speed.

🐕 DOGS

Chapter 1: The Schedule That Works

Here's the secret the entire guide hinges on: **puppies don't have accidents because they're bad. They have accidents because nobody took them out in time.** The schedule is the training.

The Non-Negotiable Times

Take your puppy out at every single one of these times. No exceptions for the first month:

1. **Immediately after waking up** — morning, naps, any sleep. Bladder is full.
2. **Within 15 minutes after eating or drinking** — food and water activate the digestive system fast in puppies.
3. **After every play session** — excitement loosens everything up.
4. **After chewing** — chewing stimulates digestion.
5. **Every 1–2 hours during the day** (see age chart below).
6. **Right before bed** — last chance, no water 2 hours before.
7. **Once overnight** (for puppies under 12 weeks) — set an alarm. Yes, really.

Age-Based Schedule

Rule of thumb: a puppy can hold it roughly **one hour per month of age**, up to about 6 hours. An 8-week-old puppy needs to go out every 1–2 hours. A 4-month-old can stretch to 4 hours.

Age	Daytime interval	Overnight	Notes
8–10 weeks	Every 1–2 hours	Every 2–3 hours (set alarm)	Maximum supervision. This is the hardest phase and it's temporary.
10–12 weeks	Every 2 hours	Every 3–4 hours	Start stretching nighttime gradually.
3–4 months	Every 3 hours	4–5 hours (may sleep through)	Many puppies start signaling at the door now.
4–6 months	Every 4 hours	6–7 hours	Should be mostly reliable with consistent schedule.
6+ months	Every 4–6 hours	Through the night	Adult patterns emerging. Keep the routine.

The Outdoor Routine (Do This Every Time)

1. Leash up and go to the **same spot** every time. The scent reminds them what this trip is for.
2. Stand still and boring. No playing, no walking around. You're there for business.
3. The instant they go, mark it: "YES! Good potty!" in your happiest voice + a treat right there outside (not back inside).
4. Use a cue word consistently: "go potty," "do your business" — whatever you pick, use it every time as they're going.
5. If nothing happens in 5 minutes, go back inside, confine or supervise closely for 15 minutes, then try again. Don't give them unsupervised freedom after a failed trip.

> **Why treat outside?** If you wait until you're back indoors to reward, your dog learns that coming inside earns the treat — not going potty. The reward must happen at the scene, within seconds.

Adjusting for Your Work Schedule

- **Working from home:** Follow the age chart strictly. Set phone alarms — you'll forget.

- **Out 4–6 hours:** Use a puppy pen (not just a crate — too long for a young puppy) with a potty pad at one end and bed at the other. Hire a midday dog walker if possible for puppies under 4 months.
- **Out 8+ hours:** A puppy under 6 months cannot hold it this long. Arrange a midday break (walker, neighbor, family) or expect accidents. This isn't a training failure — it's biology.

DOGS

Chapter 2: Crate Training Done Right

A crate is not a cage or a punishment. Used correctly, it's your puppy's bedroom — a safe den where they sleep and relax. Dogs are den animals; most take to crates quickly when introduced properly.

Why Crates Work

Dogs instinctively avoid soiling their sleeping area. A properly sized crate leverages this instinct: the puppy will hold it (within their physical limits) rather than soil their den. This accelerates house training dramatically.

Choosing the Right Size

- Big enough to stand up, turn around, and lie down comfortably.
- **Not bigger.** Too much space and the puppy will sleep at one end and potty at the other — defeating the purpose.
- For growing puppies: buy the adult size and use the divider panel to shrink it, expanding as they grow.
- Wire crates (with divider) are the most versatile. Plastic airline crates feel more den-like for anxious dogs.

Introduction Plan: Day 1 Through Day 7

1. **Day 1–2:** Leave the crate open with the door removed or tied open. Toss treats and meals inside. Let the puppy explore freely. No closing the door yet.
2. **Day 3–4:** Feed all meals in the crate. Start closing the door for 5–10 seconds while they're eating, then open. Gradually extend to a few minutes.
3. **Day 5–6:** Close the door for 15–30 minutes while you're nearby. Give a stuffed Kong or chew. Open before they get distressed.
4. **Day 7+:** Start using the crate for naps and when you can't supervise. Build duration gradually — 1 hour, then 2. Always potty before crating.

Common Crate Mistakes

- **Too long too soon.** A screaming puppy in a crate for 4 hours on day one will hate the crate forever. Build up slowly.
- **Using it as punishment.** Never put a dog in the crate angry. The crate must always predict good things.
- **Skipping the potty trip first.** Always empty the tank before crating. A puppy who has to go will go — crate or not.
- **Bare crate.** A blanket or crate pad makes it cozy. (Remove bedding temporarily if the puppy chews or soils it — try again later.)

> **When NOT to use a crate:** Dogs with severe separation anxiety (crating can cause panic and injury), dogs with certain medical conditions, or any dog who has been crated so long they're soiling it regularly — that's a sign the schedule needs fixing, not more crate time.

🐕 DOGS

Chapter 3: Accidents Happen — Cleanup & Recovery

Accidents will happen. How you clean them determines whether they happen in the same spot again.

Why Regular Cleaners Don't Work

Urine contains uric acid crystals and proteins that standard household cleaners don't break down. You might not smell anything — but your dog's nose (10,000–100,000× more sensitive than yours) absolutely does. If the scent remains, the spot reads as "bathroom" to your dog.

What You Need: Enzymatic Cleaner

Enzymatic (bio-enzymatic) cleaners contain live bacteria that digest the uric acid and proteins. This is the only cleaner type that truly eliminates pet urine odor. Look for products labeled "enzymatic" or "bio-enzymatic" — popular options include Nature's Miracle, Rocco & Roxie, and Simple Solution. Keep a bottle on hand before you need it.

Step-by-Step Accident Cleanup

1. **Blot, don't rub.** Press paper towels or a clean cloth firmly into the spot. Rubbing spreads it deeper.
2. **Remove as much liquid as possible.** For carpet, stand on the towels to press deep.
3. **Saturate with enzymatic cleaner.** Use more than you think — it needs to reach as deep as the urine did. Follow the product's dwell time (usually 10–15 minutes).
4. **Blot again and let air dry.** Don't rinse — the enzymes need time to work.
5. **For hard floors:** same process, but also check grout lines and baseboards — urine seeps.

What NOT to Do

- **Don't use ammonia-based cleaners.** Ammonia smells like urine to dogs. You're literally marking the spot as a toilet.
- **Don't use steam cleaners on urine spots** (before enzymatic treatment). Heat bonds the proteins permanently.
- **Don't punish.** If you find an accident after the fact, just clean it. Your dog has no idea why you're upset.
- **Don't assume one cleaning is enough** for old or repeated spots. Treat twice.

Getting Back on Track After a Regression

Had three clean weeks and then two accidents in one day? Don't panic — and don't change everything. Go back to the puppy schedule for 3–5 days (more frequent outings, closer supervision). Most regressions resolve within a week when you tighten the routine. See Chapter 4 for deeper regression troubleshooting.

🐕 DOGS

Chapter 4: Special Situations

Rescue Dogs: Undoing Old Habits

An adult rescue may never have been house trained — or may have learned to go indoors from months in a kennel. Treat them like an 8-week-old puppy for the first 2–3 weeks: same schedule, same supervision, same rewards. Don't assume age equals training. Most rescues catch on fast because they want to get it right — they just need to learn your specific routine.

- Limit freedom initially: one room, then expand as reliability grows.
- Learn their "tells" — circling, sniffing, heading to a quiet corner.
- Be extra generous with rewards in the first month. You're building a new habit from scratch.

Apartment Living: No Yard? No Problem.

- **Designate one outdoor spot** and use it every time — consistency matters more than convenience.
- **Leash + elevator plan:** keep the leash by the door, shoes ready. Every second counts with a puppy.
- **Balcony grass patch:** real-grass delivery services (or a DIY turf tray) work as a backup for emergencies — but still do real outdoor trips as the primary.
- **Potty pads:** useful as a bridge for very young puppies or high-rise living, but transition to outdoor-only as soon as practical. Dogs trained exclusively on pads often struggle to generalize to grass.

Regression: Why Trained Dogs Backslide

Common triggers: schedule change (new job, new baby), moving house, new pet in the home, illness, anxiety, or simply too much freedom too fast. The fix is almost always the same: **go back to basics for 1–2 weeks.** Tighter schedule, closer supervision, generous rewards. Don't punish the regression — address the cause.

Marking vs. Peeing: How to Tell the Difference

	Marking	Regular urination
Amount	Small squirts	Full emptying
Location	Vertical surfaces, new objects, doorways	Anywhere (often the same spots)
Posture	Leg lift (even females sometimes)	Squat
Trigger	New smells, other animals, visitors	Full bladder

Marking is communication, not a house-training failure. Management (belly bands indoors temporarily), neutering/spaying (reduces but doesn't always eliminate), and rewarding outdoor marking (give them a designated "marking post" on walks) all help. If marking starts suddenly in a previously trained dog, rule out medical causes first.

CATS

Chapter 5: Litter Box Mastery

Here's the good news about cats: most want to use a litter box. When they don't, it's almost always a setup problem — not a behavior problem. Get the setup right and you prevent 90% of issues before they start.

The n+1 Rule

One litter box per cat, plus one extra. Two cats = three boxes. This isn't optional luxury — it's the single most important rule in cat house training. Cats are territorial about elimination spots, and a cat who feels crowded will find their own spot (your laundry basket, the guest bed).

Box Types: What Actually Matters

- **Size:** Bigger is better. The box should be at least 1.5× your cat's body length. Most commercial boxes are too small for average adult cats. Large storage tubs with a cut-out entrance work great and cost less.
- **Covered vs. uncovered:** Most cats prefer **uncovered**. Covered boxes trap odor (for the cat, who has to go inside) and limit escape routes — a nervous cat won't use a box they feel trapped in. If odor is your concern, scoop more often instead.
- **High sides vs. low entry:** Kittens, seniors, and arthritic cats need low-entry boxes. Young healthy adults handle standard sides fine.
- **Self-cleaning boxes:** Convenient but noisy mechanisms scare some cats. If your cat avoids it, go back to a basic box — a used basic box beats an avoided fancy one.

Litter Types

Type	Pros	Cons
Unscented clumping clay	Cats' #1 preference in studies; easy scooping	Dust; not flushable; heavy

Scented clumping clay	Odor masking for humans	Many cats dislike the perfume — can cause avoidance
Crystal/silica	Low dust; good odor absorption	Texture bothers some cats; pricier
Paper pellets	Low dust; good post-surgery	Doesn't clump; needs frequent full changes
Pine/wheat/corn	Natural; lighter	Some cats reject the texture or scent

The Pets Decoder's recommendation: Start with unscented clumping clay. It's what most cats prefer and what most were raised on. Only switch if there's a specific reason (allergies, dust sensitivity), and transition gradually over 7–10 days by mixing.

Placement: Where Boxes Go (and Where They Don't)

- **Spread them out.** Three boxes in one room = one location in your cat's mind. Put them in different areas.
- **Quiet but accessible.** Not next to the washing machine, not in a dead-end closet. Cats want privacy and an escape route.
- **One per floor** in multi-story homes. A cat won't run downstairs if the urge hits.
- **Away from food and water.** Cats don't eat where they eliminate.
- **Senior/accessibility:** ground floor, low-entry, well-lit path (nightlights help older cats).

Cleaning Schedule That Prevents Problems

- **Scoop daily** — minimum. Twice daily is better. A dirty box is the #1 cause of "my cat suddenly stopped using the box."
- **Full litter change:** every 2–4 weeks for clumping litter (scoop daily); weekly for non-clumping.
- **Wash the box** with mild soap and water during full changes. Avoid strong disinfectants — residue odor deters cats.

> **The 90% rule:** Right number of boxes + right litter + right placement + daily scooping = 90% of litter box problems never happen. Most "problem cats" just have a setup problem.

CATS

Chapter 6: When Cats Go Outside the Box

> **Medical first, always.** If a previously reliable cat suddenly starts going outside the box, **see a veterinarian before assuming it's behavioral.** Urinary tract infections, bladder stones, kidney disease, diabetes, and arthritis (can't climb into the box) are common culprits. This is especially urgent for male cats straining to urinate — that can be a life-threatening blockage.

After Medical Is Ruled Out: The Behavioral Checklist

1. **Count your boxes.** n+1 rule — are you short?
2. **Check cleanliness.** When did you last scoop? Be honest.
3. **Anything change?** New litter brand, moved a box, new furniture near the box, new pet, new baby, houseguests, construction noise? Cats are change-sensitive.
4. **Location stress.** Is the box near something scary (appliance, high-traffic area, a dog that ambushes)?
5. **Territorial stress.** New cat in the home? Stray cats visible through windows? Add boxes and vertical territory (cat trees, shelves).

Retraining Steps

1. Clean all soiled spots with enzymatic cleaner (same as dogs — regular cleaners don't eliminate the scent marker).
2. Fix the setup issue you identified above.
3. Confine the cat to one room with the (clean, correct) litter box for 3–7 days to rebuild the habit. Include food, water, bed, and scratcher — make it a pleasant room, not a punishment.
4. Gradually expand access room by room as reliability returns.

What NOT to Do

- Don't punish — it creates fear and makes the problem worse.
- Don't "show them" the mess — they know. It doesn't teach anything.
- Don't lock them in a tiny space long-term — the confinement in step 3 is temporary retraining, not a lifestyle.

🐱 CATS

Chapter 7: Kittens — Week by Week

Good news: mama cats teach kittens to use the litter box. Your job is mostly **setup** — provide the right box in the right place and let instinct work.

Age	What's happening	Your job
0–3 weeks	Mama stimulates elimination; kittens can't go alone	Nothing (unless hand-raising — see below)
3–4 weeks	Kittens start eliminating on their own	Introduce a shallow box with low sides near the nest. They'll stumble in.
4–6 weeks	Learning by watching mama	Keep the box clean. Expect misses — they're babies.
6–8 weeks	Reliable with the box nearby	Add a second box as they explore more rooms.
8–12 weeks	Fully trained (usually)	Maintain n+1 as they claim the whole house.

Orphaned / Hand-Raised Kittens: Extra Steps

Without mama, you stimulate elimination: after each feeding, gently rub the kitten's lower belly and genital area with a warm, damp cloth or cotton ball. They should urinate every time and defecate at least once daily. Introduce the litter box at 3–4 weeks — place them in it after meals. They'll get it quickly.

Kitten-proofing the box area: Use non-clumping litter for kittens under 8 weeks (they taste everything, and clumping litter can cause blockages if ingested). Switch to clumping after 8 weeks.

Part 3: When to Worry — See a Vet

The Pets Decoder is a training guide, not a veterinary practice. Here's how to tell the difference between a training issue and a medical one.

> **Veterinary disclaimer:** The Pets Decoder team are not veterinarians. This guide provides training and behavioral information only. If your pet shows any signs below, consult your veterinarian promptly. When in doubt, call your vet — that's always the right move.

Dogs: See a Vet If You Notice…

- Straining to urinate, or producing only drops
- Blood in urine or stool
- Sudden increase in frequency (could signal UTI, diabetes, Cushing's)
- Drinking dramatically more water than usual
- A previously house-trained adult suddenly having frequent accidents
- Signs of pain during elimination (crying, hunching)
- Incontinence while sleeping (different from incomplete training — often medical)

Cats: See a Vet If You Notice…

- **Male cat straining to urinate** — potential urinary blockage, which can be fatal within 24–48 hours. Emergency.
- Crying in the litter box
- Blood in urine or stool
- Going in and out of the box repeatedly with little output
- Sudden litter box avoidance in a previously reliable cat
- Excessive thirst + increased urination (kidney disease, diabetes, hyperthyroidism)
- Senior cat missing the box — could be arthritis, cognitive decline, or vision loss

What to Tell Your Vet

Bring specifics: when the accidents started, how often, what the urine/stool looks like, any diet changes, any household changes, and whether the pattern is new or gradual. A phone video of the behavior (if safe to capture) helps enormously.

> It's not your fault. Medical issues masquerade as training problems all the time. Ruling out health causes is responsible ownership — not giving up on training.

Quick-Reference Printables (print these pages)

Puppy Potty Schedule by Age

Age	Daytime	Overnight	Key reminders
8–10 weeks	Every 1–2 hrs	Every 2–3 hrs	After waking, eating, playing, chewing — every time
10–12 weeks	Every 2 hrs	Every 3–4 hrs	Start stretching nights
3–4 months	Every 3 hrs	4–5 hrs	Watch for door signals
4–6 months	Every 4 hrs	6–7 hrs	Mostly reliable — keep routine
6+ months	Every 4–6 hrs	All night	Adult patterns

Accident Cleanup Checklist

- ☐ Blot (don't rub) with paper towels — press firmly
- ☐ Remove as much liquid as possible
- ☐ Saturate with enzymatic cleaner — use plenty
- ☐ Wait the full dwell time (10–15 min)
- ☐ Blot again, air dry — don't rinse
- ☐ No ammonia cleaners, no steam before enzyme treatment
- ☐ No punishment — just clean and move on

"Is This Normal?" Quick Guide

Situation	Normal?	Action
Puppy accidents in week 1–2	Yes	Tighten schedule, be patient

Regression after 3 clean weeks	Yes	Back to basics for 1–2 weeks
Rescue dog accidents in month 1	Yes	Treat like a puppy, build the habit
Cat avoids a dirty box	Yes	Scoop daily — problem solved
Sudden accidents + straining	No	Vet visit — rule out medical
Blood in urine/stool	No	Vet visit promptly
Male cat can't urinate	No — emergency	Emergency vet immediately

BONUS: 2 Free Trick Trainings FREE

You bought a house-breaking guide. The Pets Decoder is including two foundational trick trainings free — because a pet who knows "sit" and "come" is easier to house train, manage, and live with. These are the two most useful cues any pet can learn.

★ EASY BONUS

Bonus Training 1: Sit

What it looks like: Your dog sits on cue and holds it. The foundation of all obedience — and the default "please" behavior you'll use a hundred times a day.

What you need: Treats. That's it.

Step-by-step

1. Hold a treat at your dog's nose, then slowly move it up and back over their head — like drawing a line from nose to ears.
2. Their nose follows the treat up; their rear drops down. It's biomechanics — they almost can't help it.
3. The instant the rear touches the ground, mark ("YES!") and treat.
4. Repeat 10–15 times. Most dogs are sitting reliably by the end of the first session.
5. Add the cue: say "sit" just before luring. After 10–15 paired reps, try the word alone.
6. Build duration: wait 2 seconds before marking, then 5, then 10. A sit that holds is far more useful than a quick sit-and-pop.

How long it takes

Most dogs: 1–3 days. This is often the first thing dogs learn.

> **Make "sit" the default:** Ask for a sit before meals, before going outside, before greeting people, before getting a toy. Within weeks, your dog will start offering sits automatically when they want something — which means a calmer, more manageable dog with zero extra training.

> **Troubleshooting:** Dog jumps instead of sitting? You're holding the treat too high — keep it close to the nose. Dog backs up? Do it with their rear near a wall. Won't

> hold the sit? You're asking for duration too fast. Reward 1-second sits first, then build.

★ EASY BONUS

Bonus Training 2: Come (Recall)

What it looks like: Your dog comes to you when called — reliably, enthusiastically, every time. This is the most important cue for safety.

What you need: High-value treats (the best you've got — this cue must always pay well). A long line for outdoor practice. A helper is useful but optional.

Step-by-step

1. **Charge the word first (indoors):** Say your dog's name + "come!" in a happy voice, then immediately treat — even if they were already next to you. Repeat 15–20 times over two days. You're building the association: "come" = amazing things happen.
2. **Short distance:** Have a helper hold your dog (or wait until they're mildly distracted a few feet away). Say "come!" once, crouch down, open your arms. When they come, throw a treat party — multiple treats, praise, excitement.
3. **Add distance gradually:** 6 feet, 15 feet, across the room, across the yard. Only increase distance when the current distance is 90% reliable.
4. **Add mild distractions:** another person nearby, a toy on the ground. If they fail, reduce the distraction — don't repeat the cue louder.
5. **Outdoor practice on a long line:** Let them wander, then call. If they don't come, gently reel the line in (no yanking) — then reward the arrival anyway. Never punish a slow recall.

The Golden Rules of Recall

- **Never call for something unpleasant.** If "come" means bath time, nail trims, or the end of fun, your dog will stop coming. Go get them for unpleasant things instead.
- **Always reward.** Every single recall gets a treat — for life. This is the one cue where you never fade the reward.
- **Never chase.** If your dog won't come, run away from them (they'll chase you) or crouch and be interesting. Chasing teaches them that running away is a game.

- **One call, then wait.** Repeating "come come come COME!" teaches your dog that the first three don't count.

How long it takes

Basic indoor recall: 1–2 weeks. Reliable outdoor recall with distractions: 2–3 months of consistent practice. This is a cue you train for life — keep practicing.

> **Safety note:** Until recall is reliable outdoors, use a long line or fenced areas. An unreliable recall near roads is dangerous. There's no shame in management while training — that's responsible ownership.

What's Next

House breaking is the foundation — but it's just the beginning. Once the accidents stop, here's where to go:

- **Basic manners:** You've already started with "sit" and "come" from the bonus section. Add "down," "stay," and "leave it" next.
- **Fun training:** The Pets Decoder's 8 Simple Tricks to Teach Your Pet guide picks up right where this one leaves off — 12 tricks with step-by-step instructions.
- **Deeper programs:** For structured training that goes beyond basics, **Brain Training for Dogs** (by certified trainer Adrienne Farricelli) is the Pets Decoder's recommended next step for dogs who are ready for more.

> You made it through the hardest part of pet ownership. The accidents, the 2 AM cleanups, the worry — that's behind you now. What you built in these weeks is a communication system with your pet that will pay off for years. Well done.

© 2026 The Decoder Network — Pets Decoder. Training guidance for healthy pets.
We are not veterinarians. Consult your veterinarian for health or behavioral concerns.