COMPETITIVE ANALYSIS

Analog Informatics vs. Delinea - Competitive Analysis

Compare AIC and Delinea for service-account rotation, session review and endpoint access. Review Secret Server Cloud, on-premises software and air-gap operation.

Analysis date: October 17, 2026 | Revised: November 20, 2026

Analog Informatics Corporation

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Deployment options and who operates them

Compare where the management software runs, who operates it and which functions remain local. A local connector, an outage cache and a customer-operated air-gapped installation have different dependencies.

Deployment option	AIC	Delinea
On-premises management	Yes. Install and operate the management software on customer infrastructure.	Yes. Secret Server On-Premises runs on customer-operated Windows/IIS and SQL infrastructure.
Management in your own cloud account	Yes. Install and manage AIC in a cloud account and region you choose.	On-Premises can run on physical or virtual infrastructure. Confirm the supported customer-cloud design, database and engine placement.
Hybrid operation	Yes. Customer-managed local and cloud components can serve the chosen systems and applications.	Yes. Distributed engines reach selected local and cloud targets. Cloud backend and local On-Premises service remain distinct models.
Vendor-operated SaaS	No mandatory AIC-operated SaaS management service. The customer or its authorized provider operates the installation.	Yes. Secret Server Cloud uses a Delinea-managed Azure backend and customer-side distributed engines.
Air-gapped or disconnected operation	Yes. Supported local credential and session functions run with required local services and a valid license. Install, license and update without a network connection to AIC.	Yes. Delinea documents offline activation of On-Premises Secret Server for air-gapped networks. Confirm update transfer and each required local workflow.
Secret and administrative control	The customer authorizes secret use, retrieval and changes. AIC support has no standing access.	On-Premises customers operate the server and database. Cloud backend services are managed by Delinea; require the applicable support and operator-access terms.
Country-specific installation and records	Install and operate within a chosen country. Configure operators, logs, backups and recovery copies for the required boundary.	A local deployment can place the server, SQL database and recordings within the chosen country. Include engines, support, backups and external identity dependencies.

AIC's local and air-gapped scope follows current product-owner confirmation. The competing options follow the cited documentation. Select the actual product, edition and architecture: a locally installed connector, cached secret and independent local management service have different dependencies. Test external integrations separately.

AIC: Customer-installed security software for on-premises, customer-controlled cloud, hybrid and air-gapped deployment. The customer chooses the location and authorized operators and controls access to its managed secrets. Installation, licensing and updates can be completed without a network connection to AIC.

AIC Enterprise Privilege Suite; AIC disconnected operation; AIC security and customer control

Delinea: Secret Server is available as customer-operated On-Premises software and Delinea-operated Cloud service. Distributed engines reach target systems in both designs. On-Premises has documented offline license activation for air-gapped networks; Cloud engines require outbound service connections.

Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Will the shared service account still work after rotation?

A manufacturer has Windows services using a shared domain account across several sites. Rotating the password in the vault is only the first step: each service, task and application pool must receive the change before its next restart.

What Delinea offers: Delinea Secret Server discovers local and domain accounts and common Windows dependencies. Its recorded-session options offer different levels of video, keystroke and process detail. Customers can select Cloud or On-Premises, and Delinea explicitly documents offline activation for air-gapped Secret Server installations.

Where AIC changes the decision: AIC combines dependency-aware credential changes, endpoint application elevation and controlled sessions with governance and corrective evidence in a customer-operated installation. Its air-gapped installation, licensing and updates do not require a network connection to AIC. Delinea also provides a local option, so a comparison should measure the full maintenance workflow and its operating costs.

Which approach fits: AIC fits teams seeking local authority across credential correction, privilege use and review evidence. Delinea fits organizations centered on Secret Server's vault, Windows dependency discovery and selected session-recording architecture, with a choice of customer operation or a managed backend. Evaluate each against the same service restart and failed-change recovery.

A practical example: Discover a domain account used by a Windows service, scheduled task and IIS application pool. Rotate it, interrupt one target and restart the consumers. Compare which dependencies update, who handles the failure and whether a reviewer can trace the repair without receiving the password.

Where AIC and Delinea overlap, and who each serves

Current capabilities and future scope

This comparison describes currently documented products and selected deployment options. AIC's feature set is evolving, and the full competitor feature range is in scope for future releases. That scope is not a statement that every function is delivered today, included in the order or committed for a particular date.

Where the features overlap

Credential rotation and dependent services

AIC today: AIC discovers shared credentials and supported dependencies, updates services and scheduled tasks and verifies sign-in.

Delinea today: Secret Server scans accounts and associated dependencies, including Windows services, scheduled tasks and application pools. Custom PowerShell scanners can extend discovery. Test an intentionally unlisted dependency before automating onboarding. Remote Password Changing can apply target password changes, and discovery can support automated onboarding. Prove both the target change and dependent consumer update; a successful vault update is not enough.

What this means for the customer: Test the next consumer restart and a deliberately unavailable target. A changed vault value does not prove the business service recovered.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Privileged sessions and endpoint elevation

AIC today: AIC brokers and records supported sessions and can grant application-specific elevation on supported endpoints.

Delinea today: Secret Server launchers and proxies provide controlled access on configured paths. Demonstrate credential exposure, clipboard handling, recording and any approved direct-retrieval exception using the chosen client. Select the access policy and any endpoint product required for time-limited privileges. Test a session or process already running when approval ends; a password checkout window is not the same as endpoint elevation expiry.

What this means for the customer: Demonstrate a recorded remote session and elevation of one local maintenance program separately.

Service and application identities

AIC today: AIC manages service and application credentials and supplies scoped API tokens for authorized software, including AI agents.

Delinea today: Service accounts and application secrets can be managed through selected Delinea products and interfaces. Establish which identity obtains a secret and how the application receives changes; storing an agent credential does not govern every agent action.

What this means for the customer: Distinguish delivery of a secret, authority to change the target and permission to perform a downstream application action.

Governance and operational evidence

AIC today: AIC provides identity governance and GRC products, suite-account reviews and evidence of supported corrective actions.

Delinea today: Do not treat Secret Server account approval as proof of a full training, attestation or workforce-governance program. Ask for the exact Delinea module and demonstrated record for each required review. Use supported Delinea interfaces and exports to connect retained systems. Verify account identifiers, the approval and subsequent result in the receiving SIEM or ticket so a failed rotation does not appear to be a completed repair.

What this means for the customer: Trace one access approval through the action and review. Specify the licensed governance functions rather than infer them from audit logging.

Location and operating authority

AIC today: AIC is customer-operated on premises, in customer cloud, hybrid or air-gapped. No standing AIC support access is required.

Delinea today: Secret Server is available as customer-operated On-Premises software and Delinea-operated Cloud service. Distributed engines reach target systems in both designs. On-Premises has documented offline license activation for air-gapped networks; Cloud engines require outbound service connections.

What this means for the customer: Choose the real architecture before comparing local administration, third-party access, updates and outage behavior.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

AIC strengths

Customer authority over managed secrets, software location, authorized operators, record retention and support access.

Dependency-aware credential work connects supported changes, failure handling and verification with privileged access and governance evidence.

Customer-operated air-gapped installation, licensing and updates without a network connection to AIC, with required local services designed for the mission.

Delinea strengths

Delinea Secret Server discovers local and domain accounts and common Windows dependencies. Its recorded-session options offer different levels of video, keystroke and process detail. Customers can select Cloud or On-Premises, and Delinea explicitly documents offline activation for air-gapped Secret Server installations.

Service accounts and application secrets can be managed through selected Delinea products and interfaces. Establish which identity obtains a secret and how the application receives changes; storing an agent credential does not govern every agent action.

Secret Server is available as customer-operated On-Premises software and Delinea-operated Cloud service. Distributed engines reach target systems in both designs. On-Premises has documented offline license activation for air-gapped networks; Cloud engines require outbound service connections.

Which customers fit each approach

AIC - Teams that want to operate privilege controls and corrective evidence under their own authority.

AIC combines dependency-aware credential changes, endpoint application elevation and controlled sessions with governance and corrective evidence in a customer-operated installation. Its air-gapped installation, licensing and updates do not require a network connection to AIC. Delinea also provides a local option, so a comparison should measure the full maintenance workflow and its operating costs.

Delinea - Windows operations teams centered on Secret Server and its dependency and recording architecture.

Delinea Secret Server discovers local and domain accounts and common Windows dependencies. Its recorded-session options offer different levels of video, keystroke and process detail. Customers can select Cloud or On-Premises, and Delinea explicitly documents offline activation for air-gapped Secret Server installations.

Both - Organizations that need a staged migration or useful complementary functions.

Keep the useful current controls while proving the replacement on a distinct account or site. Name one rotation authority for each credential and retain a complete review and recovery path.

AIC Enterprise Privilege Suite

AIC supported platforms

AIC disconnected operation

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Secret Server system requirements

Secret Server Cloud architecture and operations

Secret Server offline and air-gap activation

Secret Server discovery and dependencies

Secret Server recording architectures

Customer-controlled deployment and secret access

Would you delegate control of your most sensitive systems and secrets without knowing who can administer them, where those people are located, and who is accountable for their actions?

AIC is installed where you choose and managed by you. Your organization controls who may use, retrieve or change its managed secrets. Choosing cloud or hybrid infrastructure does not require you to give an outside SaaS operator control of those decisions.

Run AIC on premises, in a cloud account you control, in a hybrid environment, or on air-gapped systems for sensitive missions. You choose where the software runs, who administers it and who may use, retrieve or change the secrets it manages. AIC has no standing access to your installation. Air-gapped deployments can be installed, licensed and updated without a network connection to AIC.

For sensitive work, the server's location is only part of the decision. Your organization chooses the people and approved providers that administer AIC, where they work and which secrets they may access. You control any support access you grant. Cloud infrastructure permissions, local identity services, audit storage, backups and recovery copies remain part of the deployment you choose.

The Delinea comparison

Delinea offers genuinely different operating models. Secret Server On-Premises uses customer-operated Windows, IIS and SQL infrastructure and has an offline activation process for air-gapped networks. Secret Server Cloud has a Delinea-managed Azure backend with customer-side distributed engines. A local engine does not make that Cloud backend local. AIC runs under customer authority, including an air-gapped deployment; installation, licensing and updates do not require a connection to AIC. For either local product, document update transfers, local authentication, recovery and authorized support access.

Country-by-country operation in the EU

A German operation can install and manage AIC in Germany, while a French operation does the same in France. Each country team can retain control of its secrets and decide which records it shares with the wider organization. This supports country-specific contracts and operating requirements. If a contract or policy requires particular records to stay in the country, include any logs, backups and recovery copies that contain those records.

ITAR and EU access requirements

For ITAR-controlled technical data, granting a foreign person a password, code or key that enables access to the unencrypted data requires the applicable authorization. An unauthorized release can violate U.S. export law even when the recipient works in the United States. The ITAR definition of U.S. person includes qualifying permanent residents and protected individuals, as well as citizens. Qualifying end-to-end encrypted storage and transmission can fall outside export treatment under 22 CFR 120.54; its conditions include keeping the means of decryption from third parties.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

GDPR does not generally require a separate installation in each EU country. A separate provider outside the EEA can trigger the international-transfer rules when it remotely accesses personal data held in the EU. Choosing a local installation and local operators can support a customer's residency and access requirements; the full hosting, support and recovery arrangement determines the actual data paths.

Compare the actual authorization service, secret custody, support permissions and operator locations in the proposed configuration. A cloud region, a company address or customer ownership of a storage bucket alone does not answer who can authorize access. Establish which personnel and legal entities may obtain access, from which countries and under which project requirements.

ITAR access information and releases

ITAR encrypted storage and transmission conditions

ITAR U.S. person definition

GDPR, including Articles 1, 28 and 44

EDPB guidance on remote access and international transfers

AIC air-gapped deployment

AIC security and customer control

Scope

AIC Enterprise Privilege Suite and related AIC products where licensed; Delinea Secret Server Cloud or On-Premises and separately selected Delinea platform, endpoint and governance products. Features and component requirements depend on the purchased edition.

Operating differences

How an account change becomes reliable

AIC identifies supported account dependencies, applies an authorized credential change and verifies the result. A team can automate routine corrections and send failed changes to an operator for recovery.

Who may use secrets and inspect the result

The customer chooses AIC administrators and can grant session use, direct retrieval and record review separately. It chooses support access, record locations and recovery arrangements.

Competitor approach

Delinea Secret Server discovers local and domain accounts and common Windows dependencies. Its recorded-session options offer different levels of video, keystroke and process detail. Customers can select Cloud or On-Premises, and Delinea explicitly documents offline activation for air-gapped Secret Server installations.

Practical difference

Discover a domain account used by a Windows service, scheduled task and IIS application pool. Rotate it, interrupt one target and restart the consumers. Compare which dependencies update, who handles the failure and whether a reviewer can trace the repair without receiving the password.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Interpretation

Compare the released functions, licensed products and exact deployment. Shared feature names do not establish identical behavior, and local installation does not remove the need to design authentication, recovery and external integrations.

Alternatives and switching

CQ01 What are the best alternatives to Delinea?

Analog Informatics: Consider AIC when the purchase includes managing application and service credentials, supervising administrator sessions, renewing certificates or reviewing access. It is especially relevant when the team needs to run the management service itself and update accounts across several dependent systems.

Delinea: For a Secret Server purchase, compare AIC, CyberArk/Idira, BeyondTrust and Keeper against the same vault, dependency and session requirements. A separate endpoint or governance purchase can require a different shortlist.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ02 Which companies compete with Delinea?

Analog Informatics: Analog Informatics competes for privileged accounts, credential rotation, controlled sessions and related governance functions. Compare the AIC products and licensed modules needed for the same targets and operating tasks.

Delinea: Delinea overlaps with AIC in privileged credential management and selected access functions. Secret Server is the vault comparison; additional Delinea products should be identified separately when comparing broader capabilities.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ03 How does AIC compare with Delinea?

Analog Informatics: AIC combines credential discovery and rotation, application-specific elevation, recorded access, and governance evidence. Your team operates the management service on infrastructure it controls and can correct selected findings or automate corrections across systems.

Delinea: Secret Server focuses on vaulting, account and dependency discovery, remote password changes and session controls. AIC also links supported credential corrections, application elevation and governance evidence in a customer-operated installation.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ04 Can AIC replace Delinea, or do I need both?

Analog Informatics: AIC can replace the functions its licensed products support on your systems. For example, a team can move rotation of a shared Windows account to AIC once the dependent services have signed in successfully with the new password.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Delinea: AIC can initially manage a separate group of accounts while Secret Server continues to serve existing consumers. Keep useful discovery scripts and recordings, and transfer rotation authority only after dependencies pass their next sign-in test.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ05 Why would I switch from Delinea?

Analog Informatics: A reason to switch is to keep access approvals, account corrections, endpoint elevation and audit records under the authority of the team that operates the site. For an isolated location, compare the maintenance work your staff must complete while disconnected.

Delinea: Consider changing when a trial shows better recovery, consolidation or operating value for your requirements. Delinea already offers On-Premises and air-gap activation, so local deployment alone does not distinguish AIC.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ06 Is there a self-hosted alternative to Delinea?

Analog Informatics: Yes. You can install AIC on premises or in a cloud account you control, including in a supported disconnected network. Your team or its service provider maintains the local identity services, backups and software updates.

Delinea: Secret Server On-Premises is itself a self-hosted option. AIC supplies another. Compare the customer’s Windows/IIS/SQL duties, selected session components and the functions required during disconnection.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ07 Can I replace several security tools with one platform?

Analog Informatics: AIC supplies PIM, PAM, PUM, IGA, GRC, CLM and CIAM products. An organization could consolidate credential rotation, endpoint elevation and access reviews where the selected products cover its systems. A certificate issuer must remain available until the applications that trust it accept its replacement.

Delinea: Secret Server can consolidate credential storage, password changes and session oversight. Endpoint and wider governance functions require the selected additional products; list actual tool retirements before assigning a consolidation saving.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ08 What will I lose - and gain - by switching?

Analog Informatics: Operating AIC gives your team authority over managed secrets, software updates and the location of privileged-access records. It also makes your team or your provider responsible for service availability and recovery.

Delinea: Retaining Delinea preserves known discovery scanners, secret templates and launchers. AIC may combine credential corrections and review evidence differently. Preserve those operating dependencies and old session records during a transition.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Capabilities and coverage

CQ09 Does this solution solve my whole problem, or only part of it?

Analog Informatics: AIC can cover credential changes, controlled sessions, endpoint elevation, access reviews and corrective evidence. It also supplies certificate lifecycle management. If an application needs a particular issuer or secrets API, check whether the released connector supports the application's authentication and renewal methods.

Delinea: Secret Server addresses privileged credentials and access. A full requirement may also include application elevation, workforce reviews or corrective evidence. Ask which Delinea products and integrations deliver each part.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ10 Which features are included, and which require another product?

Analog Informatics: AIC's product range spans privileges, identity governance, GRC and certificates. Use the Enterprise pricing page and an itemized quote to identify licensed modules, allowances and session capacity. Specify which users need recording, review and certificate-management functions.

Delinea: Secret Server editions and platform licenses differ. Basic recording is licensed, and advanced recording needs specific components. Require an itemized quote showing vault, endpoint, session and governance inclusions.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ11 Does it manage both on-premises and cloud assets?

Analog Informatics: AIC manages supported on-premises and cloud accounts from your installation. Its supported targets include Windows domain accounts, database accounts, AWS IAM and Google Cloud accounts. Rotation requires the appropriate target permissions and network access.

Delinea: Delinea documents AWS and Google Cloud discovery as well as local systems. Distributed engines provide target reachability. Verify whether each required operation is discovery, password rotation or a recorded session.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server discovery and dependencies; Secret Server Cloud architecture and operations

CQ12 Does it support Windows, Linux, network devices, and legacy systems?

Analog Informatics: AIC documents Windows, Linux, Unix, macOS, directory, database, cloud and network targets, including Cisco, ESXi and management controllers. An older device might require a script or integration kit to change its password even when an administrator can already open a session.

Delinea: Secret Server discovers Windows and Linux/Unix accounts and has extensible scanners. Match the secret template and password changer to each network device or older application instead of equating discovery with supported rotation.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server discovery and dependencies; Secret Server Cloud architecture and operations

CQ13 Does it discover accounts and credentials I don’t know about?

Analog Informatics: AIC inventories human and service accounts and can find dependencies such as scheduled tasks and IIS application pools. Before rotating an unfamiliar account, the administrator can see which systems would be affected.

Delinea: Secret Server scans accounts and associated dependencies, including Windows services, scheduled tasks and application pools. Custom PowerShell scanners can extend discovery. Test an intentionally unlisted dependency before automating onboarding.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server discovery and dependencies; Secret Server Cloud architecture and operations

CQ14 Does it manage non-human identities, service accounts, and AI-agent credentials?

Analog Informatics: AIC manages credentials for service accounts, applications and AI agents on supported systems. Administrators can also issue scoped tokens that allow an agent to call the AIC API and review a record of each call.

Delinea: Service accounts and application secrets can be managed through selected Delinea products and interfaces. Establish which identity obtains a secret and how the application receives changes; storing an agent credential does not govern every agent action.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ15 Can it manage passwords, SSH keys, certificates, and API keys?

Analog Informatics: Yes. AIC manages passwords, SSH keys, certificates and API keys on supported targets and supplies its own certificate lifecycle management product. For a certificate migration, establish which issuer signs the replacement and which application installs and trusts it.

Delinea: Secret Server documents password and SSH-key functions. Request the exact certificate and API-key lifecycle workflow when those are required, including issuance, installation, renewal and dependency updates.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ16 Does it fix problems automatically, or just tell me they exist?

Analog Informatics: AIC can apply an authorized correction automatically or let an administrator select one finding from the initial report. When a change fails, it records the exception and can notify an operator by email or text if a delivery path is available.

Delinea: Remote Password Changing can apply target password changes, and discovery can support automated onboarding. Prove both the target change and dependent consumer update; a successful vault update is not enough.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server discovery and dependencies; Secret Server Cloud architecture and operations

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

CQ17 Does it provide controlled access without exposing credentials?

Analog Informatics: AIC PAM can open a controlled session without revealing the target credential. Where a procedure calls for a person to retrieve the credential directly, AIC PIM supports approved retrieval. The distinction matters for emergency accounts and their audit trail.

Delinea: Secret Server launchers and proxies provide controlled access on configured paths. Demonstrate credential exposure, clipboard handling, recording and any approved direct-retrieval exception using the chosen client.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server recording architectures

CQ18 Can it remove standing privileges and expire approved access automatically?

Analog Informatics: AIC can grant time-limited access or authorize elevation for a named program on a supported endpoint. For a maintenance job, verify what happens to a running process or session when its authorization expires.

Delinea: Select the access policy and any endpoint product required for time-limited privileges. Test a session or process already running when approval ends; a password checkout window is not the same as endpoint elevation expiry.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Deployment and customer control

CQ19 Is it SaaS, self-hosted software, or a managed service?

Analog Informatics: AIC supplies commercial software for customer-operated on-premises, cloud, hybrid and air-gapped deployment. Your team or an MSP you authorize operates the installation, including backups and upgrades. You retain authority over its managed secrets. A staffed managed service requires a separate arrangement.

Delinea: Secret Server is available as On-Premises software or Cloud SaaS. Delinea manages the Cloud backend; the customer runs its distributed engines. A staffed service provider is a separate operational choice.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

CQ20 Can I run it on my own hardware or in my own cloud account?

Analog Informatics: Yes. You can install the management server on supported hardware or cloud virtual machines you control. An organization operating in several EU countries can run separate installations and give each country team responsibility for its own credentials, recordings and recovery accounts.

Delinea: On-Premises supports customer-operated physical or virtual Windows/IIS and SQL infrastructure. Confirm the proposed customer-cloud architecture, supported versions and placement of recording and distributed-engine components.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

CQ21 Can it operate in an air-gapped or disconnected environment?

Analog Informatics: Yes. AIC supports air-gapped deployment for sensitive missions. Supported local credential and session operations use the site's approved local services. Installation, licensing and updates do not require a network connection to AIC. Include identity, time, recording, backup and recovery services in the design, and provide an approved path for any external alerts or feeds you choose to use.

Delinea: Yes. Delinea explicitly supports offline activation for Secret Server On-Premises in an air-gapped network. Confirm software-update transfer and required local workflows. Cloud distributed engines separately need outbound connectivity to hosted services.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

CQ22 Where are my credentials, logs, and compliance evidence stored?

Analog Informatics: Your AIC installation holds managed credentials. You choose where audit records, recordings and backups are stored. If a billing team operates its own installation in an EU country, it can retain the service-account change record there and choose which events to forward to a central security team.

Delinea: On-Premises customers choose the server, SQL database and associated storage. Cloud backend services are hosted and managed by Delinea in Azure. Locate recordings, distributed-engine records, exports and backups separately.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

CQ23 Who can access my data - including the vendor and its support staff?

Analog Informatics: Your organization retains sole authority to grant or revoke access to all AIC-managed secrets. You can let a technician use the billing account for an approved session, reserve password retrieval for a recovery operator and give a reviewer the session record. AIC support has no standing access. You decide whether to grant support access and what it covers. Your organization chooses its administrators and provider arrangements, including the people and locations approved for the mission.

Delinea: On-Premises administrators control their infrastructure and permissions. In Cloud, Delinea operates backend services. Obtain the provider’s access and support controls rather than assume a local distributed engine excludes all third-party operation.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

CQ24 Can I control retention, export my records, and leave without losing evidence?

Analog Informatics: You set retention and can export credentials, audit logs and evidence from your installation. Export remains available after license expiry, when licensed operation stops. If an application changes credential issuers, keep the old issuer's records so reviewers can trace activity across the change.

Delinea: Define a tested export for secrets, permission mappings, activity and recordings. Confirm retention and access after termination in the actual contract; the reviewed licensing material does not establish every exit right.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

CQ25 Can my MSP operate it while I retain control?

Analog Informatics: Yes. Your MSP can run the server and handle failed rotations under permissions you grant and can revoke. You retain the administrator and recovery accounts and decide whether the provider can authorize a change, retrieve a password or read a recording.

Delinea: A customer-selected provider can operate an agreed deployment. Delineate who holds SQL and server administration, may reveal a secret, approves access and retains the recovery material needed if the provider relationship ends.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

CQ26 What happens if the vendor’s service is unavailable?

Analog Informatics: A customer-operated AIC installation does not need a live connection to AIC for supported local operations. With a valid license and healthy local dependencies, it can continue local credential and session work during an outside-service outage. Test a supported maintenance task with that connection unavailable. At license expiry, licensed operation stops and export remains available.

Delinea: On-Premises can keep its local dependencies within the site; Cloud relies on its hosted backend and engine communications. Offline password export or caching is an emergency path, not evidence that new Cloud approvals work during an outage.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations; Secret Server offline and air-gap activation; Secret Server discovery and dependencies

Privileged controls and operational evidence

CQ27 What belongs inside the privileged-access boundary?

Analog Informatics: For a shared Windows account, include the requesting administrator, the AIC server, the directory, the target hosts and dependent services, plus the backups and records needed for recovery. Include any separate issuer used by a cloud application that connects to the same system.

Delinea: Include Secret Server, SQL, distributed engines, launchers, session connectors and target permissions. An external identity provider, remote recording destination or support operator adds a separate access path to assess.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ28 Which privileged-security controls does the software enforce, assist with, or record?

Analog Informatics: AIC can enforce approved access and supported elevation rules, change credentials and record what happened. Your team chooses which discoveries justify an automatic correction and who can approve an exception for a business-critical service.

Delinea: Password changes, controlled checkout, proxies and recording enforce or document different controls. Identify the required tool and configuration for each; advanced process evidence requires more than a vault record.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

CQ29 What remains my responsibility or my MSP's responsibility?

Analog Informatics: Your team or provider operates the AIC server, provisions target permissions, restores backups and installs updates. Application owners still identify acceptable restart windows and validate that their service can sign in after its password changes.

Delinea: On-Premises customers maintain Windows, IIS, SQL, backups and updates. Delinea manages Cloud backend services, but customers still manage engines, targets and policy decisions. Application owners approve restart and recovery procedures.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ30 Does it continuously record privileged activity, or will we still reconstruct it for an audit?

Analog Informatics: AIC collects privileged activity, produces reports and retains session records on configured access paths. A reviewer can use the approval, account, action and time to trace a change. Evidence about work outside those paths must come from the systems where it occurred.

Delinea: Secret Server offers basic and advanced recording with different video, keystroke and process detail. Verify the configured launcher, proxy or agent captures the activity needed, and check a path that bypasses it.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server recording architectures

CQ31 Can it detect privilege drift and remediate problems during daily operations?

Analog Informatics: AIC can detect changes, apply authorized corrections on supported targets and report exceptions. For example, a site can automate a routine correction but send a failed change on a shared account to an operator for recovery.

Delinea: Discovery can identify new accounts and support onboarding and password changes. A broader privilege-drift requirement may involve other Delinea products. Demonstrate detection, the authorized corrective action and its target verification separately.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server discovery and dependencies; Secret Server Cloud architecture and operations

CQ32 Does it track training, attestations, access approvals, access reviews and corrective actions?

Analog Informatics: AIC supports periodic reviews of suite accounts, access approvals, training assignments and attestations. Its governance functions can retain the decision and evidence of corrective work. For an exception, record the reviewer, decision date and resulting change.

Delinea: Do not treat Secret Server account approval as proof of a full training, attestation or workforce-governance program. Ask for the exact Delinea module and demonstrated record for each required review.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

CQ33 Can security reviewers inspect current access records without disrupting IT?

Analog Informatics: AIC can give an authorized reviewer read-only access to the evidence selected for an engagement. The reviewer can inspect an approval and the related activity without receiving permission to retrieve the service account's password.

Delinea: Secret Server provides session and activity review under role permissions. Test that a reviewer can inspect the selected evidence without permissions to reveal passwords or administer secret templates and policies.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server recording architectures

CQ34 Can the same access records support multiple security policies and audits?

Analog Informatics: AIC can map evidence to control requirements across frameworks. An approval or session record can support more than one policy when it identifies the person, target, action and time each policy requires. Coverage depends on the control and the available records.

Delinea: Account and session records can serve multiple controls when their contents meet each control's requirements. The same recording does not replace an access-review decision or evidence of a repaired dependency.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ35 Can it replace our governance tool or feed our SIEM, ticketing and governance systems?

Analog Informatics: AIC provides its own GRC products for security governance. Teams that keep a separate system can forward events or export evidence. For a failed rotation, map the account, target and result so the receiving team can distinguish the initial failure from the subsequent correction. The licensed controls, reviews and reporting determine whether it can replace your current governance tool.

Delinea: Use supported Delinea interfaces and exports to connect retained systems. Verify account identifiers, the approval and subsequent result in the receiving SIEM or ticket so a failed rotation does not appear to be a completed repair.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Cost and value

CQ36 What is the total cost - not just the advertised subscription?

Analog Informatics: Start with the AIC license for the required systems, applications, users, modules, term and session capacity. Add infrastructure, staff time, recording retention and migration. Include any period when the incumbent platform remains in operation.

Delinea: Compare the selected edition and licenses plus database, Windows infrastructure, engines, recording capacity, support and implementation. A Cloud backend reduces some infrastructure duties but does not remove customer operating work.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

CQ37 Is pricing based on users, administrators, identities, assets, or usage?

Analog Informatics: AIC licenses systems, applications and users under product-specific allowances. The Enterprise quote also reflects selected modules, session capacity and term length. Adding credentials to a system already covered by the license does not by itself increase the license count.

Delinea: On-Premises Secret Server documents user packs and edition enhancements. Delinea platform user/member types are a separate consideration. Obtain the current metrics for all products in the proposed order.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ38 Are non-human identities charged separately?

Analog Informatics: AIC has no license charge based on the number of human or non-human accounts or credentials. A new application or managed system can still affect its allowance. Model a growing workload by counting the applications and systems it adds, alongside any hosting capacity they need.

Delinea: Do not assume a Secret Server user pack is the complete price for all workload-secret or platform functions. Ask which products and allowances apply as service accounts, applications and automated consumers grow.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ39 What costs extra: connectors, reporting, storage, support, or audit access?

Analog Informatics: The Enterprise quote identifies licensed functions and allowances. Include external vault or issuer subscriptions you plan to retain, hosting, recording storage and provider services. AIC’s best-effort support is free, while a contractual response time requires a purchased enterprise support agreement.

Delinea: Basic recording is licensed, advanced recording can need extra components, and support licenses govern assistance and updates for On-Premises. Identify these and infrastructure costs explicitly in the quote.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ40 What infrastructure and third-party licenses will I need?

Analog Informatics: Budget for the AIC management server, networking, recording storage, backups and recovery capacity, plus any operating-system or application licenses your chosen deployment needs. A cloud vault or certificate authority still in use by other applications keeps its own costs.

Delinea: On-Premises requires supported Windows/IIS and SQL infrastructure; production database and recording needs require sizing. Distributed engines and session components have their own prerequisites even when the backend is Cloud.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ41 How much staff time does it take to operate?

Analog Informatics: AIC automates recurring discovery, rotation and reporting. Administrators maintain the installation and handle exceptions. The documentation gives no staff-hours estimate for your environment. Time a routine rotation and recovery from a failed change on a shared account to estimate the labor required.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Delinea: A Windows team may reuse familiar server skills, but discovery exceptions, failed dependencies and SQL recovery still consume time. Measure these tasks and a representative update; public system requirements do not determine staff hours.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ42 Which manual tasks and existing subscriptions could it eliminate?

Analog Informatics: AIC can replace manual account inventories, credential changes, updates to dependent services and collection of the related evidence. A team can retire a separate vault or issuer subscription once every remaining application can authenticate and renew credentials or certificates through its replacement.

Delinea: Delinea can automate account discovery and password changes and reduce manual session review work. Retire a process only after scheduled tasks, services and application pools accept the change and reviewers can find the resulting record.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ43 How do costs change as the company grows?

Analog Informatics: More licensed systems, applications or users can increase AIC costs, and additional sessions or longer retention require capacity. A higher count of secrets on the same managed systems does not create a per-secret charge. Growth in application workloads and growth in managed infrastructure can therefore affect the two proposals differently.

Delinea: Model user packs, editions, selected platform products and infrastructure capacity. Longer recording retention or additional sites can increase operating cost even when the number of administrators is unchanged.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ44 What infrastructure and capacity limits apply to remote sessions or hosted workspaces?

Analog Informatics: AIC uses the customer’s compute and recording storage. Size the installation for concurrent administrative sessions, expected recording volume and recovery copies. If users also need persistent hosted desktops, budget for those separately.

Delinea: Recording mode, concurrent sessions, proxies, agents and retained media determine capacity. Size the chosen architecture, including failover. A privileged launcher does not itself provide a persistent hosted employee desktop.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server recording architectures

Implementation and migration

CQ45 Can it work with our existing environment, or must we start over?

Analog Informatics: AIC can discover accounts in an existing environment while cloud applications continue to use their current issuers. Its initial report lets the team choose a set of accounts to manage first. Assign one system responsibility for rotating each account as it moves.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Delinea: Secret Server can discover an existing environment, and a current installation can remain while AIC pilots another scope. Preserve custom scanners, templates and consumers that retrieve secrets programmatically.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ46 How quickly can we deploy the Enterprise platform?

Analog Informatics: The reviewed materials give no end-to-end deployment time for an Enterprise installation in your environment. Before the first team can use it, the management server, identity service, discovery permissions and recovery procedure must be ready. Time the rollout through the first successful rotation and approved session.

Delinea: Time both infrastructure readiness and the first verified operational workflow. On-Premises Windows/SQL setup, discovery permissions, dependency cleanup and recording configuration can take longer than provisioning a Cloud tenant.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ47 How long does it take to discover and secure existing assets?

Analog Informatics: AIC can find an existing account before the team is ready to rotate it. The first inventory depends on connectivity and permissions. Securing a shared account also takes an owner, a dependency check and a maintenance window. Measure both the discovery pass and the first verified change on representative systems.

Delinea: Discovery produces accounts and dependency information before the team should rotate everything. Establish owners, change windows and consumer updates; measure the first scan separately from the first verified service restart.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server discovery and dependencies; Secret Server Cloud architecture and operations

CQ48 Can we introduce it gradually without interrupting operations?

Analog Informatics: Start AIC with discovery, then authorize changes for selected accounts. A production application can keep its current credential source while another moves. Avoid enabling two rotation schedules for the same account, and expand after the first group’s consumers can authenticate.

Delinea: Introduce selected accounts and sites gradually. Keep a single rotation authority, preserve the recovery copy and review failures before adding production services with more dependencies.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ49 How do we migrate credentials, policies, and evidence?

Analog Informatics: List each credential, its permissions and the applications that use it. Move one account or application at a time, retain the old approvals and session records, and verify the next rotation or renewal. When changing certificate authorities, install the new trust chain before retiring the old issuer.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Delinea: Move secret values together with permissions, templates, changers and consumers. Preserve session recordings and approval history. Verify the next scheduled rotation and launcher behavior rather than only a successful import.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ50 Who handles configuration, migration, and ongoing operations?

Analog Informatics: Your team or selected provider configures AIC, migrates accounts and operates the installation. AIC supplies the software and guidance. The application owner needs to take part when a migration changes how a process obtains credentials or which certificates it trusts.

Delinea: Name the roles for Windows/IIS, SQL, engines, recording, account policies and application sign-off. In Cloud, distinguish Delinea's backend duties from customer connectors and target access.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ51 What training, deployment guides, and support are included?

Analog Informatics: AIC includes guides, cookbooks, recipes and training materials. Free best-effort support is available to all customers, with non-enterprise email responses typically taking 24-72 hours. A purchased enterprise agreement provides a four-hour initial response commitment around the clock.

Delinea: Delinea publishes detailed deployment and administration guidance. On-Premises support and software updates depend on support licensing. Obtain contracted response commitments and training scope rather than infer them from documentation availability.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ52 Can we test it on our own systems before committing?

Analog Informatics: AIC offers a free 30-day Enterprise Privilege Suite trial. A representative pilot would bring one shared service account under rotation, interrupt access to one consumer, recover it and inspect the records. At a disconnected site, repeat the required administrator session with the cloud link down.

Delinea: Use a representative service account, its task and IIS dependencies and a recorded maintenance session. In an air-gapped evaluation, include offline activation and the approved update-transfer procedure.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Vendor credibility and fit

CQ53 Who is this company, and how long has it supported this kind of environment?

Analog Informatics: Analog Informatics Corporation develops AIC Enterprise Privilege Suite. Its founder's work on privileged identity products dates to 1993. The company now supplies its own privileged access, certificate and governance products.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Delinea: Delinea supplies Secret Server and a broader privilege-security platform. Relevant evidence is the current release, product support boundary and team experience operating the selected Cloud or On-Premises architecture.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ54 Does it understand organizations like ours?

Analog Informatics: AIC serves operations and security teams managing mixed Windows, Unix, network and cloud systems. A company with shared service accounts, time-limited maintenance access and a requirement to review changes across sites can test all three in its own installation.

Delinea: Delinea is relevant to Windows and mixed-system operations teams that need a vault, dependency discovery and configurable session recording. Customers with local-operation requirements can evaluate Secret Server On-Premises directly.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ55 Can it demonstrate our specific use case?

Analog Informatics: Use a test billing service and a scheduled task that share a Windows account. Have AIC rotate the password and verify that both can sign in. Make one dependent host unavailable, restore it, and ask a reviewer to find the failed change and its recovery without receiving the password.

Delinea: Require a demonstration of dependency discovery, password change, a failed consumer, recovery and recorded review. Specify whether the session uses a protocol handler, proxy, connector or advanced recording agent.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ56 What do customers say about reliability and support?

Analog Informatics: The materials reviewed contain no published AIC customer account of reliability or support. A trial can show recovery behavior on your systems, and the written support agreement specifies the initial response commitment. Neither establishes another customer’s experience.

Delinea: No independent support or uptime measurement was performed for this comparison. Ask customers using the same edition and recording architecture about recovery and upgrades, and compare that with the written support agreement.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ57 What are its limitations?

Analog Informatics: AIC requires target-specific support, sufficient permissions and the network paths needed for the operation. Its published platform list identifies direct delivery of secrets to build pipelines and Kubernetes as planned. Request the released integration and test your workload. Customer-operated deployments also require local upgrades and recovery.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Delinea: Secret Server behavior depends on edition, changers, engine connectivity and recording components. Customer-operated Windows/SQL needs maintenance, while Cloud adds external backend dependencies. Unsupported scanners or consumers require explicit engineering.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ58 Which capabilities are available today, and which are roadmap items?

Analog Informatics: AIC supplies PIM, PAM, PUM, IGA, GRC, CLM and CIAM products today. It considers the full range of competitor capabilities in scope for future releases. Use release documentation and a working demonstration to establish what is available for purchase now. Future scope carries no committed feature or date.

Delinea: Use the released Secret Server and selected platform documentation for current availability. AIC's future consideration of Delinea functions is not a promise of present equivalence; evaluate each platform's currently delivered workflow.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ59 How does it handle vulnerabilities and security updates?

Analog Informatics: AIC generally responds to severe vulnerability reports within 24 hours and typically has a mitigation within 24 hours of notice, on a best-effort basis. Severity, likelihood and customer impact guide notification. Your team chooses when to install the mitigation, including how to deliver it to an offline site.

Delinea: For On-Premises, maintain valid update entitlement and an approved installation process. Air-gapped sites need controlled package transfer. For Cloud, document provider maintenance terms and the customer's engine-update responsibilities.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ60 Will it work with our existing vendors and service providers?

Analog Informatics: AIC supports documented targets, event destinations and customer-selected service providers. An existing issuer can supply application credentials while AIC manages other accounts, endpoint elevation and operator sessions. Assign responsibility for each account's rotation and each certificate's renewal.

Delinea: Keep useful Delinea identity and application integrations during an AIC evaluation. Decide which platform owns each change and where security reviewers find the complete account and session history.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

CQ61 What happens to our deployment if the vendor is acquired or changes direction?

Analog Informatics: You retain the AIC installation, credentials and records if corporate ownership changes. Licensed operation stops at expiry, while data export remains available. Keep independent access to the targets and any certificate issuers so a transition does not depend on one administrator login.

Delinea: Retain server/database recovery, readable exports and independent target access. Check support and license terms for product-direction changes; an installed copy alone does not establish indefinite licensed operation.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.

Evidence: AIC Enterprise Privilege Suite; AIC supported platforms; Secret Server system requirements; Secret Server Cloud architecture and operations

Sources and evaluation

Analysis uses vendor product documentation and current AIC product-owner statements. No independent performance benchmark or customer-support measurement was performed for this comparison.

AIC Enterprise Privilege Suite

AIC supported platforms

AIC Enterprise pricing

AIC disconnected operation

AIC security and customer control

Secret Server system requirements

Secret Server Cloud architecture and operations

Secret Server offline and air-gap activation

Secret Server discovery and dependencies

Secret Server recording architectures

Secret Server licensing

Secret Server break-glass procedures

Secret Server SSH-key management

Delinea platform license types

Test the next service restart and a failed dependency

Discover a domain account used by a Windows service, scheduled task and IIS application pool. Rotate it, interrupt one target and restart the consumers. Compare which dependencies update, who handles the failure and whether a reviewer can trace the repair without receiving the password. Record the current release, licensed modules, permissions, operating staff and recovery procedure used in the trial.

For more information about Analog Informatics Corporation, please go to analoginfo.com.

Copyright © 2026 Analog Informatics Corporation. All rights reserved.