Automatic Blood Collection Mixer with Integrated Scale



AE-500A

Flow Control

Continuous Agitation

ISO 9001/13485 Quality
ANMAT: PM1532-3

Calle 34 (Ex Francia) Nº 3917, San Martín - B1650IHM - Bs. As. - Arg.
4755-7780 / 4755-4004 11 2488 7703
www.presvac.net presvac@presvac.net

Highlighted Features of the AE-500A

The **AE-500A** optimizes the blood donation process through an integrated **system combining scale, continuous agitation, flow control.**

Its simple and precise operation improves procedure **safety** and the **traceability** of each donation.

- **2-line x 16-character LCD display**
- **Automatic and manual clamp**
- **Spanish and English configuration**
- **Rechargeable battery with status indicator**

Integrated Traceability

Records up to 32,000 collections

Data export via USB (CSV)

Donor identification with barcode reader



Main Benefits

Precision in every extraction

Automatic tare of the bag and anticoagulant simplifies operation and improves reliability.

Process automation

Precise volume programming for a more controlled and standardized collection.

Flow under control

Visual and audible alarm system to allow quick action in case of any deviation.

Immediate alerts

Continuous monitoring with low or high flow detection for greater operational safety.

Constant homogeneous mixing

Continuous agitation of the extracted unit to ensure a uniform process during donation.

Real-time information

LCD screen with clear display of time, flow, collected volume, and alarms.

Functional and adaptable design

Automatic and manual clamp, rechargeable battery, and compatibility with multiple blood collection bags.

11 2488 7703 presvac@presvac.net presvac.net



Presvac

11 2488 7703 presvac@presvac.net
presvac.net