# Platelet Agitators and Incubators



## AP-48 L / AP-96 L




## AP-48 LT / AP-96 LT

ISO 9001/13485 Quality
ANMAT: PM1532-2

Calle 34 (ex Francia) N° 3917, San Martín - B1650IHM - Bs. As. Arg
+54 11 4755-7780 / 4004 +54 11 2488 7703
www.presvac.net presvac@presvac.net

# Platelet Agitator



## AP-48 L / AP-96 L

**Uniform agitation. Reliable storage.**
Presvac platelet agitators provide optimal
storage conditions through continuous,
controlled agitation.

**Capacity for every need**
- **AP-48 L:** up to 48 platelet bags or 16 apheresis units
- **AP-96 L:** up to 96 platelet bags or 32 apheresis units




**Key features**
- Perforated trays for uniform air circulation
- Gentle, continuous roller agitation
- Low-maintenance motor with forced ventilation
- Robust design for continuous operation

**Options**
- Stainless-steel trays
- Motion alarm

+54 11 2488 7703 presvac@presvac.net presvac.net

# Platelet Incubator



## AP-48 LT / AP-96 LT




Precise temperature control. Maximum storage safety.
Presvac platelet incubators maintain stable, **Presvac** temperature conditions, ensuring proper preservation of platelet units through forced-air circulation and continuous monitoring.

**Capacity matched to operational demand**

• **AP-48 LT:** compact incubator designed for lower-throughput blood banks. Compatible with the AP-48 L agitator.

• **AP-96 LT:** higher-capacity incubator designed for high-throughput blood banks. Compatible with the AP-96 L agitator.

**Key features**

- Programmable temperature from 18 °C to 22 °C
- Digital temperature display
- Forced-air circulation for uniform temperature
- Visual and audible alarms (high and low temperature)
- Tempered glass door
- Stainless-steel interior

**Options**

- Chart recorder
- Open-door alarm
- Power failure alarm
- Data Logger

+54 11 2488 7703 presvac@presvac.net presvac.net


Presvac
+54 11 2488 7703
presvac@presvac.net
presvac.net
AP -96L