Presvac

Laboratory Centrifuges



DCS-16 RVT PLUS

ISO 9001/13485 Quality

Calle 34 (ex Francia) No. 3917, San Martín - Buenos Aires - Argentina.
+54 11 4755-7780 / 4004 +54 11 2488 7703
www.presvac.net presvac@presvac.net

Laboratory Centrifuges

DCS-16 RVT PLUS



Versatility and precision for everyday work.

The **DCS-16 RVT PLUS** is a medium-capacity centrifuge designed for laboratories, research centers and blood banks, ideal for routine procedures,
sample processing and crossmatching.

Its interchangeable rotor system accommodates different sample types, combining operational flexibility with reliable results.

Operation and programming

The **DCS-16 RVT PLUS** lets you program cycle time, speed, acceleration and braking. Its LCD displays speed, RCF, elapsed time and equipment status in real time.

Storing up to 50 programs simplifies repeat procedures, reduces setup time and helps maintain consistent operating conditions.

Key features
- Maintenance-free motor
- LCD with real-time monitoring (RCF, speed, status)
- Full cycle programming (time, speed, acceleration and braking)
- Stores up to 50 programs

Safety and control
- Imbalance, open lid and overspeed alarms
- Lid locking system
- Self-test function
- PC connection

Member of CISQ Federation RINA IQNET CERTIFIED MANAGEMENT SYSTEM EN ISO 13485

Member of CISQ Federation RINA IQNET CERTIFIED MANAGEMENT SYSTEM ISO 9001

anmat Administración Nacional de Medicamentos, Alimentos y Tecnología Médica

+54 11 2488 7703 presvac@presvac.net presvac.net

Processing



Active program display

Program selection

Program creation and storage

Deleting stored programs

PC connection and data transfer

Data storage system activation

Date and time display

INTERCHANGEABLE ROTORS

Type	Model	Capacity	Compatible with 5 or 8 ml adapters
 Swing bucket 3500 RPM	CP-16	16 x 15 ml	Yes
	CP-24	24 x 15 ml	Yes
	CP-6/50	6 x 50 ml	No
	CP-4/50	4 x 50 ml	No
 Fixed-angle rotor 5000 RPM	CF-36	36 x 8 ml	No
	CF-24	24 x 15 ml	Yes
	CF-16	16 x 15 ml	Yes
	CF-12	12 x 15 ml	Yes
	CF-6	6 x 15 ml	Yes

+54 11 2488 7703 presvac@presvac.net presvac.net

Presvac

+54 11 2488 7703 presvac@presvac.net
presvac.net