

Payment Card Industry (PCI) Executive Report

09/24/2025

ASV Scan Report Attestation of Scan Compliance

| A.1 Scan Customer Information | | | | A.2 Approved Scanning Vendor Information | | | |
|-------------------------------|------------------|-----------------|--------------------------|--|--|-----------------|-----------------------------------|
| Company: | WebCraft | | | Company: | Sectigo Limited | | |
| Contact Name: | Jules Robbins | Job Title: | - | Contact Name: | HackerGuardian Support | Job Title: | Manager |
| Telephone: | - | Email: | jules@vinesos.com | Telephone: | +1 (888) 266-6361 | Email: | HackerGuardianSupport@sectigo.com |
| Business Address: | 1900 Camden Ave, | | | Business Address: | 3rd Floor Building 26, Office Village Exchange Quay, Trafford Road | | |
| City: | NA | State/Province: | California | City: | Salford | State/Province: | None |
| ZIP/postal code: | 95124 | Country: | United States of America | ZIP/postal code: | M5 3EQ | Country: | United Kingdom |
| URL: | vinesos.com | | | URL: | https://sectigo.com/ | | |

A.3 Scan Status

| | | | |
|--|-------------|---|------------|
| Date scan completed | 09/24/2025 | Scan expiration date (90 days from date scan completed) | 12/23/2025 |
| Compliance Status | PASS | Scan report type | Full scan |
| Number of unique in-scope components scanned | | | 1 |
| Number of identified failing vulnerabilities | | | 0 |
| Number of components found by ASV but not scanned because scan customer confirmed components were out of scope | | | 10 |

A.4 Scan Customer Attestation

WebCraft attests on 09/24/2025 at 20:29:21 GMT that this scan (either by itself or combined with multiple, partial, or failed scans/rescans, as indicated in the above Section A.3, "Scan Status") includes all components which should be in scope for PCI DSS, any component considered out of scope for this scan is properly segmented from my cardholder data environment, and any evidence submitted to the ASV to resolve scan exceptions - including compensating controls if applicable - is accurate and complete.

WebCraft also acknowledges 1) accurate and complete scoping of this external scan is my responsibility, and 2) this scan result only indicates whether or not my scanned systems are compliant with the external vulnerability scan requirement of PCI DSS; this scan result does not represent my overall compliance status with PCI DSS or provide any indication of compliance with other PCI DSS requirements.

A.5 ASV Attestation

This scan and report was prepared and conducted by Sectigo Limited under certificate number 4172-01-19, according to internal processes that meet PCI DSS requirement 11.3.2 and the ASV Program Guide.

Sectigo Limited attests that the PCI DSS scan process was followed, including a manual or automated Quality Assurance process with customer boarding and scoping practices, review of results for anomalies, and review and correction of 1) disputed or incomplete results, 2) false positives, 3) compensating controls (if applicable), and 4) active scan interference. This report and any exceptions were reviewed by HackerGuardian Support

ASV Scan Report Summary

Part 1. Scan Information

| | | | |
|--------------------------|------------|-----------------------|-----------------|
| Scan Customer Company: | WebCraft | ASV Company: | Sectigo Limited |
| Date scan was completed: | 09/24/2025 | Scan expiration date: | 12/23/2025 |

Part 2. Component Compliance Summary

52.203.207.79, ec2-52-203-207-79.compute-1.amazonaws.com

PASS

Part 2. Component Compliance Summary - (Hosts Not Current)

Part 3a. Vulnerabilities Noted for each Component

| Component | Vulnerabilities Noted per Component | Severity Level | CVSS Score | Compliance Status | Exceptions, False Positives, or Compensating Controls Noted by the ASV for this Vulnerability |
|--|--|----------------|------------|-------------------|--|
| 52.203.207.79, ec2-52-203-207-79.compute-1.amazonaws.com | 82054 - TCP Sequence Number Approximation Based Denial of Service CVE-2004-0230 | MED | 5 | PASS | The vulnerability is purely a denial-of-service (DoS) vulnerability. |

Part 3b. Special Notes to Scan Customer by Component

| Component | Special Note to Scan Customer | Item Noted | Per section 7.2 of the ASV Program Guide, scan customer's description of action taken and declaration that software is either needed for business and implemented securely, or removed |
|---------------|--|--|--|
| 52.203.207.79 | Embedded links or code from out-of-scope domains | 150010 - External Links Discovered (Web Application: port 443/tcp) | Yes - We do not send any data to this resource |

Part 3c. Special Notes Full Text

Note

Embedded links or code from out-of-scope domains

Special Note to Scan Customer: Due to increased risk to the cardholder data environment when embedded links redirect traffic to domains outside the merchant's CDE scope, 1) confirm that this code is obtained from a trusted source, that the embedded links redirect to a trusted source, and that the code is implemented securely, or 2) confirm that the code has been removed. Consult your ASV if you have questions about this Special Note.

Part 4a. Scope Submitted by Scan Customer for Discovery

IP Addresses/ranges/subnets, domains, URLs, etc.

52.203.207.79

Part 4b. Scan Customer Designated "In-Scope" Components (Scanned)

IP Addresses/ranges/subnets, domains, URLs, etc.

52.203.207.79, ec2-52-203-207-79.compute-1.amazonaws.com

Part 4c. Scan Customer Designated "Out-of-Scope" Components (Not Scanned)

IP Addresses/ranges/subnets, domains, URLs, etc.

172.253.113.26, 13.227.65.46, 64.233.171.26, 173.194.77.26, 74.125.137.26, 54.160.71.12, 13.227.65.127, 142.250.152.26, 13.227.65.22, 13.227.65.58

IP Addresses/Ranges : - (not active) Scan customer attests that this IP address is not issued/assigned to any physical or virtual host. ASV confirmed it is nonresponsive.

Report Summary

| | |
|-------------------|--|
| Company: | WebCraft |
| Hosts in Account: | 1 IP |
| Hosts Active: | 1 |
| Hosts Scanned: | 1 |
| Scan Date: | 09/24/2025 at 08:00:46 GMT |
| Report Date: | 09/24/2025 at 20:29:28 GMT |
| Report Title: | VinesOS PCI Compliance Report |
| Template Title: | Payment Card Industry (PCI) Executive Report |

Summary of Vulnerabilities

| | | | | |
|-----------------------|----|-----------------------|---|-----|
| Vulnerabilities Total | 56 | Average Security Risk |  | 3.0 |
|-----------------------|----|-----------------------|---|-----|

by Severity

| Severity | Confirmed | Potential | Information Gathered | Total |
|----------|-----------|-----------|----------------------|-------|
| 5 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 |
| 3 | 0 | 1 | 0 | 1 |
| 2 | 0 | 0 | 9 | 9 |
| 1 | 0 | 0 | 46 | 46 |
| Total | 0 | 1 | 55 | 56 |


by PCI Severity

| PCI Severity | Confirmed | Potential | Total |
|--------------|-----------|-----------|-------|
| High | 0 | 0 | 0 |
| Medium | 0 | 1 | 1 |
| Low | 0 | 0 | 0 |
| Total | 0 | 1 | 1 |

Vulnerabilities by PCI Severity




Potential Vulnerabilities by PCI Severity



Vulnerabilities by Severity



Potential Vulnerabilities by Severity



Appendices

Hosts Scanned

52.203.207.79

Option Profile

Scan

| | |
|--------------------------|---------------|
| Scanned TCP Ports: | Full |
| Scanned UDP Ports: | Standard Scan |
| Scan Dead Hosts: | Off |
| Load Balancer Detection: | Off |
| Password Brute Forcing: | Standard |
| Vulnerability Detection: | Complete |
| Windows Authentication: | Disabled |
| SSH Authentication: | Disabled |
| Oracle Authentication: | Disabled |
| SNMP Authentication: | Disabled |
| Perform 3-way Handshake: | Off |

Advanced

| | |
|---|---|
| Hosts Discovery: | TCP Standard Scan, UDP Standard Scan, ICMP On |
| Ignore RST packets: | Off |
| Ignore firewall-generated SYN-ACK packets: | Off |
| Do not send ACK or SYN-ACK packets during host discovery: | Off |

Report Legend






Payment Card Industry (PCI) Status




An overall PCI compliance status of PASSED indicates that all hosts in the report passed the PCI compliance standards. A PCI compliance status of PASSED for a single host/IP indicates that no vulnerabilities or potential vulnerabilities, as defined by the PCI DSS compliance standards set by the PCI Council, were detected on the host.

An overall PCI compliance status of FAILED indicates that at least one host in the report failed to meet the PCI compliance standards. A PCI compliance status of FAILED for a single host/IP indicates that at least one vulnerability or potential vulnerability, as defined by the PCI DSS compliance standards set by the PCI Council, was detected on the host.

Vulnerability Levels




A Vulnerability is a design flaw or mis-configuration which makes your network (or a host on your network) susceptible to malicious attacks from local or remote users. Vulnerabilities can exist in several areas of your network, such as in your firewalls, FTP servers, Web servers, operating systems or CGI bins. Depending on the level of the security risk, the successful exploitation of a vulnerability can vary from the disclosure of information about the host to a complete compromise of the host.



| Severity | Level | Description |
|---|----------|---|
|  1 | Minimal | Intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities. |
|  2 | Medium | Intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions. |
|  3 | Serious | Intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying. |
|  4 | Critical | Intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host. |
|  5 | Urgent | Intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors. |




| Severity | Level | Description |
|--|--------|---|
|  LOW | Low | A vulnerability with a CVSS base score of 0.0 through 3.9. These vulnerabilities are not required to be fixed to pass PCI compliance. |
|  MED | Medium | A vulnerability with a CVSS base score of 4.0 through 6.9. These vulnerabilities must be fixed to pass PCI compliance. |
|  HIGH | High | A vulnerability with a CVSS base score of 7.0 through 10.0. These vulnerabilities must be fixed to pass PCI compliance. |

Potential Vulnerability Levels

A potential vulnerability is one which we cannot confirm exists. The only way to verify the existence of such vulnerabilities on your network would be to perform an intrusive scan, which could result in a denial of service. This is strictly against our policy. Instead, we urge you to investigate these potential vulnerabilities further.




| Severity | Level | Description |
|---|---------|--|
|  1 | Minimal | If this vulnerability exists on your system, intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities. |
|  2 | Medium | If this vulnerability exists on your system, intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions. |
|  3 | Serious | If this vulnerability exists on your system, intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying. |

| | | | |
|---|---|----------|--|
|  | 4 | Critical | If this vulnerability exists on your system, intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host. |
|  | 5 | Urgent | If this vulnerability exists on your system, intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors. |

| Severity | Level | Description |
|---|--------|---|
|  | Low | A potential vulnerability with a CVSS base score of 0.0 through 3.9. These vulnerabilities are not required to be fixed to pass PCI compliance. |
|  | Medium | A potential vulnerability with a CVSS base score of 4.0 through 6.9. These vulnerabilities must be fixed to pass PCI compliance. |
|  | High | A potential vulnerability with a CVSS base score of 7.0 through 10.0. These vulnerabilities must be fixed to pass PCI compliance. |

Information Gathered

Information Gathered includes visible information about the network related to the host, such as traceroute information, Internet Service Provider (ISP), or a list of reachable hosts. Information Gathered severity levels also include Network Mapping data, such as detected firewalls, SMTP banners, or a list of open TCP services.

| Severity | Level | Description | |
|---|-------|-------------|---|
|  | 1 | Minimal | Intruders may be able to retrieve sensitive information related to the host, such as open UDP and TCP services lists, and detection of firewalls. |
|  | 2 | Medium | Intruders may be able to determine the operating system running on the host, and view banner versions. |
|  | 3 | Serious | Intruders may be able to detect highly sensitive data, such as global system user lists. |

