



BARGE "CBC 26"

ULLAGE TRIM TABLE

FORMERLY "KIRBY 10305"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>										
1 CENTER	-01-1/2	+01-1/2	- 02-7/8	+ 02-7/8	- 04-3/8	+ 04-3/8	-05-7/8	+ 05-7/8	- 07-3/8	+ 07-3/8	- 08-3/4	+ 08-3/4
2 CENTER	- 00-1/2	+ 00-1/2	- 01-0/0	+01-0/0	- 01-3/8	+01-3/8	- 01-7/8	+ 01-7/8	- 02-3/8	+ 02-3/8	- 02-7/8	+ 02-7/8
3 CENTER	+ 00-5/8	- 00-5/8	+ 01-1/4	- 01-1/4	+ 01-7/8	- 01-7/8	+ 02-1/2	- 02-1/2	+ 03-1/8	- 03-1/8	+ 03-3/4	- 03-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CNTR IS + 02'-7/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CNTR, THE TRIM CORRECTED ULLAGE IS 4'-02-7/8"

May 26, 2015

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 26"

3 CENTER ULLAGE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "KIRBY 10305"

GAUGE HEIGHT 17'-02 1/8"

0 FT.			1 FT.			2 FT.			3 FT.			4 FT.			5 FT.			6 FT.			7 FT.			8 FT.			9 FT.					
IN			IN			IN			IN			IN			IN			IN			IN			IN			IN			IN		
0			0			0			0	3,935.47	0	0	3,668.71	0	0	3,387.64	0	0	3,106.57	0	0	2,825.50	0	0	2,544.45	0	0	2,263.38	0			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,931.93	1/4	1/4	3,662.86	1/4	1/4	3,381.79	1/4	1/4	3,100.72	1/4	1/4	2,819.65	1/4	1/4	2,538.59	1/4	1/4	2,257.52	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,928.14	1/2	1/2	3,657.00	1/2	1/2	3,375.93	1/2	1/2	3,094.87	1/2	1/2	2,813.80	1/2	1/2	2,532.74	1/2	1/2	2,251.67	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,924.36	3/4	3/4	3,651.14	3/4	3/4	3,370.07	3/4	3/4	3,089.02	3/4	3/4	2,807.95	3/4	3/4	2,526.88	3/4	3/4	2,245.81	3/4			
1			1			1			1	3,920.33	1	1	3,645.29	1	1	3,364.22	1	1	3,083.17	1	1	2,802.09	1	1	2,521.02	1	1	2,239.95	1			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,915.82	1/4	1/4	3,639.43	1/4	1/4	3,358.36	1/4	1/4	3,077.31	1/4	1/4	2,796.24	1/4	1/4	2,515.17	1/4	1/4	2,234.10	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,911.07	1/2	1/2	3,633.58	1/2	1/2	3,352.51	1/2	1/2	3,071.45	1/2	1/2	2,790.38	1/2	1/2	2,509.31	1/2	1/2	2,228.24	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,906.32	3/4	3/4	3,627.73	3/4	3/4	3,346.66	3/4	3/4	3,065.59	3/4	3/4	2,784.52	3/4	3/4	2,503.45	3/4	3/4	2,222.38	3/4			
2			2			2			2	3,901.37	2	2	3,621.88	2	2	3,340.81	2	2	3,059.74	2	2	2,778.67	2	2	2,497.60	2	2	2,216.52	2			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,896.02	1/4	1/4	3,616.02	1/4	1/4	3,334.95	1/4	1/4	3,053.88	1/4	1/4	2,772.81	1/4	1/4	2,491.74	1/4	1/4	2,210.67	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,890.46	1/2	1/2	3,610.17	1/2	1/2	3,329.09	1/2	1/2	3,048.02	1/2	1/2	2,766.95	1/2	1/2	2,485.88	1/2	1/2	2,204.81	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,884.91	3/4	3/4	3,604.31	3/4	3/4	3,323.24	3/4	3/4	3,042.17	3/4	3/4	2,761.10	3/4	3/4	2,480.02	3/4	3/4	2,198.95	3/4			
3			3			3			3	3,879.29	3	3	3,598.45	3	3	3,317.38	3	3	3,036.31	3	3	2,755.24	3	3	2,474.17	3	3	2,193.10	3			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,873.54	1/4	1/4	3,592.60	1/4	1/4	3,311.52	1/4	1/4	3,030.45	1/4	1/4	2,749.38	1/4	1/4	2,468.32	1/4	1/4	2,187.24	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,867.73	1/2	1/2	3,586.74	1/2	1/2	3,305.67	1/2	1/2	3,024.60	1/2	1/2	2,743.52	1/2	1/2	2,462.46	1/2	1/2	2,181.39	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,861.91	3/4	3/4	3,580.88	3/4	3/4	3,299.81	3/4	3/4	3,018.74	3/4	3/4	2,737.67	3/4	3/4	2,456.61	3/4	3/4	2,175.54	3/4			
4			4			4			4	3,856.08	4	4	3,575.02	4	4	3,293.95	4	4	3,012.88	4	4	2,731.81	4	4	2,450.76	4	4	2,169.69	4			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,850.24	1/4	1/4	3,569.17	1/4	1/4	3,288.10	1/4	1/4	3,007.03	1/4	1/4	2,725.96	1/4	1/4	2,444.90	1/4	1/4	2,163.83	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,844.38	1/2	1/2	3,563.31	1/2	1/2	3,282.24	1/2	1/2	3,001.18	1/2	1/2	2,720.11	1/2	1/2	2,439.05	1/2	1/2	2,157.98	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,838.52	3/4	3/4	3,557.45	3/4	3/4	3,276.38	3/4	3/4	2,995.33	3/4	3/4	2,714.26	3/4	3/4	2,433.19	3/4	3/4	2,152.12	3/4			
5			5			5			5	3,832.67	5	5	3,551.60	5	5	3,270.53	5	5	2,989.47	5	5	2,708.40	5	5	2,427.33	5	5	2,146.26	5			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,826.82	1/4	1/4	3,545.74	1/4	1/4	3,264.67	1/4	1/4	2,983.62	1/4	1/4	2,702.55	1/4	1/4	2,421.48	1/4	1/4	2,140.40	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,820.96	1/2	1/2	3,539.89	1/2	1/2	3,258.82	1/2	1/2	2,977.76	1/2	1/2	2,696.69	1/2	1/2	2,415.62	1/2	1/2	2,134.55	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,815.11	3/4	3/4	3,534.04	3/4	3/4	3,252.97	3/4	3/4	2,971.90	3/4	3/4	2,690.83	3/4	3/4	2,409.76	3/4	3/4	2,128.69	3/4			
6			6			6			6	3,809.26	6	6	3,528.19	6	6	3,247.12	6	6	2,966.05	6	6	2,684.98	6	6	2,403.90	6	6	2,122.83	6			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,803.40	1/4	1/4	3,522.33	1/4	1/4	3,241.26	1/4	1/4	2,960.19	1/4	1/4	2,679.12	1/4	1/4	2,398.05	1/4	1/4	2,116.98	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,797.55	1/2	1/2	3,516.48	1/2	1/2	3,235.40	1/2	1/2	2,954.33	1/2	1/2	2,673.26	1/2	1/2	2,392.19	1/2	1/2	2,111.12	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,791.69	3/4	3/4	3,510.62	3/4	3/4	3,229.55	3/4	3/4	2,948.48	3/4	3/4	2,667.40	3/4	3/4	2,386.33	3/4	3/4	2,105.26	3/4			
7			7			7			7	3,785.83	7	7	3,504.76	7	7	3,223.69	7	7	2,942.62	7	7	2,661.55	7	7	2,380.48	7	7	2,099.41	7			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,779.98	1/4	1/4	3,498.90	1/4	1/4	3,217.83	1/4	1/4	2,936.76	1/4	1/4	2,655.70	1/4	1/4	2,374.63	1/4	1/4	2,093.55	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,774.12	1/2	1/2	3,493.05	1/2	1/2	3,211.98	1/2	1/2	2,930.90	1/2	1/2	2,649.85	1/2	1/2	2,368.77	1/2	1/2	2,087.70	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,768.26	3/4	3/4	3,487.19	3/4	3/4	3,206.12	3/4	3/4	2,925.05	3/4	3/4	2,643.99	3/4	3/4	2,362.92	3/4	3/4	2,081.85	3/4			
8			8			8			8	3,762.40	8	8	3,481.33	8	8	3,200.26	8	8	2,919.19	8	8	2,638.14	8	8	2,357.07	8	8	2,076.00	8			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,756.55	1/4	1/4	3,475.48	1/4	1/4	3,194.41	1/4	1/4	2,913.34	1/4	1/4	2,632.29	1/4	1/4	2,351.21	1/4	1/4	2,070.14	1/4			
1/2	1/2	5/8	1/2	5/8	3,958.55	1/2	3,750.69	1/2	1/2	3,750.69	1/2	1/2	3,469.62	1/2	1/2	3,188.56	1/2	1/2	2,907.49	1/2	1/2	2,626.43	1/2	1/2	2,345.36	1/2	1/2	2,064.29	1/2			
3/4	3/4	3/4	3/4	3/4	3,958.31	3/4	3,744.83	3/4	3/4	3,744.83	3/4	3/4	3,463.76	3/4	3/4	3,182.71	3/4	3/4	2,901.64	3/4	3/4	2,620.57	3/4	3/4	2,339.50	3/4	3/4	2,058.43	3/4			
9			9			9	3,957.73	9	9	3,738.98	9	9	3,457.91	9	9	3,176.86	9	9	2,895.78	9	9	2,614.71	9	9	2,333.64	9	9	2,052.57	9			
1/4	1/4	1/4	1/4	1/4	3,956.94	1/4	3,733.13	1/4	1/4	3,733.13	1/4	1/4	3,452.05	1/4	1/4	3,171.00	1/4	1/4	2,889.93	1/4	1/4	2,608.86	1/4	1/4	2,327.79	1/4	1/4	2,046.71	1/4			
1/2	1/2	1/2	1/2	1/2	3,956.05	1/2	3,727.27	1/2	1/2	3,727.27	1/2	1/2	3,446.20	1/2	1/2	3,165.14	1/2	1/2	2,884.07	1/2	1/2	2,603.00	1/2	1/2	2,321.93	1/2	1/2	2,040.86	1/2			
3/4	3/4	3/4	3/4	3/4	3,955.15	3/4	3,721.42	3/4	3/4	3,721.42	3/4	3/4	3,440.35	3/4	3/4	3,159.29	3/4	3/4	2,878.21	3/4	3/4	2,597.14	3/4	3/4	2,316.07	3/4	3/4	2,035.00	3/4			
10			10			10	3,954.03	10	10	3,																						



BARGE "CBC 26"

3 CENTER ULLAGE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "KIRBY 10305"

GAUGE HEIGHT 17'-02 1/8"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,982.31	0	1,701.24	0	1,420.17	0	1,139.10	0	858.02	0	576.95	0	295.90	0	18.68	0		0	
1/4	1,976.45	1/4	1,695.38	1/4	1,414.31	1/4	1,133.24	1/4	852.17	1/4	571.10	1/4	290.05	1/4	15.05	1/4		1/4	
1/2	1,970.60	1/2	1,689.52	1/2	1,408.45	1/2	1,127.38	1/2	846.31	1/2	565.25	1/2	284.19	1/2	11.89	1/2		1/2	
3/4	1,964.74	3/4	1,683.67	3/4	1,402.60	3/4	1,121.52	3/4	840.45	3/4	559.40	3/4	278.33	3/4	8.73	3/4		3/4	
1	1,958.88	1	1,677.81	1	1,396.74	1	1,115.67	1	834.60	1	553.55	1	272.48	1	6.06	1		1	
1/4	1,953.02	1/4	1,671.95	1/4	1,390.89	1/4	1,109.82	1/4	828.74	1/4	547.69	1/4	266.62	1/4	4.38	1/4		1/4	
1/2	1,947.17	1/2	1,666.10	1/2	1,385.04	1/2	1,103.96	1/2	822.89	1/2	541.83	1/2	260.76	1/2	3.18	1/2		1/2	
3/4	1,941.31	3/4	1,660.24	3/4	1,379.18	3/4	1,098.11	3/4	817.04	3/4	535.98	3/4	254.90	3/4	1.98	3/4		3/4	
2	1,935.45	2	1,654.38	2	1,373.33	2	1,092.26	2	811.19	2	530.12	2	249.05	2	0.79	2		2	
1/4	1,929.60	1/4	1,648.53	1/4	1,367.48	1/4	1,086.40	1/4	805.33	1/4	524.26	1/4	243.20	1/8	0.19	1/4		1/4	
1/2	1,923.75	1/2	1,642.68	1/2	1,361.62	1/2	1,080.55	1/2	799.48	1/2	518.40	1/2	237.35	1/2		1/2		1/2	
3/4	1,917.90	3/4	1,636.83	3/4	1,355.76	3/4	1,074.69	3/4	793.62	3/4	512.55	3/4	231.49	3/4		3/4		3/4	
3	1,912.05	3	1,630.97	3	1,349.90	3	1,068.83	3	787.76	3	506.69	3	225.64	3		3		3	
1/4	1,906.19	1/4	1,625.12	1/4	1,344.05	1/4	1,062.98	1/4	781.90	1/4	500.83	1/4	219.79	1/4		1/4		1/4	
1/2	1,900.33	1/2	1,619.26	1/2	1,338.19	1/2	1,057.12	1/2	776.05	1/2	494.98	1/2	213.93	1/2		1/2		1/2	
3/4	1,894.48	3/4	1,613.40	3/4	1,332.33	3/4	1,051.26	3/4	770.19	3/4	489.12	3/4	208.07	3/4		3/4		3/4	
4	1,888.62	4	1,607.55	4	1,326.48	4	1,045.40	4	764.33	4	483.26	4	202.21	4		4		4	
1/4	1,882.76	1/4	1,601.69	1/4	1,320.62	1/4	1,039.55	1/4	758.48	1/4	477.41	1/4	196.36	1/4		1/4		1/4	
1/2	1,876.90	1/2	1,595.83	1/2	1,314.76	1/2	1,033.69	1/2	752.62	1/2	471.56	1/2	190.50	1/2		1/2		1/2	
3/4	1,871.05	3/4	1,589.98	3/4	1,308.90	3/4	1,027.83	3/4	746.76	3/4	465.71	3/4	184.64	3/4		3/4		3/4	
5	1,865.19	5	1,584.12	5	1,303.05	5	1,021.98	5	740.91	5	459.86	5	178.79	5		5		5	
1/4	1,859.33	1/4	1,578.26	1/4	1,297.20	1/4	1,016.13	1/4	735.05	1/4	454.00	1/4	172.93	1/4		1/4		1/4	
1/2	1,853.48	1/2	1,572.40	1/2	1,291.35	1/2	1,010.27	1/2	729.20	1/2	448.14	1/2	167.07	1/2		1/2		1/2	
3/4	1,847.62	3/4	1,566.55	3/4	1,285.49	3/4	1,004.42	3/4	723.35	3/4	442.29	3/4	161.21	3/4		3/4		3/4	
6	1,841.76	6	1,560.69	6	1,279.64	6	998.57	6	717.50	6	436.43	6	155.36	6		6		6	
1/4	1,835.91	1/4	1,554.84	1/4	1,273.79	1/4	992.71	1/4	711.64	1/4	430.57	1/4	149.51	1/4		1/4		1/4	
1/2	1,830.06	1/2	1,548.99	1/2	1,267.93	1/2	986.86	1/2	705.79	1/2	424.71	1/2	143.65	1/2		1/2		1/2	
3/4	1,824.21	3/4	1,543.14	3/4	1,262.07	3/4	981.00	3/4	699.93	3/4	418.86	3/4	137.80	3/4		3/4		3/4	
7	1,818.36	7	1,537.28	7	1,256.21	7	975.14	7	694.07	7	413.00	7	131.95	7		7		7	
1/4	1,812.50	1/4	1,531.43	1/4	1,250.36	1/4	969.29	1/4	688.21	1/4	407.14	1/4	126.10	1/4		1/4		1/4	
1/2	1,806.64	1/2	1,525.57	1/2	1,244.50	1/2	963.43	1/2	682.36	1/2	401.29	1/2	120.24	1/2		1/2		1/2	
3/4	1,800.79	3/4	1,519.71	3/4	1,238.64	3/4	957.57	3/4	676.50	3/4	395.43	3/4	114.38	3/4		3/4		3/4	
8	1,794.93	8	1,513.86	8	1,232.79	8	951.71	8	670.64	8	389.57	8	108.52	8		8		8	
1/4	1,789.07	1/4	1,508.00	1/4	1,226.93	1/4	945.86	1/4	664.79	1/4	383.72	1/4	102.67	1/4		1/4		1/4	
1/2	1,783.21	1/2	1,502.14	1/2	1,221.07	1/2	940.00	1/2	658.94	1/2	377.87	1/2	96.81	1/2		1/2		1/2	
3/4	1,777.36	3/4	1,496.29	3/4	1,215.21	3/4	934.14	3/4	653.09	3/4	372.02	3/4	90.95	3/4		3/4		3/4	
9	1,771.50	9	1,490.43	9	1,209.36	9	928.29	9	647.24	9	366.17	9	85.10	9		9		9	
1/4	1,765.64	1/4	1,484.57	1/4	1,203.51	1/4	922.43	1/4	641.38	1/4	360.31	1/4	79.24	1/4		1/4		1/4	
1/2	1,759.79	1/2	1,478.71	1/2	1,197.65	1/2	916.58	1/2	635.52	1/2	354.45	1/2	73.39	1/2		1/2		1/2	
3/4	1,753.93	3/4	1,472.86	3/4	1,191.80	3/4	910.73	3/4	629.67	3/4	348.60	3/4	67.54	3/4		3/4		3/4	
10	1,748.07	10	1,467.00	10	1,185.95	10	904.88	10	623.81	10	342.74	10	61.69	10		10		10	
1/4	1,742.22	1/4	1,461.15	1/4	1,180.09	1/4	899.02	1/4	617.95	1/4	336.88	1/4	55.83	1/4		1/4		1/4	
1/2	1,736.37	1/2	1,455.30	1/2	1,174.24	1/2	893.17	1/2	612.10	1/2	331.02	1/2	49.98	1/2		1/2		1/2	
3/4	1,730.52	3/4	1,449.45	3/4	1,168.38	3/4	887.31	3/4	606.24	3/4	325.17	3/4	44.12	3/4		3/4		3/4	
11	1,724.67	11	1,443.59	11	1,162.52	11	881.45	11	600.38	11	319.31	11	38.47	11		11		11	
1/4	1,718.81	1/4	1,437.74	1/4	1,156.67	1/4	875.60	1/4	594.52	1/4	313.46	1/4	33.25	1/4		1/4		1/4	
1/2	1,712.95	1/2	1,431.88	1/2	1,150.81	1/2	869.74	1/2	588.67	1/2	307.61	1/2	28.24	1/2		1/2		1/2	
3/4	1,707.09	3/4	1,426.02	3/4	1,144.95	3/4	863.88	3/4	582.81	3/4	301.76	3/4	23.23	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/21/1990 SI
REPRINTED: 05/26/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588

[Http://www.pmacorp.net](http://www.pmacorp.net)



BARGE "CBC 26"

2 CENTER ULLAGE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "KIRBY 10305"

GAUGE HEIGHT 17'-02 1/4"

0 FT.			1 FT.			2 FT.			3 FT.			4 FT.			5 FT.			6 FT.			7 FT.			8 FT.			9 FT.					
IN			IN			IN			IN			IN			IN			IN			IN			IN			IN			IN		
0			0			0			0	3,582.50	0	0	3,338.15	0	0	3,082.56	0	0	2,826.95	0	0	2,571.35	0	0	2,315.76	0	0	2,060.15	0			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,579.67	1/4	1/4	3,332.83	1/4	1/4	3,077.24	1/4	1/4	2,821.62	1/4	1/4	2,566.02	1/4	1/4	2,310.43	1/4	1/4	2,054.83	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,575.88	1/2	1/2	3,327.51	1/2	1/2	3,071.91	1/2	1/2	2,816.30	1/2	1/2	2,560.70	1/2	1/2	2,305.10	1/2	1/2	2,049.51	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,572.10	3/4	3/4	3,322.18	3/4	3/4	3,066.58	3/4	3/4	2,810.98	3/4	3/4	2,555.38	3/4	3/4	2,299.77	3/4	3/4	2,044.18	3/4			
1			1			1			1	3,568.31	1	1	3,316.85	1	1	3,061.26	1	1	2,805.65	1	1	2,550.06	1	1	2,294.45	1	1	2,038.85	1			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,564.52	1/4	1/4	3,311.52	1/4	1/4	3,055.93	1/4	1/4	2,800.33	1/4	1/4	2,544.74	1/4	1/4	2,289.12	1/4	1/4	2,033.52	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,559.81	1/2	1/2	3,306.20	1/2	1/2	3,050.60	1/2	1/2	2,795.01	1/2	1/2	2,539.41	1/2	1/2	2,283.80	1/2	1/2	2,028.20	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,555.10	3/4	3/4	3,300.88	3/4	3/4	3,045.27	3/4	3/4	2,789.68	3/4	3/4	2,534.08	3/4	3/4	2,278.48	3/4	3/4	2,022.88	3/4			
2			2			2			2	3,550.38	2	2	3,295.56	2	2	3,039.95	2	2	2,784.35	2	2	2,528.76	2	2	2,273.15	2	2	2,017.56	2			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,545.67	1/4	1/4	3,290.24	1/4	1/4	3,034.62	1/4	1/4	2,779.02	1/4	1/4	2,523.43	1/4	1/4	2,267.83	1/4	1/4	2,012.24	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,540.38	1/2	1/2	3,284.91	1/2	1/2	3,029.30	1/2	1/2	2,773.70	1/2	1/2	2,518.10	1/2	1/2	2,262.51	1/2	1/2	2,006.91	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,535.10	3/4	3/4	3,279.58	3/4	3/4	3,023.98	3/4	3/4	2,768.38	3/4	3/4	2,512.77	3/4	3/4	2,257.18	3/4	3/4	2,001.58	3/4			
3			3			3			3	3,529.81	3	3	3,274.26	3	3	3,018.65	3	3	2,763.06	3	3	2,507.45	3	3	2,251.85	3	3	1,996.26	3			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,524.52	1/4	1/4	3,268.93	1/4	1/4	3,013.33	1/4	1/4	2,757.74	1/4	1/4	2,502.12	1/4	1/4	2,246.52	1/4	1/4	1,990.93	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,519.20	1/2	1/2	3,263.60	1/2	1/2	3,008.01	1/2	1/2	2,752.41	1/2	1/2	2,496.80	1/2	1/2	2,241.20	1/2	1/2	1,985.60	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,513.88	3/4	3/4	3,258.27	3/4	3/4	3,002.68	3/4	3/4	2,747.08	3/4	3/4	2,491.48	3/4	3/4	2,235.88	3/4	3/4	1,980.27	3/4			
4			4			4			4	3,508.56	4	4	3,252.95	4	4	2,997.35	4	4	2,741.76	4	4	2,486.15	4	4	2,230.56	4	4	1,974.95	4			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,503.24	1/4	1/4	3,247.62	1/4	1/4	2,992.02	1/4	1/4	2,736.43	1/4	1/4	2,480.83	1/4	1/4	2,225.24	1/4	1/4	1,969.62	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,497.91	1/2	1/2	3,242.30	1/2	1/2	2,986.70	1/2	1/2	2,731.10	1/2	1/2	2,475.51	1/2	1/2	2,219.91	1/2	1/2	1,964.30	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,492.58	3/4	3/4	3,236.98	3/4	3/4	2,981.38	3/4	3/4	2,725.77	3/4	3/4	2,470.18	3/4	3/4	2,214.58	3/4	3/4	1,958.98	3/4			
5			5			5			5	3,487.26	5	5	3,231.65	5	5	2,976.06	5	5	2,720.45	5	5	2,464.85	5	5	2,209.26	5	5	1,953.65	5			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,481.93	1/4	1/4	3,226.33	1/4	1/4	2,970.74	1/4	1/4	2,715.12	1/4	1/4	2,459.52	1/4	1/4	2,203.93	1/4	1/4	1,948.33	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,476.60	1/2	1/2	3,221.01	1/2	1/2	2,965.41	1/2	1/2	2,709.80	1/2	1/2	2,454.20	1/2	1/2	2,198.60	1/2	1/2	1,943.01	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,471.27	3/4	3/4	3,215.68	3/4	3/4	2,960.08	3/4	3/4	2,704.48	3/4	3/4	2,448.88	3/4	3/4	2,193.27	3/4	3/4	1,937.68	3/4			
6			6			6			6	3,465.95	6	6	3,210.35	6	6	2,954.76	6	6	2,699.15	6	6	2,443.56	6	6	2,187.95	6	6	1,932.35	6			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,460.62	1/4	1/4	3,205.02	1/4	1/4	2,949.43	1/4	1/4	2,693.83	1/4	1/4	2,438.24	1/4	1/4	2,182.62	1/4	1/4	1,927.02	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,455.30	1/2	1/2	3,199.70	1/2	1/2	2,944.10	1/2	1/2	2,688.51	1/2	1/2	2,432.91	1/2	1/2	2,177.30	1/2	1/2	1,921.70	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,449.98	3/4	3/4	3,194.38	3/4	3/4	2,938.77	3/4	3/4	2,683.18	3/4	3/4	2,427.58	3/4	3/4	2,171.98	3/4	3/4	1,916.38	3/4			
7			7			7			7	3,444.65	7	7	3,189.06	7	7	2,933.45	7	7	2,677.85	7	7	2,422.26	7	7	2,166.65	7	7	1,911.06	7			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,439.33	1/4	1/4	3,183.74	1/4	1/4	2,928.12	1/4	1/4	2,672.52	1/4	1/4	2,416.93	1/4	1/4	2,161.33	1/4	1/4	1,905.74	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,434.01	1/2	1/2	3,178.41	1/2	1/2	2,922.80	1/2	1/2	2,667.20	1/2	1/2	2,411.60	1/2	1/2	2,156.01	1/2	1/2	1,900.41	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,428.68	3/4	3/4	3,173.08	3/4	3/4	2,917.48	3/4	3/4	2,661.88	3/4	3/4	2,406.27	3/4	3/4	2,150.68	3/4	3/4	1,895.08	3/4			
8			8			8			8	3,423.35	8	8	3,167.76	8	8	2,912.15	8	8	2,656.56	8	8	2,400.95	8	8	2,145.35	8	8	1,889.76	8			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,418.02	1/4	1/4	3,162.43	1/4	1/4	2,906.83	1/4	1/4	2,651.24	1/4	1/4	2,395.62	1/4	1/4	2,140.02	1/4	1/4	1,884.43	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,412.70	1/2	1/2	3,157.10	1/2	1/2	2,901.51	1/2	1/2	2,645.91	1/2	1/2	2,390.30	1/2	1/2	2,134.70	1/2	1/2	1,879.10	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,407.38	3/4	3/4	3,151.77	3/4	3/4	2,896.18	3/4	3/4	2,640.58	3/4	3/4	2,384.98	3/4	3/4	2,129.38	3/4	3/4	1,873.77	3/4			
9			9			9			9	3,602.75	9	9	3,402.06	9	9	2,890.85	9	9	2,635.26	9	9	2,379.65	9	9	2,124.06	9	9	1,868.45	9			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,602.43	1/4	1/4	3,396.74	1/4	1/4	2,885.52	1/4	1/4	2,629.93	1/4	1/4	2,374.33	1/4	1/4	2,118.74	1/4	1/4	1,863.12	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,601.47	1/2	1/2	3,391.41	1/2	1/2	2,880.20	1/2	1/2	2,624.60	1/2	1/2	2,369.01	1/2	1/2	2,113.41	1/2	1/2	1,857.80	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,600.51	3/4	3/4	3,386.08	3/4	3/4	2,874.88	3/4	3/4	2,619.27	3/4	3/4	2,363.68	3/4	3/4	2,108.08	3/4	3/4	1,852.48	3/4			
10			10			10			10	3,599.55	10	10	3,380.76	10	10	2,869.56	10															



BARGE "CBC 26"

2 CENTER ULLAGE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "KIRBY 10305"

GAUGE HEIGHT 17'-02 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,804.56	0	1,548.95	0	1,293.35	0	1,037.76	0	782.15	0	526.71	0	271.70	0	19.23	0		0	
1/4	1,799.24	1/4	1,543.62	1/4	1,288.02	1/4	1,032.43	1/4	776.83	1/4	521.41	1/4	266.38	1/4	14.86	1/4		1/4	
1/2	1,793.91	1/2	1,538.30	1/2	1,282.70	1/2	1,027.10	1/2	771.51	1/2	516.10	1/2	261.06	1/2	12.19	1/2		1/2	
3/4	1,788.58	3/4	1,532.98	3/4	1,277.38	3/4	1,021.77	3/4	766.18	3/4	510.80	3/4	255.74	3/4	9.52	3/4		3/4	
1	1,783.26	1	1,527.65	1	1,272.06	1	1,016.45	1	760.85	1	505.49	1	250.42	1	6.86	1		1	
1/4	1,777.93	1/4	1,522.33	1/4	1,266.74	1/4	1,011.12	1/4	755.52	1/4	500.19	1/4	245.10	1/4	4.19	1/4		1/4	
1/2	1,772.60	1/2	1,517.01	1/2	1,261.41	1/2	1,005.80	1/2	750.20	1/2	494.88	1/2	239.77	1/2	3.19	1/2		1/2	
3/4	1,767.27	3/4	1,511.68	3/4	1,256.08	3/4	1,000.48	3/4	744.88	3/4	489.57	3/4	234.44	3/4	2.19	3/4		3/4	
2	1,761.95	2	1,506.35	2	1,250.76	2	995.15	2	739.56	2	484.26	2	229.11	2	1.19	2		2	
1/4	1,756.62	1/4	1,501.02	1/4	1,245.43	1/4	989.83	1/4	734.24	1/4	478.95	1/4	223.79	1/4	0.19	1/4		1/4	
1/2	1,751.30	1/2	1,495.70	1/2	1,240.10	1/2	984.51	1/2	728.91	1/2	473.65	1/2	218.46	1/2		1/2		1/2	
3/4	1,745.98	3/4	1,490.38	3/4	1,234.77	3/4	979.18	3/4	723.58	3/4	468.35	3/4	213.14	3/4		3/4		3/4	
3	1,740.65	3	1,485.06	3	1,229.45	3	973.85	3	718.26	3	463.04	3	207.82	3		3		3	
1/4	1,735.33	1/4	1,479.74	1/4	1,224.12	1/4	968.52	1/4	712.93	1/4	457.74	1/4	202.50	1/4		1/4		1/4	
1/2	1,730.01	1/2	1,474.41	1/2	1,218.80	1/2	963.20	1/2	707.61	1/2	452.43	1/2	197.18	1/2		1/2		1/2	
3/4	1,724.68	3/4	1,469.08	3/4	1,213.48	3/4	957.88	3/4	702.29	3/4	447.13	3/4	191.86	3/4		3/4		3/4	
4	1,719.35	4	1,463.76	4	1,208.15	4	952.56	4	696.96	4	441.83	4	186.54	4		4		4	
1/4	1,714.02	1/4	1,458.43	1/4	1,202.83	1/4	947.24	1/4	691.64	1/4	436.52	1/4	181.21	1/4		1/4		1/4	
1/2	1,708.70	1/2	1,453.10	1/2	1,197.51	1/2	941.91	1/2	686.32	1/2	431.21	1/2	175.89	1/2		1/2		1/2	
3/4	1,703.38	3/4	1,447.77	3/4	1,192.18	3/4	936.58	3/4	680.99	3/4	425.90	3/4	170.57	3/4		3/4		3/4	
5	1,698.06	5	1,442.45	5	1,186.85	5	931.26	5	675.66	5	420.60	5	165.25	5		5		5	
1/4	1,692.74	1/4	1,437.12	1/4	1,181.52	1/4	925.93	1/4	670.33	1/4	415.29	1/4	159.93	1/4		1/4		1/4	
1/2	1,687.41	1/2	1,431.80	1/2	1,176.20	1/2	920.60	1/2	665.01	1/2	409.98	1/2	154.60	1/2		1/2		1/2	
3/4	1,682.08	3/4	1,426.48	3/4	1,170.88	3/4	915.27	3/4	659.68	3/4	404.68	3/4	149.27	3/4		3/4		3/4	
6	1,676.76	6	1,421.15	6	1,165.56	6	909.95	6	654.35	6	399.38	6	143.95	6		6		6	
1/4	1,671.43	1/4	1,415.83	1/4	1,160.24	1/4	904.62	1/4	649.02	1/4	394.07	1/4	138.62	1/4		1/4		1/4	
1/2	1,666.10	1/2	1,410.51	1/2	1,154.91	1/2	899.30	1/2	643.70	1/2	388.76	1/2	133.30	1/2		1/2		1/2	
3/4	1,660.77	3/4	1,405.18	3/4	1,149.58	3/4	893.98	3/4	638.38	3/4	383.45	3/4	127.98	3/4		3/4		3/4	
7	1,655.45	7	1,399.85	7	1,144.26	7	888.65	7	633.06	7	378.14	7	122.65	7		7		7	
1/4	1,650.12	1/4	1,394.52	1/4	1,138.93	1/4	883.33	1/4	627.74	1/4	372.83	1/4	117.33	1/4		1/4		1/4	
1/2	1,644.80	1/2	1,389.20	1/2	1,133.60	1/2	878.01	1/2	622.41	1/2	367.51	1/2	112.01	1/2		1/2		1/2	
3/4	1,639.48	3/4	1,383.88	3/4	1,128.27	3/4	872.68	3/4	617.08	3/4	362.19	3/4	106.69	3/4		3/4		3/4	
8	1,634.15	8	1,378.56	8	1,122.95	8	867.35	8	611.76	8	356.87	8	101.37	8		8		8	
1/4	1,628.83	1/4	1,373.24	1/4	1,117.62	1/4	862.02	1/4	606.43	1/4	351.55	1/4	96.05	1/4		1/4		1/4	
1/2	1,623.51	1/2	1,367.91	1/2	1,112.30	1/2	856.70	1/2	601.11	1/2	346.23	1/2	90.72	1/2		1/2		1/2	
3/4	1,618.18	3/4	1,362.58	3/4	1,106.98	3/4	851.38	3/4	595.79	3/4	340.90	3/4	85.39	3/4		3/4		3/4	
9	1,612.85	9	1,357.26	9	1,101.65	9	846.06	9	590.46	9	335.58	9	80.07	9		9		9	
1/4	1,607.52	1/4	1,351.93	1/4	1,096.33	1/4	840.74	1/4	585.14	1/4	330.26	1/4	74.74	1/4		1/4		1/4	
1/2	1,602.20	1/2	1,346.60	1/2	1,091.01	1/2	835.41	1/2	579.82	1/2	324.94	1/2	69.42	1/2		1/2		1/2	
3/4	1,596.88	3/4	1,341.27	3/4	1,085.68	3/4	830.08	3/4	574.50	3/4	319.62	3/4	64.10	3/4		3/4		3/4	
10	1,591.56	10	1,335.95	10	1,080.35	10	824.76	10	569.18	10	314.30	10	58.77	10		10		10	
1/4	1,586.24	1/4	1,330.62	1/4	1,075.02	1/4	819.43	1/4	563.86	1/4	308.98	1/4	53.45	1/4		1/4		1/4	
1/2	1,580.91	1/2	1,325.30	1/2	1,069.70	1/2	814.10	1/2	558.55	1/2	303.65	1/2	48.18	1/2		1/2		1/2	
3/4	1,575.58	3/4	1,319.98	3/4	1,064.38	3/4	808.77	3/4	553.24	3/4	298.32	3/4	42.91	3/4		3/4		3/4	
11	1,570.26	11	1,314.65	11	1,059.06	11	803.45	11	547.93	11	292.99	11	37.63	11		11		11	
1/4	1,564.93	1/4	1,309.33	1/4	1,053.74	1/4	798.12	1/4	542.62	1/4	287.67	1/4	32.36	1/4		1/4		1/4	
1/2	1,559.60	1/2	1,304.01	1/2	1,048.41	1/2	792.80	1/2	537.32	1/2	282.35	1/2	27.98	1/2		1/2		1/2	
3/4	1,554.27	3/4	1,298.68	3/4	1,043.08	3/4	787.48	3/4	532.01	3/4	277.02	3/4	23.61	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/21/1990 SI
REPRINTED: 05/26/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588

[Http://www.pmacorp.net](http://www.pmacorp.net)



BARGE "CBC 26"

1 CENTER ULLAGE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "KIRBY 10305"

GAUGE HEIGHT 17'-02 1/2"

0 FT.			1 FT.			2 FT.			3 FT.			4 FT.			5 FT.			6 FT.			7 FT.			8 FT.			9 FT.					
IN			IN			IN			IN			IN			IN			IN			IN			IN			IN			IN		
0			0			0			0	3,423.18	0	0	3,213.75	0	0	2,991.73	0	0	2,769.70	0	0	2,547.68	0	0	2,301.32	0	0	2,047.94	0			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,420.72	1/4	1/4	3,209.12	1/4	1/4	2,987.10	1/4	1/4	2,765.08	1/4	1/4	2,543.05	1/4	1/4	2,296.04	1/4	1/4	2,042.66	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,418.26	1/2	1/2	3,204.50	1/2	1/2	2,982.48	1/2	1/2	2,760.45	1/2	1/2	2,538.43	1/2	1/2	2,290.76	1/2	1/2	2,037.38	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,415.01	3/4	3/4	3,199.87	3/4	3/4	2,977.85	3/4	3/4	2,755.83	3/4	3/4	2,533.80	3/4	3/4	2,285.48	3/4	3/4	2,032.10	3/4			
1			1			1			1	3,411.76	1	1	3,195.25	1	1	2,973.23	1	1	2,751.20	1	1	2,529.18	1	1	2,280.20	1	1	2,026.82	1			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,408.51	1/4	1/4	3,190.62	1/4	1/4	2,968.60	1/4	1/4	2,746.58	1/4	1/4	2,524.55	1/4	1/4	2,274.92	1/4	1/4	2,021.54	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,405.26	1/2	1/2	3,186.00	1/2	1/2	2,963.98	1/2	1/2	2,741.95	1/2	1/2	2,519.93	1/2	1/2	2,269.64	1/2	1/2	2,016.26	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,401.23	3/4	3/4	3,181.37	3/4	3/4	2,959.35	3/4	3/4	2,737.33	3/4	3/4	2,515.30	3/4	3/4	2,264.36	3/4	3/4	2,010.99	3/4			
2			2			2			2	3,397.19	2	2	3,176.75	2	2	2,954.73	2	2	2,732.70	2	2	2,510.68	2	2	2,259.08	2	2	2,005.71	2			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,393.15	1/4	1/4	3,172.12	1/4	1/4	2,950.10	1/4	1/4	2,728.08	1/4	1/4	2,506.05	1/4	1/4	2,253.80	1/4	1/4	2,000.44	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,389.12	1/2	1/2	3,167.50	1/2	1/2	2,945.48	1/2	1/2	2,723.45	1/2	1/2	2,501.43	1/2	1/2	2,248.52	1/2	1/2	1,995.17	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,384.60	3/4	3/4	3,162.87	3/4	3/4	2,940.85	3/4	3/4	2,718.83	3/4	3/4	2,496.30	3/4	3/4	2,243.25	3/4	3/4	1,989.89	3/4			
3			3			3			3	3,380.07	3	3	3,158.25	3	3	2,936.23	3	3	2,714.20	3	3	2,491.18	3	3	2,237.98	3	3	1,984.61	3			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,375.55	1/4	1/4	3,153.62	1/4	1/4	2,931.60	1/4	1/4	2,709.58	1/4	1/4	2,486.05	1/4	1/4	2,232.70	1/4	1/4	1,979.33	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,371.02	1/2	1/2	3,149.00	1/2	1/2	2,926.98	1/2	1/2	2,704.95	1/2	1/2	2,480.93	1/2	1/2	2,227.43	1/2	1/2	1,974.05	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,366.40	3/4	3/4	3,144.37	3/4	3/4	2,922.35	3/4	3/4	2,700.33	3/4	3/4	2,475.64	3/4	3/4	2,222.15	3/4	3/4	1,968.77	3/4			
4			4			4			4	3,361.77	4	4	3,139.75	4	4	2,917.73	4	4	2,695.70	4	4	2,470.35	4	4	2,216.87	4	4	1,963.49	4			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,357.15	1/4	1/4	3,135.12	1/4	1/4	2,913.10	1/4	1/4	2,691.08	1/4	1/4	2,465.05	1/4	1/4	2,211.59	1/4	1/4	1,958.21	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,352.52	1/2	1/2	3,130.50	1/2	1/2	2,908.48	1/2	1/2	2,686.45	1/2	1/2	2,459.76	1/2	1/2	2,206.31	1/2	1/2	1,952.93	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,347.90	3/4	3/4	3,125.87	3/4	3/4	2,903.85	3/4	3/4	2,681.83	3/4	3/4	2,454.47	3/4	3/4	2,201.03	3/4	3/4	1,947.65	3/4			
5			5			5			5	3,343.27	5	5	3,121.25	5	5	2,899.23	5	5	2,677.20	5	5	2,449.18	5	5	2,195.75	5	5	1,942.37	5			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,338.65	1/4	1/4	3,116.62	1/4	1/4	2,894.60	1/4	1/4	2,672.58	1/4	1/4	2,443.89	1/4	1/4	2,190.47	1/4	1/4	1,937.09	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,334.02	1/2	1/2	3,112.00	1/2	1/2	2,889.98	1/2	1/2	2,667.95	1/2	1/2	2,438.60	1/2	1/2	2,185.19	1/2	1/2	1,931.81	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,329.40	3/4	3/4	3,107.37	3/4	3/4	2,885.35	3/4	3/4	2,663.33	3/4	3/4	2,433.32	3/4	3/4	2,179.91	3/4	3/4	1,926.53	3/4			
6			6			6			6	3,324.77	6	6	3,102.75	6	6	2,880.73	6	6	2,658.70	6	6	2,428.04	6	6	2,174.63	6	6	1,921.25	6			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,320.15	1/4	1/4	3,098.12	1/4	1/4	2,876.10	1/4	1/4	2,654.08	1/4	1/4	2,422.76	1/4	1/4	2,169.35	1/4	1/4	1,915.97	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,315.52	1/2	1/2	3,093.50	1/2	1/2	2,871.48	1/2	1/2	2,649.45	1/2	1/2	2,417.48	1/2	1/2	2,164.07	1/2	1/2	1,910.69	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,310.90	3/4	3/4	3,088.87	3/4	3/4	2,866.85	3/4	3/4	2,644.83	3/4	3/4	2,412.19	3/4	3/4	2,158.79	3/4	3/4	1,905.41	3/4			
7			7			7			7	3,306.27	7	7	3,084.25	7	7	2,862.23	7	7	2,640.20	7	7	2,406.90	7	7	2,153.51	7	7	1,900.13	7			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,301.65	1/4	1/4	3,079.62	1/4	1/4	2,857.60	1/4	1/4	2,635.58	1/4	1/4	2,401.62	1/4	1/4	2,148.23	1/4	1/4	1,894.85	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,297.02	1/2	1/2	3,075.00	1/2	1/2	2,852.98	1/2	1/2	2,630.95	1/2	1/2	2,396.33	1/2	1/2	2,142.95	1/2	1/2	1,889.57	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,292.40	3/4	3/4	3,070.37	3/4	3/4	2,848.35	3/4	3/4	2,626.33	3/4	3/4	2,391.05	3/4	3/4	2,137.68	3/4	3/4	1,884.30	3/4			
8			8			8			8	3,287.77	8	8	3,065.75	8	8	2,843.73	8	8	2,621.70	8	8	2,385.77	8	8	2,132.41	8	8	1,879.02	8			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,283.15	1/4	1/4	3,061.12	1/4	1/4	2,839.10	1/4	1/4	2,617.08	1/4	1/4	2,380.49	1/4	1/4	2,127.13	1/4	1/4	1,873.75	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,278.52	1/2	1/2	3,056.50	1/2	1/2	2,834.48	1/2	1/2	2,612.45	1/2	1/2	2,375.21	1/2	1/2	2,121.86	1/2	1/2	1,868.48	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,273.90	3/4	3/4	3,051.87	3/4	3/4	2,829.85	3/4	3/4	2,607.83	3/4	3/4	2,369.94	3/4	3/4	2,116.58	3/4	3/4	1,863.20	3/4			
9			9			9	3,438.96	9	9	3,269.27	9	9	3,047.25	9	9	2,825.23	9	9	2,603.20	9	9	2,364.67	9	9	2,111.30	9	9	1,857.92	9			
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,438.68	1/4	1/4	3,264.65	1/4	1/4	3,042.62	1/4	1/4	2,820.60	1/4	1/4	2,598.58	1/4	1/4	2,359.39	1/4	1/4	2,106.02	1/4	1/4	1,852.64	1/4			
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,438.40	1/2	1/2	3,260.02	1/2	1/2	3,038.00	1/2	1/2	2,815.98	1/2	1/2	2,593.95	1/2	1/2	2,354.12	1/2	1/2	2,100.74	1/2	1/2	1,847.36	1/2			
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,437.51	3/4	3/4	3,255.39	3/4	3/4	3,033.37	3/4	3/4	2,811.35	3/4	3/4	2,589.32	3/4	3/4	2,348.84	3/4	3/4	2,095.46	3/4	3/4	1,842.08	3/4			
10			10			10	3,436.61	10	10	3,250.76	10	10	3,028.74</																			



BARGE "CBC 26"

1 CENTER ULLAGE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "KIRBY 10305"

GAUGE HEIGHT 17'-02 1/2"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,794.56	0	1,541.19	0	1,287.81	0	1,034.62	0	781.48	0	528.31	0	275.08	0	23.44	0		0	
1/4	1,789.28	1/4	1,535.92	1/4	1,282.54	1/4	1,029.34	1/4	776.20	1/4	523.04	1/4	269.80	1/4	19.09	1/4		1/4	
1/2	1,784.00	1/2	1,530.64	1/2	1,277.26	1/2	1,024.07	1/2	770.93	1/2	517.76	1/2	264.52	1/2	14.74	1/2		1/2	
3/4	1,778.73	3/4	1,525.36	3/4	1,271.98	3/4	1,018.80	3/4	765.65	3/4	512.49	3/4	259.24	3/4	12.10	3/4		3/4	
1	1,773.45	1	1,520.08	1	1,266.70	1	1,013.52	1	760.38	1	507.21	1	253.96	1	9.45	1		1	
1/4	1,768.18	1/4	1,514.80	1/4	1,261.42	1/4	1,008.25	1/4	755.11	1/4	501.94	1/4	248.68	1/4	6.81	1/4		1/4	
1/2	1,762.91	1/2	1,509.52	1/2	1,256.14	1/2	1,002.98	1/2	749.83	1/2	496.67	1/2	243.41	1/2	4.17	1/2		1/2	
3/4	1,757.63	3/4	1,504.24	3/4	1,250.87	3/4	997.70	3/4	744.56	3/4	491.39	3/4	238.13	3/4	3.17	3/4		3/4	
2	1,752.35	2	1,498.97	2	1,245.60	2	992.43	2	739.29	2	486.12	2	232.86	2	2.18	2		2	
1/4	1,747.07	1/4	1,493.69	1/4	1,240.32	1/4	987.15	1/4	734.01	1/4	480.85	1/4	227.58	1/4	1.18	1/4		1/4	
1/2	1,741.79	1/2	1,488.41	1/2	1,235.05	1/2	981.88	1/2	728.74	1/2	475.57	1/2	222.31	1/2	0.19	1/2		1/2	
3/4	1,736.51	3/4	1,483.13	3/4	1,229.77	3/4	976.61	3/4	723.46	3/4	470.30	3/4	217.03	3/4		3/4		3/4	
3	1,731.23	3	1,477.85	3	1,224.50	3	971.33	3	718.18	3	465.02	3	211.75	3		3		3	
1/4	1,725.95	1/4	1,472.57	1/4	1,219.23	1/4	966.06	1/4	712.90	1/4	459.75	1/4	206.47	1/4		1/4		1/4	
1/2	1,720.67	1/2	1,467.29	1/2	1,213.95	1/2	960.79	1/2	707.62	1/2	454.48	1/2	201.19	1/2		1/2		1/2	
3/4	1,715.39	3/4	1,462.01	3/4	1,208.68	3/4	955.51	3/4	702.34	3/4	449.20	3/4	195.91	3/4		3/4		3/4	
4	1,710.11	4	1,456.73	4	1,203.40	4	950.24	4	697.07	4	443.92	4	190.63	4		4		4	
1/4	1,704.83	1/4	1,451.45	1/4	1,198.13	1/4	944.96	1/4	691.80	1/4	438.64	1/4	185.35	1/4		1/4		1/4	
1/2	1,699.55	1/2	1,446.17	1/2	1,192.86	1/2	939.69	1/2	686.52	1/2	433.36	1/2	180.07	1/2		1/2		1/2	
3/4	1,694.27	3/4	1,440.89	3/4	1,187.58	3/4	934.42	3/4	681.25	3/4	428.08	3/4	174.78	3/4		3/4		3/4	
5	1,688.99	5	1,435.61	5	1,182.31	5	929.14	5	675.98	5	422.81	5	169.49	5		5		5	
1/4	1,683.71	1/4	1,430.33	1/4	1,177.04	1/4	923.87	1/4	670.70	1/4	417.54	1/4	164.20	1/4		1/4		1/4	
1/2	1,678.43	1/2	1,425.05	1/2	1,171.76	1/2	918.60	1/2	665.43	1/2	412.26	1/2	158.91	1/2		1/2		1/2	
3/4	1,673.15	3/4	1,419.77	3/4	1,166.49	3/4	913.32	3/4	660.15	3/4	406.99	3/4	153.61	3/4		3/4		3/4	
6	1,667.87	6	1,414.50	6	1,161.21	6	908.05	6	654.88	6	401.71	6	148.32	6		6		6	
1/4	1,662.59	1/4	1,409.23	1/4	1,155.94	1/4	902.77	1/4	649.61	1/4	396.44	1/4	143.03	1/4		1/4		1/4	
1/2	1,657.31	1/2	1,403.95	1/2	1,150.67	1/2	897.50	1/2	644.33	1/2	391.17	1/2	137.74	1/2		1/2		1/2	
3/4	1,652.04	3/4	1,398.67	3/4	1,145.39	3/4	892.23	3/4	639.06	3/4	385.89	3/4	132.45	3/4		3/4		3/4	
7	1,646.76	7	1,393.39	7	1,140.11	7	886.95	7	633.79	7	380.62	7	127.16	7		7		7	
1/4	1,641.49	1/4	1,388.11	1/4	1,134.83	1/4	881.68	1/4	628.51	1/4	375.35	1/4	121.86	1/4		1/4		1/4	
1/2	1,636.22	1/2	1,382.83	1/2	1,129.55	1/2	876.40	1/2	623.24	1/2	370.07	1/2	116.57	1/2		1/2		1/2	
3/4	1,630.94	3/4	1,377.55	3/4	1,124.27	3/4	871.13	3/4	617.96	3/4	364.80	3/4	111.28	3/4		3/4		3/4	
8	1,625.66	8	1,372.27	8	1,119.00	8	865.86	8	612.69	8	359.52	8	105.99	8		8		8	
1/4	1,620.38	1/4	1,366.99	1/4	1,113.73	1/4	860.58	1/4	607.42	1/4	354.25	1/4	100.70	1/4		1/4		1/4	
1/2	1,615.10	1/2	1,361.71	1/2	1,108.45	1/2	855.31	1/2	602.14	1/2	348.98	1/2	95.41	1/2		1/2		1/2	
3/4	1,609.82	3/4	1,356.43	3/4	1,103.18	3/4	850.04	3/4	596.87	3/4	343.70	3/4	90.11	3/4		3/4		3/4	
9	1,604.54	9	1,351.16	9	1,097.90	9	844.76	9	591.60	9	338.42	9	84.82	9		9		9	
1/4	1,599.26	1/4	1,345.88	1/4	1,092.63	1/4	839.49	1/4	586.32	1/4	333.14	1/4	79.53	1/4		1/4		1/4	
1/2	1,593.98	1/2	1,340.60	1/2	1,087.36	1/2	834.21	1/2	581.05	1/2	327.86	1/2	74.24	1/2		1/2		1/2	
3/4	1,588.70	3/4	1,335.32	3/4	1,082.08	3/4	828.94	3/4	575.77	3/4	322.58	3/4	68.95	3/4		3/4		3/4	
10	1,583.42	10	1,330.04	10	1,076.81	10	823.67	10	570.50	10	317.31	10	63.67	10		10		10	
1/4	1,578.14	1/4	1,324.76	1/4	1,071.54	1/4	818.39	1/4	565.23	1/4	312.04	1/4	58.38	1/4		1/4		1/4	
1/2	1,572.86	1/2	1,319.48	1/2	1,066.26	1/2	813.12	1/2	559.95	1/2	306.76	1/2	53.10	1/2		1/2		1/2	
3/4	1,567.58	3/4	1,314.20	3/4	1,060.99	3/4	807.85	3/4	554.68	3/4	301.48	3/4	47.86	3/4		3/4		3/4	
11	1,562.30	11	1,308.92	11	1,055.71	11	802.57	11	549.40	11	296.20	11	42.62	11		11		11	
1/4	1,557.02	1/4	1,303.64	1/4	1,050.44	1/4	797.30	1/4	544.13	1/4	290.92	1/4	37.38	1/4		1/4		1/4	
1/2	1,551.74	1/2	1,298.36	1/2	1,045.17	1/2	792.02	1/2	538.86	1/2	285.64	1/2	32.14	1/2		1/2		1/2	
3/4	1,546.46	3/4	1,293.08	3/4	1,039.89	3/4	786.75	3/4	533.58	3/4	280.36	3/4	27.79	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/21/1990 SI
REPRINTED: 05/26/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588

[Http://www.pmacorp.net](http://www.pmacorp.net)