



Te Tai Tokerau/Northland regional report

2024





Purpose: The purpose of this report is to provide descriptive information of the available data from the Extreme Weather Events (EWE) survey conducted by *Growing Up in New Zealand* (GUiNZ) from participants in the Te Tai Tokerau/Northland (*n* = 105) region. This report provides an overview of the utility of the data for future research which can be used concurrently with longitudinal data from GUiNZ to demonstrate the impact of experiencing extreme weather events on young people and their families.

This regional report only highlights some of the available data, for more details please see the *Growing Up in New Zealand* website growingup.co.nz/extreme-weather-survey-2/extreme-weather-survey-overview-list or see the full report here: https://doi.org/10.17608/k6.auckland.25762731.v1

Acknowledgements: Most importantly, we would like to acknowledge the young people and families participating in the *Growing Up in New Zealand* study. We are incredibly grateful to our families for their generosity and honesty, and we are indebted to them for sharing their life stories with us. We look forward to our continuing association with them. Their collective information provides us with a record of what it is like to grow up in New Zealand, and the project would not exist without them.

We want to acknowledge the wider *Growing Up in New Zealand* team for their support and input in the Extreme Weather project, from questionnaire development, data

collection, data cleaning, to report writing. Many wonderful people made the data collection possible and supported the research team. Specifically, we would like to acknowledge Dr Sarah Gerritsen (GUINZ senior research fellow and associate research director) and Karl Crosby (GUINZ research assistant) for their extraordinary input and support. In addition, we thank our Scientific Advisory Group members, our Kaitiaki group members, subject experts, and all the stakeholders, agencies, and ministries with whom we have consulted and who have assisted us in the various stages of this study.

Specifically, we would like to acknowledge the Ministry of Business Innovation and Employment (MBIE) who provided funding for the Extreme Weather Survey. We acknowledge the ongoing and essential support from Auckland UniServices and The University of Auckland.

Funder: The Extreme Weather Survey was funded by the Ministry of Business Innovation and Employment (MBIE)

Disclaimer: While all care and diligence have been used in processing, analysing, extracting research data, coding, and creating data dictionaries, guides, and derivation, we give no warranty that it is error-free. We recommend that users exercise their skill and care concerning their use of the data/information and carefully evaluate the data's accuracy, currency, completeness, and relevance for their purposes.

Suggested citation:

Gawn, J., Fletcher, B.D., Neumann, D., Pillai, A., Miller, S., Park, A., Napier, C., Paine, S.J. (2024). Te Tai Tokerau/Northland regional report of the impact of extreme weather events on young people and their families: Evidence from *Growing Up in New Zealand*.

Auckland: *Growing Up in New Zealand*. DOI: 10.17608/k6.auckland.25833688

For further guidance, to provide feedback, or to seek further assistance about utilising the datasets, please contact dataaccess@growingup.co.nz.

Table of Contents

What are extreme	weather events?	4
Auckland Annivers	ary Weekend Flooding	4
Cyclone Gabrielle		4
Why is it important	to look at extreme weather events?	4
Methods		5
How did we co	ollect data?	5
How did we re	port the data?	6
Results		6
Who participa	ted in this study?	6
Who are the c	ohort?	
Preparing for	extreme weather events	
		8
		9
•		
•		11
_	_	12
		12
		13
•		
	· ·	14
J		
•	•	16
		16
·		18
	·	18
		19
		19
Further resources		Error! Bookmark not defined.
Resources		20
Extreme weat	her events	21
		21
References		22

What are extreme weather events?

Extreme weather events are occurrences of severe weather, such as heat waves, droughts, cyclones, and floods [1]. Extreme weather events can have disastrous impacts on communities and infrastructure [1]. The concentration of greenhouse gases in our atmosphere is increasing, causing changes in climate [2, 3]. In Aotearoa, New Zealand, climate change might look like higher temperatures, rising sea levels, and less snow and ice [2, 3]. Climate change also means that extreme weather events are becoming more frequent and intense [2, 3].

What were the 2023 extreme weather events in Aotearoa, New Zealand?

Aotearoa, New Zealand, had two extreme weather events at the beginning of 2023: the Auckland Anniversary Weekend Flooding and Cyclone Gabrielle. The long-term (six-month) impact of these extreme weather events on rangatahi/young people and their whānau/families in Te Tai Tokerau/Northland is investigated in this report.

Auckland Anniversary Weekend Flooding

Beginning on the 27th of January 2023, Auckland suffered a 1-in-200 year flooding event, with 245mm of rainfall in under 24 hours [4, 5]. Widespread flooding occurred, particularly in South, West, and Central Auckland and the North Shore [6]. Over 26,000 houses lost power due to the extreme weather [5]. By the 3rd of February, 39 roads were closed and 209 houses were redstickered (residents can no longer enter the

property) [5]. For additional information on the Auckland recovery from extreme weather and natural disasters, please see aucklandcouncil.govt.nz/recovery-extreme-weather-disasters/Pages/default.aspx.

Cyclone Gabrielle

Between the 12th and 16th of February 2023,
Cyclone Gabrielle arrived in Aotearoa, New Zealand
[7]. Cyclone Gabrielle brought severe rainfall,
winds, and flooding [7]. The government declared a
National State of Emergency on the 14th of
February, which was only the third time in New
Zealand history [8, 9].

Cyclone Gabrielle affected many North Island regions, including Northland, Auckland, Bay of Plenty, Waikato, Hawke's Bay, and Gisborne [7]. Cyclone Gabrielle caused widespread damage to land and housing as well as put people's lives at risk [7, 8]. In particular, Hawke's Bay and Gisborne experienced devastating consequences from the intensive rainfall and flooding [10, 11]. For additional regional information on extreme weather events, please see

https://www.civildefence.govt.nz/find-your-civildefence-group.

Why is it important to look at extreme weather events?

Extreme weather events can have negative impacts on important services and property. Infrastructure needed for essential services such as power and water can be badly damaged [12, 13]. Disruption of these services can impact health care and community networks [13]. Extreme weather events can also cause destruction to properties, meaning

that people are forced to evacuate their homes or organise repairs [12]. Multiple relocations following an extreme weather event are common [12]. Furthermore, in Aotearoa, New Zealand, low-income households are disproportionately affected by severe weather [14]. Disadvantaged households more often live in low-cost housing and rent in high-risk areas [14]. These households may not have access to the resources they need to repair or relocate [14].

Extreme weather events can also have negative consequences for mental and physical health.

Extreme weather or natural disasters are related to increases in post-traumatic stress symptoms, depression, and anxiety in adults and young people [12, 15-18]. These effects can persist for months or even years [15, 19]. Furthermore, those exposed to severe weather conditions are at risk of injury, disease, and worsening of chronic illnesses [12, 18, 20].

Rangatahi/young people may be particularly vulnerable during an extreme weather event. Important developmental processes occur during adolescence, including biological, hormonal, and brain changes [21, 22]. These changes can mean that young people feel less able to cope with stress and uncertainty [12, 15, 23]. During an emergency, young people may feel they have little control over what is happening around them [15]. Therefore, family and community support are very important during extreme weather events, especially for rangatahi [15, 23].

If you think you, or someone you know, may be experiencing hardship or poor health, there are several free tools, information guides, or services that can help.

Methods

To understand the impact of extreme weather events on the health and wellbeing of rangatahi/young people, New Zealand's largest longitudinal study, *Growing Up in New Zealand*, reached out to 1463 young people and 1443 mothers/primary caregivers in August 2023. During this data collection period, young people in the *Growing Up in New Zealand* cohort were aged 13-14 years, with many living in the areas most severely affected by the floods and/or cyclone, including Auckland, Northland, Hawke's Bay, and Gisborne.

Growing Up in New Zealand asked 680 rangatahi/young people and 817 mothers/primary caregivers about their experiences during and after the floods and/or cyclone. These extreme weather events occurred at the start of the 2023 school year, which may have disrupted educational experiences. Damage to infrastructure and housing may have impacted social connectedness and access to health and social services.

How did we collect data?

The Extreme Weather Survey data was collected from August 1 to September 3, 2023. The Extreme Weather Survey consisted of two online questionnaires; one answered by young people, and one answered by the young person's mother/primary caregiver. Email invitations were issued to all eligible participants. Each eligible young person and mother/primary caregiver received an individualised link within their email invitation. This link directed them to the web-based online survey, accessible on all devices (computer, tablet, and phone). This was complemented by telephone follow up from an experienced

interviewer and/or centralised community support for families requesting assistance. Telephone and text messaging helplines were available between 9 AM – 9 PM 7 days a week for the duration of the data collection.

The young person's questionnaire consisted of 90 questions and took approximately 15 minutes to complete, and the mother/primary caregiver questionnaire consisted of 237 questions and took approximately 30 minutes to complete. Electronic consent and assent forms was completed online by the mother prior to completing the questionnaire.

How did we report the data?

Here we report descriptively who took part in the Extreme Weather Survey, how prepared people felt for the extreme weather events, as well as about housing conditions, evacuation, access to services, schooling and activities. These key themes are reported in relation to how affected people felt by the extreme weather events. Additional information on mental and physical health is available but has not been reported on by region. For information on the total cohort mental and physical health please see

https://doi.org/10.17608/k6.auckland.25762731.v1.

Young people and mothers/primary caregivers were asked about changes that may have occurred in their life due to floods and/or cyclone. Young people reported if they were affected by the floods and/or cyclone; "Yes" (Affected), "No, but someone I know was" (Know someone else affected), or "no" (Not affected). Mothers/primary caregivers also reported if they were affected by the weather events; "Yes" (Affected), "No, the area I live in was affected" (Live in an area affected), or

"no" (Not affected).

Consequently, some people reported that they were not affected by the extreme weather events despite experiencing some impacts. This is because the extreme weather events may not have changed their everyday life. In this sense, we are able to get a subjective understanding of how people were affected by the extreme weather events. We then report if people were affected by other important factors that typically follow extreme weather events, such as damage to housing, impact on school, transport, services, other activities and mental and physical wellbeing.

Results

Who participated in this study?

Families from the Growing Up in
New Zealand cohort
living in regions
affected by the 2023
extreme weather events
were invited to participate.
This report looks
specifically at the

(n = 105, 5.2%).

Tokerau/Northland

results for Te Tai



Figure 1. Shows
the high-level
regional location of
young people during the
floods and/or cyclone who
took part in the Growing Up in
New Zealand Extreme Weather
Survey.

Who are the cohort?

Overall, 680 young people and 817 mothers/primary caregivers participated in the Extreme Weather Survey. Of these 78 children and 82 mothers reported living in the Northland region. From these participants, there were 77 family units, meaning that both the young person and mother/primary caregiver took part in the study. In total, 38 (48.7%) young people reported that they were affected by the floods and/or cyclone, 14(18%) reported that they were not affected but they know someone who was affected, and 26 (33.3%) reported they were not affected.

Preparing for extreme weather events

Information and resources for preparing for extreme weather events are crucial for response and recovery. This could refer to information about getting your household, work, or school ready before an emergency. Accurate, effective, and timely communication before and during an extreme weather event can help to minimise harm [33, 34].

Important information about extreme weather events and other emergencies can be found on the New Zealand Civil Defence Website (civildefence.govt.nz). Advice on how to prepare for an emergency can be found here and tips on

what to do during an emergency can be found here.

Growing Up in New Zealand asked primary caregivers about their access to information on how to prepare for extreme weather events.

Information received

We asked the mothers/primary caregivers if they remember seeing any information or advice about how to prepare for the floods and/or cyclone before the events of January/February 2023. Over half (n = 42, 51.2%) reported that they did not see any information or advice leading up to the extreme weather events.

Mothers/primary caregivers were also asked whether they generally received enough useful information about the floods and/or cyclones (not at all, a little information, some information, or all the information needed). Figure 2 shows the number of mothers/primary caregivers who reported that they received no information (n = 10, 12.4%), a little information (n = 22, 27.2%), some information (n = 26, 32.1%), or all the information needed (n = 23, 28.4%). Each level of preparedness (bar) is categorised by those who were affected (dark blue; n = 41, 50%), live in an area that was affected (light blue; n = 18, 22%), or were not affected (green; n = 23, 28.1%) by the extreme weather events.




Figure 2. Shows whether enough useful information was received by the mother/primary caregiver before the extreme weather events.

Information needed

The mothers/primary caregivers who reported that they received no, a little, or some information in the previous question (n = 58), were asked what they would have liked more information about before the floods and/or cyclone. Figure 3 shows the number of mothers/primary caregivers who reported that they would have liked more information on storing or stocking up water (n = 18, 31%), storing or stocking up on food (n = 18, 31%), preparing a grab bag (n = 18, 31%), making an

evacuation plan (n = 30, 51.7%), clearing drains (n = 11, 19%), making sandbags (n = 10, 17.2%), charging electronics (n = 13, 22.4%), getting a solar or battery-powered radio (n = 15, 25.9%), purchasing other supplies (n = 20, 34.5%), or something else (n = <10). Each level of preparedness (bar) is categorised by those who were affected (dark blue; n = 41, 50%), live in an area that was affected (light blue; n = 18, 22%), or were not affected (green; n = 23, 28.1%) by the extreme weather events.




Figure 3. Shows the types of preparations that mothers/primary caregivers reported they would have liked more information about before the extreme weather events.

Preparations before extreme weather events

We asked the mothers/primary caregivers which preparations their household completed before the floods or cyclone. Figure 4 and Table 1 show the number of mothers/primary caregivers who reported 'yes' they prepared or 'no' they did not prepare for each different type of preparation (store or stock up on water, store or stock up on food, prepare a grab bag, make a plan for evacuation, clear drains, make sandbags, charge electronics, get a radio, purchase other supplies, or something else).

P.T.0




Figure 4. Shows the types of preparations completed before the extreme weather events as reported by the mother/primary caregiver.

Table 1. Proportion of mothers/primary caregivers who reported they did prepare or did not prepare before the floods and/or cyclone.

Types of preparations	Number of people prepared (%)	Number of people not prepared (%)	Total	
Store or stock up on water	40 (49.4%)	41 (50.6%)	81	
Store or stock up on food	49 (60.5%)	32 (39.5%)	81	
Prepare a 'grab bag' (clothes and other items packed in case you need to evacuate)	15 (18.5%)	66 (81.5%)	81	
Make a plan for evacuation (where you would go and when)	23 (28.4%)	58 (71.6%)	81	
Clear drains	21 (25.9%)	60 (74.1%)	81	
Make sandbags	<10	79 (97.5%)	81	
Charge electronics/ phone in case the power went out	39 (48.1%)	42 (51.9%)	81	
Get a solar or battery-powered radio	<10	77 (95.1%)	81	
Purchasing other supplies, such as batteries, candles or camping equipment	34 (42%)	47 (58%)	81	
Something else	<10	76 (93.8%)	81	

Preparedness

The mothers/primary caregivers were asked how prepared they thought their household was for the floods and/or cyclone (not at all, a little, somewhat, or very). Figure 5 shows the number of mothers/primary caregivers who were not at all prepared (n = 161, 24.7%), a little prepared (n = 233, 34.3%), somewhat prepared (n = 221, 32.5%),

and very prepared (n = 64, 9.4%) for the extreme weather events. Each level of preparedness (bar) is categorised by those who were affected (dark blue; n = 159, 23.0%), live in an area that was affected (light blue; n = 202, 29.2%), or were not affected (green; n = 330, 47.8%) by the extreme weather events.




Figure 5. Shows how prepared the mothers/primary caregivers felt before the extreme weather events.

Housing: Evacuation, condition, and damage

In the aftermath of the extreme weather events, many people were forced to evacuate their homes (temporarily or permanently) and/or to repair damage that was caused by the severe weather [8].

The Auckland Anniversary Weekend flooding caused damage to thousands of houses due to flooding and landslides [5, 8]. As of June 1st 2023, 167 red placards (can no longer enter property), 1560 yellow placards (limited entry) and 3014 white placards (minor damage, safe to enter) had been issued by Auckland Council because of the flooding

[8]. Furthermore, there was extensive damage to housing across the North Island following Cyclone Gabrielle. As of June 1st 2023, 326 red placards, 1,780 yellow placards, and 1817 white placards had been issued because of the cyclone [8]. Over 100,000 insurance claims have been made because of the two extreme weather events combined, with insurance companies having paid out \$2.053 billion of an estimated \$3.5 billion in claims [35].

Growing Up in New Zealand asked young people and their primary caregivers about housing evacuation, relocation, condition, and damage.

Housing evacuation and relocation

We asked the mothers/primary caregivers whether they had to evacuate their homes because of the floods and/or cyclone. Most mothers/primary caregivers (96.3%, n = 79) did not have to evacuate, while <10% had to leave their homes. All those who had to leave their homes stayed in their local community.

Housing condition

We asked the mothers/primary caregivers to describe the condition of their house immediately after and six months after the floods and/or cyclone. Figure 6 shows the number of mothers/primary caregivers who reported that immediately after the weather events, their house needed no immediate repair (n = 45, 54.9%), minor maintenance (n = 25, 30.5%), some repair (n = 11,13.4%), None were stickered with <10 identifying as "Don't know". Figure 6 also shows the number of mothers/primary caregivers who reported that six months after the weather events, their house needed no immediate repair (n = 60, 73.2%), minor maintenance (n = 16, 19.5%), some repair (n = <10), and less than 10 mothers/primary caregivers answered 'don't know' or 'prefer not to say'. Each house condition (bar) is categorised by those who were affected (dark blue; n = 41, 50%), live in an area that was affected (light blue; n = 18, 22%), or were not affected (green; n = 23, 28.1%) by the extreme weather events.




Figure 6. Shows the house condition right after and six months after the extreme weather events as reported by the mother/primary caregiver.

Housing costs

We asked the mothers/primary caregivers whether their usual housing costs changed because of the floods and/or cyclone (increased, decreased, no, or don't know). The majority (70.7%, n = 58) of mothers/primary caregivers reported that their housing costs did not change, 18% (n = 15) said that their housing costs have increased, and <10 said that their housing costs decreased or that they didn't know.

House damage

Young people were asked whether their house was damaged or flooded during the extreme weather events (not at all, a little, or a lot). Figure 7 shows the number of young people (n = 78) who reported that their house was not at all damaged (n = 52, 66.7%), a little damaged (n = 22, 28.2%), less than 10% of young people reported a lot damaged or 'don't know'. Each level of house damage (bar) is categorised by those who were affected (dark blue; n = 38, 48.7%), live in an area that was affected (light blue; n = 14, 17.9%), or were not affected (green; n = 26, 33.3%) by the extreme weather events.




Figure 7. Shows young person reported damage to household due to the extreme weather events.

Damage to belongings

Young people were asked whether their clothes or belongings were damaged or flooded during the extreme weather events (not at all, a little, or a lot). Figure 8 shows the number of young people who reported that their belongings were not at all damaged (n = 73, 93.6%), a little damaged (n = 73, 93.6%).

<10) with no one reporting a lot damaged or 'don't know'. Each level of house damage (bar) is categorised by those who were affected (dark blue; n = 38, 48.7%), live in an area that was affected (light blue; n = 14, 17.9%), or were not affected (green; n = 26, 33.3%) by the extreme weather events.




Figure 8. Shows young person reported damage to belongings due to the extreme weather events.

Neighbourhood damage

Young people were asked whether their neighbourhood was damaged or flooded during the extreme weather events (not at all, a little, or a lot). Figure 9 shows the number of young people who reported that their neighbourhood was not at all damaged (n = 29, 37.2%), a little damaged (n = 29, 37.2%)

33, 42.3%), and a lot damaged (n = 12, 15.4%). Less than ten young people answered 'don't know'. Each level of house damage (bar) is categorised by those who were affected (dark blue; n = 38, 48.7%), live in an area that was affected (light blue; n = 14, 17.9%), or were not affected (green; n = 26, 33.3%) by the extreme weather events.




Figure 9. Young person reported damage to neighbourhood due to the extreme weather events.

Access to services

Extreme weather events can destroy infrastructure needed for services such as power, water, and telecommunications. Across the North Island, Cyclone Gabrielle caused widespread damage to power line networks, with 332,000 households cut off during the cyclone [8]. This extensive loss of power also meant that cell phone connectivity was down, with 660 mobile towers disconnected [8]. Water and wastewater infrastructure was also damaged, notably in Gisborne, where repairs to the water supply pipe into the city lasted for 45 days [36].

Furthermore, because of damage from Cyclone Gabrielle, roads, motorways, and bridges were closed across the North Island [10, 37]. Busses, trains, and ferries were delayed, detoured, or cancelled (including school bus services) [10, 37]. Hawke's Bay and Gisborne experienced significant damage to infrastructure, causing communities to

be cut off [10]. Restoration and repairs are long-term and still ongoing [11, 38].

Growing Up in New Zealand asked about access to services (gas, internet, phone coverage, power, water, and public transport) for the young person and their primary caregiver.

Disruption to services

We asked the mothers/primary caregivers if they experienced disruption to any services (gas, internet, landline phone, mobile phone coverage, power, water, or none of the above) during or after the floods. Figure 10 and Table 2show the number of mothers/primary caregivers who reported 'yes' the service was disrupted (bottom bar) or 'no' the service was not disrupted (top bar). Each bar is categorised by those who were affected (dark blue; n = 41, 50%), live in an area affected (light blue; n = 18, 22%), or were not affected (green; n = 23, 28.1%) by the extreme weather events.




Figure 10. Shows mother/primary caregiver reported disruption to services due to the extreme weather events.

Table 2. Number and Proportion of mothers/primary caregivers who reported disruption to services, reported for the total sample and for those affected, live in an area affected, and not affected.

	Affected		Live in an area affected		Not affected		Tota
Service	Service disrupted	Service not disrupted	Service disrupted	Service not disrupted	Service disrupted	Service not disrupted	
Gas supply	<10	39 (47.6%)	<10	18 (22%)	<10	22 (26.8%)	82
Internet	30 (36.6%)	11 (13.4%)	11 (13.4%)	<10	11 (13.4%)	12 (14.6%)	82
Landline phone	<10	36 (43.9%)	<10	12 (14.6%)	<10	20 (24.4%)	82
Mobile phone coverage	29 (35.4%)	12 (14.6%)	<10	11 (13.4%)	<10	17 (20.7%)	82
Power	37 (45.1%)	<10	12 (14.6%)	<10	16 (19.5%)	<10	82
Tap/drinking water (not including bottled water)	17 (20.7%)	24 (29.3%)	<10	11 (13.4%)	<10	17 (20.7%)	82
None of the above	<10	39 (47.6%)	<10	12 (14.6%)	<10	17 (20.7%)	82

Duration of service disruption

We asked those mothers/primary caregivers who reported disruption to services (gas supply: *n* = <10, internet: n = 52, landline phone: n = 14, mobile phone coverage: n = 42, power: n = 65, water: n =30) how long the service was disrupted for. Figure 11 shows the different type of service (gas supply,

internet, landline phone, mobile phone coverage, power, and water) and shows the number of participants who reported disruption for less than 2 days, 3 or more days, still disrupted, or not applicable.




Figure 11. Shows how long the services were disrupted for as reported by the mother/primary caregiver.

Services needed and received

Mothers/caregivers were asked if they needed (and may or may not have received) support for a range of things associated with the floods and/or cyclone, such as accommodation support, supplies (food, water, clothes), education (school supplies and other education needs), medical or mental health care, financial assistance, physical support (property, transport, belongings) and advice/support (with landlord, to manage

insurance claims, to manage government options). Of the 82 mothers/caregivers, 29 answered these questions. The number of people who did and did not receive support is not reported here due to the small sample size for this regional data. For information on the total cohort supports needed and received please see

https://www.growingup.co.nz/extreme-weathersurvey-2/extreme-weather-survey-overview-list

Schooling information

The two extreme weather events that occurred in January and February 2023 coincided with the start of the school year for young people in Aotearoa New Zealand. Many of the *Growing Up in New Zealand* cohort would have been transitioning to Year 9 (first year of secondary school). Following the Auckland Anniversary Weekend flooding, all schools in the Auckland region were closed on Monday 30th and Tuesday 31st January [27, 28]. During Cyclone Gabrielle, over the week of February 13-17th, school attendance rates dropped to a low of 52.1% because of school closures [29, 30]. The combination of these two extreme weather events resulted in property and infrastructure damage to over 500 North Island schools [31, 32].

The timing of these extreme weather events may have interfered with young people's educational experience at the start of 2023. *Growing Up in New Zealand* asked young people about the impact of the extreme weather events on school and everyday activities.

From the young people who participated in the Extreme Weather Survey, more than half (51.3%, n = 40) were starting a new school at the beginning of 2023. Due to the floods and/or cyclone, over two-thirds (56.4%, n = 44) of young people were delayed from starting school. Most young people did not have to change schools or move school buildings (97.4%, n = 76).

The majority of young people (79.5%, n = 62) had time off school because of the extreme weather. Of those 62 young people who had time off school, less than 10 had less than 1 day off, 43.6% (n = 27) had 1-3 days off,

25.8% (n = 16) had 4-5 days off, 16.1% (n = 10) had more than a week off school, and less than 10 said that they didn't know.

Everyday life

Young people were asked how much their everyday activities were interrupted or stopped because of the floods and/or cyclone (not at all, a little, a lot, or not applicable). The everyday activities we asked about were homework, school activities (e.g. arts, music, Kapa Haka), social activities (e.g. sports, going to the mall, marae, church), online games or communication, and seeing friends or family. Figure 12 shows the number of young people who reported that their everyday activities were interrupted or stopped. Each bar represents the activity (school, social, online, friends, family) and shows what percentage of young people answered not at all, a little, a lot, or not applicable.




Figure 12. Young people's activities missed due to floods and or cyclone.

Further Growing Up in New Zealand resources and reports

A range of existing resources based on our research findings can be found on our website, including:

- Additional reports are available on a dedicated Extreme Weather section of the Growing Up website growingup.co.nz/extreme-weather-survey-2/extreme-weather-survey-overview-list
- Full Growing Up in New Zealand Extreme Weather report ¹: https://doi.org/10.17608/k6.auckland.25762731.v1
- Te Matau-a-Māui/Hawke's Bay and Te Tai Rāwhiti/Gisborne Extreme Weather regional report ²: DOI: 10.17608/k6.auckland.25833685.
- Tāmaki Makaurau/Auckland Extreme Weather regional report ³: DOI: 10.17608/k6.auckland.25833676.
- <u>Policy briefs</u>: smaller publications on a specific topic of interest to policymakers and government.
 <u>growingup.co.nz/growing-policy-briefs</u>
- Reports: comprehensive reports based on data collected at key milestones:
 growingup.co.nz/growing-reports
- <u>Published articles</u>: *Growing Up in New Zealand* researchers use the study data to investigate a wide range of topics around child and youth development. <u>growingup.co.nz/published-articles</u>

For more information, please email <u>researchgrowingup@auckland.ac.nz</u> or visit our website at <u>www.growingup.co.nz</u>

© Growing Up in New Zealand 2024

(6)

¹ Gawn, J., Fletcher, B.D., Neumann, D., Pillai, A., Miller, S., Park, A., Napier, C., Paine, S.J. (2024). The impact of extreme weather events on young people and their families: Evidence from Growing Up in New Zealand. Auckland: Growing Up in New Zealand. DOI: 10.17608/k6.auckland.25762731.

² Gawn, J., Fletcher, B.D., Neumann, D., Pillai, A., Miller, S., Park, A., Napier, C., Paine, S.J. (2024). Te Matau-a-Māui/Hawke's Bay and Te Tai Rāwhiti/Gisborne regional report of the impact of extreme weather events on young people and their families: Evidence from Growing Up in New Zealand. Auckland: Growing Up in New Zealand. DOI: 10.17608/k6.auckland.25833685

³ Gawn, J., Fletcher, B.D., Neumann, D., Pillai, A., Miller, S., Park, A., Napier, C., Paine, S.J. (2024). Tāmaki Makaurau/Auckland regional report of the impact of extreme weather events on young people and their families: Evidence from Growing Up in New Zealand. Auckland: Growing Up in New Zealand. DOI: 10.17608/k6.auckland.25833676

Resources

Extreme weather events

- 'Uncivil Defence' a guide provided by *Growing Up in New Zealand* to help young people to cope with their emotions and to be ready for extreme weather events. Free download available at: growingup.co.nz/extreme-weather-survey-3
- Civil Defence National Emergency Management Agency website (civildefence.govt.nz/find-your-civildefence-group) for more information on extreme weather events, and information on preparing for an emergency.
- Regional civil defence groups for local information: civildefence.govt.nz/find-your-civil-defence-group
- Ministry for the Environment website for information on recovering from recent severe weather events: https://environment.govt.nz/what-government-is-doing/areas-of-work/recovering-from-recent-severe-weather-events/
- Fire and Emergency website for safety tips and support for extreme weather events: https://www.fireandemergency.nz/incidents-and-news/extreme-weather-events/
- Whaikaha Ministry of Disabled People website for information on where to go for help for extreme
 weather: https://www.whaikaha.govt.nz/news-and-events/news/extreme-weather-where-to-go-for-help/

Mental and physical health

See the Ministry of Health website (health.govt.nz/your-health/services-and-support) for a list of resources or click below for information or support:

- Need to talk? Free text or call 1737 any time for support from a trained counsellor, or see 1737.org.nz
- For wellbeing support near you including for Youth, Kaupapa Māori, Pacific-led see wellbeingsupport.health.nz
- Support for rangatahi to find support for hauora, identity, culture, and mental health,see thelowdown.co.nz
- Healthcare providers near you, see healthcare providers near you, see healthcare providers near you, see healthpoint.co.nz/mental-health-addictions/?programmeArea=im%3A42a1e54a-a52d-4c63-b91a-18714aef1c38
- Youthline Free, confidential and non-judgemental, phone <u>0800 376 633</u>, free text 234, email <u>talk@youthline.co.nz</u> or use the online chat: <u>youthline.co.nz/web-chat-counselling.html</u>
- You can find Māori Health Providers in your area here <u>health.govt.nz/your-health/services-and-support/health-care-services/maori-health-provider-directory</u>
- Find a local rongoā provider here teakawhaiora.nz/nga-rauemi-resources/find-a-rongoa-provider/
- Vaka Tautua <u>0800 652 535</u> (0800 OLA LELEI) free national Pacific helpline, email <u>enquiries@vakatautua.co.nz</u>. The team speaks Samoan, Tongan, Cook Islands Māori and English
- Asian Family Services <u>0800 862 342</u>, email or <u>help@asianfamilyservices.nz</u> provides professional, confidential support in multiple languages
- Rainbow mental health organisation OutLine provides free support: free phone o8oo 688 5463 or free online chat via outline.org.nz/

References

- National Emergency Management Agency. Storms and severe weather. Retrieved from https://www.civildefence.govt.nz/cdem-sector/consistent-messages/storms-and-severe-weather
- 2. Ministry for the Environment, National Climate Change Risk Assessment for New Zealand: Snapshot. 2020.
- 3. Jay, A., et al., *Overview*, in *Impacts, Risks, and Adaptation in the United States: Fourth National Climate Assessment, Volume II, D.R. Reidmiller, et al., Editors. 2018: U.S. Global Change Research Program, Washington, DC, USA. p. 33-71.*
- 4. NIWA. *Auckland suffers wettest month in history*. 2023; Available from: https://niwa.co.nz/news/auckland-suffers-wettest-month-in-history.
- 5. New Zealand Infrastructure Commission, *The 2023 Auckland Anniversary weekend storm: An initial assessment and implications for the infrastructure system* 2023.
- 6. Newsroom. *Auckland's historic flooding explained in five charts*. 2023; Available from: <a href="https://www.newsroom.co.nz/sustainable-future/aucklands-historic-flooding-explained-in-five-charts#:~:text=The%20longest%20running%20weather%20record,that%20lasted%20nearly%20four%20decades.
- 7. Ministry of Foreign Affairs and Trade, *Cyclone Gabrielle's impact on the New Zealand economy and exports: A market intelligence report.* 2023.
- 8. Wilson, N., A. Broadbent, and J. Kerr, *Cyclone Gabrielle by the numbers A review at six months*. 2023: Public Health Communication Centre and Department of Public Health, University of Otago, Wellington.
- 9. National Emergency Management Agency. *Declared States of Emergency*. 2023; Available from: https://www.civildefence.govt.nz/resources/previous-emergencies/declared-states-of-emergency.
- 10. Hawkes Bay Regional Council. *Cyclone Gabrielle impacts*. 2023; Available from: https://www.hbrc.govt.nz/our-council/cyclone-gabrielle-response/cyclone-gabrielle-impacts/.
- 11. NZTA. *Hawke's Bay cyclone recovery*. 2023; Available from: https://www.nzta.govt.nz/projects/hawkes-bay-cyclone-recovery/.
- 12. Simpson, D.M., I. Weissbecker, and S.E. Sephton, *Extreme weather-related events: Implications for mental health and well-being*, in *Climate change and human well-being: Global challenges and opportunities*. 2011, Springer Science + Business Media: New York, NY, US. p. 57-78.
- 13. Curtis, S., et al., *Impact of extreme weather events and climate change for health and social care systems.* Environmental Health, 2017. 16(S1).
- 14. Te Uru Kahika, *Before the deluge: Building flood resilience in Aotearoa*. 2022.
- 15. Barkin, J.L., et al., *Effects of extreme weather events on child mood and behavior.* Developmental Medicine & Child Neurology, 2021. 63(7): p. 785-790.
- 16. Beaglehole, B., et al., *A systematic review of the psychological impacts of the Canterbury earthquakes on mental health.* Australian and New Zealand Journal of Public Health, 2019. 43(3): p. 274-280.
- 17. Fergusson, D.M., et al., *Impact of a Major Disaster on the Mental Health of a Well-Studied Cohort.* JAMA Psychiatry, 2014. 71(9): p. 1025.
- 18. Rocque, R.J., et al., *Health effects of climate change: an overview of systematic reviews.* BMJ Open, 2021. 11(6): p. e046333.
- 19. Beaglehole, B., et al., *The long-term impacts of the Canterbury earthquakes on the mental health of the Christchurch Health and Development Study cohort.* Australian and New Zealand journal of psychiatry, 2023. 57(7): p. 966-974.
- 20. Ebi, K.L., et al., Extreme Weather and Climate Change: Population Health and Health System

- Implications. Annual Review of Public Health, 2021. 42(1): p. 293-315.
- 21. Dahl, R.E., et al., *Importance of investing in adolescence from a developmental science perspective.* Nature, 2018. 554(7693): p. 441-450.
- 22. Eiland, L. and R.D. Romeo, Stress and the developing adolescent brain. Neuroscience, 2013. 249: p. 162-171.
- 23. Ma, T., J. Moore, and A. Cleary, *Climate change impacts on the mental health and wellbeing of young people:* A scoping review of risk and protective factors. Soc Sci Med, 2022. 301: p. 114888.
- 24. Perry, B., *The material wellbeing of New Zealand households: trends and relativities using non-income measures, with international comparisons.* 2015: Wellington, New Zealand: Ministry of Social Development.
- 25. Perry, B., *The material wellbeing of NZ households: Overview and Key Findings from the 2017 Household Incomes Report and the companion report using non-income measures (the 2017 NIMs Report).* . 2017: Wellington, New Zealand: Ministry of Social Development. .
- 26. Turrell, G., A. Kavanagh, and S.V. Subramanian, *Area variation in mortality in Tasmania (Australia): the contributions of socioeconomic disadvantage, social capital and geographic remoteness.* Health Place, 2006. 12(3): p. 291-305.
- 27. Ministry of Education. *Severe weather event education update*. 2023; Available from: https://www.education.govt.nz/news/severe-weather-event-education-update/
- 28. Ministry of Education. *Severe weather event and school closure*. 2023; Available from: https://www.education.govt.nz/news/severe-weather-event-information/
- 29. Ministry of Education, Schools On-site Attendance 13 February 2023 -17 February 2023. 2023.
- 30. Ministry of Education. *Severe weather event: Cyclone Gabrielle update*. 2023; Available from: https://www.education.govt.nz/news/severe-weather-event-tropical-cyclone-gabrielle-update/.
- 31. New Zealand Government, *Summary of Initiatives in the North Island Weather Events Response and Recovery Package*. 2023.
- 32. Tinetti, J. *Govt to repair or rebuild all weather-hit schools*. 2023; Available from: https://www.beehive.govt.nz/release/govt-repair-or-rebuild-all-weather-hit-schools.
- 33. Gheytanchi, A., et al., *The dirty dozen: twelve failures of the hurricane katrina response and how psychology can help.* Am Psychol, 2007. 62(2): p. 118-30.
- 34. IPCC, Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation, in A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change, C.B. Field, et al., Editors. 2012: Cambridge University Press, Cambridge, UK, and New York, NY, USA,.
- 35. Insurance Council of New Zealand. 2023 Climate Disaster Payouts Top \$2 Billion. 2023; Available from: https://www.icnz.org.nz/industry/media-releases/2023-climate-disaster-payouts-top-2-billion/.
- 36. Wilson, N., et al., *Water infrastructure failures from Cyclone Gabrielle show low resilience to climate change.* 2023: Public Health Communciation Centre and Department of Public Health, University of Otago, Wellington.
- 37. The Spinoff. *Cyclone Gabrielle: The latest official Auckland travel updates from AT and NZTA*. 2023; Available from: https://thespinoff.co.nz/society/13-02-2023/cyclone-gabrielle-the-latest-official-auckland-travel-updates-from-at-and-nzta.
- 38. Auckland Transport. *Updates on Repairs*. 2023; Available from: https://at.govt.nz/projects-roadworks/roadworks/roadworks/road-works-disruptions/long-term-road-repairs-from-auckland-storms/updates-on-repairs.
- 39. Ravens-Sieberer, U., et al., *Reliability, construct and criterion validity of the KIDSCREEN-10 score: a short measure for children and adolescents' well-being and health-related quality of life.* Quality of Life Research, 2010. 19(10): p. 1487-1500.
- 40. Connor, K.M. and J.R.T. Davidson, *Development of a new resilience scale: The Connor-Davidson Resilience*

- Scale (CD-RISC). Depression and Anxiety, 2003. 18(2): p. 76-82.
- 41. Radloff, L.S., *The CES-D Scale: A Self-Report Depression Scale for Research in the General Population.* Applied psychological measurement, 1977. 1(3): p. 385-401.
- 42. Irwin, D.E., et al., *An item response analysis of the pediatric PROMIS anxiety and depressive symptoms scales.* Quality of Life Research, 2010. 19(4): p. 595-607.
- 43. Kroenke, K., R.L. Spitzer, and J.B.W. Williams, *The PHQ-9.* Journal of General Internal Medicine, 2001. 16(9): p. 606-613.
- 44. Spitzer, R.L., et al., *A Brief Measure for Assessing Generalized Anxiety Disorder.* Archives of Internal Medicine, 2006. 166(10): p. 1092.
- 45. Ministry of Health, *Measuring Health States: The World Health Organization Long Form (New Zealand Version) Health Survey: Acceptability, reliability, validity and norms for New Zealand. Public Health Intelligence Occasional Bulletin No. 42.* 2007: Wellington: Ministry of Health.