

Confronting the Dual Challenge: Emerging Solutions

October 2024

OpenMinds' Mission & Identity



OUR MISSION

More energy. Less emissions.

Accelerate progress against the Dual Challenge by 203X

- 100+ volunteer experts
- 501(c)(3)
- Disciplined non-partisan selection process
- 360° systems engineering approach

WHAT MAKES US UNIQUE



Energy AND climate



Cross-functional expert team




Detailed solutions framework



Impact progress by 203X

OpenMinds' Solution Approach

We believe that addressing the Dual Challenge requires us to work together in a **non-partisan** manner across **diverse** fields, industries, and geographies






A Note On These Materials

Click to access more information about the Dual Challenge



Focus of this deck



The purpose of this document is to outline our approach to developing and prioritizing solutions to the Dual Challenge. Please reference our definitions deck for further background detail on the Dual Challenge. **Our intent is for this to be accessible to anyone**, even those with no prior knowledge of energy or climate change.

In preparing these materials, **we drew from a range of sources**, including the IPCC's Sixth Assessment Report, the International Energy Agency, BP's Statistical Review of World Energy, the Global Carbon Project, and others.

We assessed possible solutions through a comprehensive framework that considers measures of technological and economic readiness, along with a range of other factors. Feasibility at a regional level was also a fundamental consideration.

Section 1 (Approach) and **Section 2 (Framework)** cover the approach to identify and prioritize possible solutions and ultimately select our top 10 global solutions.

Section 3 (Top 10 overview) and **Section 5 & 6 (Appendix A & B)** provide an overview on the top 10 prioritized solutions and offer additional detail on the current state and opportunities.

Section 4 (Country archetypes) details differences in how countries make decisions with respect to climate and energy and how that impacts potential solutions.

It will take a global, "all of us" effort to address the Dual Challenge. **We hope these materials convey the importance of attending to the physical realities of both energy and climate, alongside the world's economic and development needs, as we seek solutions.**

Executive Summary

- The Dual Challenge of energy & climate is the world's most complex and pressing problem. At the heart of it: we need to increase the world's supply of affordable, reliable energy while simultaneously curbing energy-related greenhouse emissions that are causing the earth to warm.
- The cost of failure in either direction is high: a rapidly warming planet and the attendant environmental risks; or stifled economic progress and lingering quality-of-life concerns for billions who lack access to modern energy services.
- Fundamentally, addressing the Dual Challenge involves replacing, repurposing, modifying, or augmenting huge portions of our energy system, on both the supply side and demand side.
- We need to act with urgency. While there are many potential solutions, there are also difficult tradeoffs, and we must consider the resources, priorities, and challenges of different countries around the world.
- To that end, we developed a comprehensive framework to assess potential solutions and identify those with the highest impact potential globally through the next 10-15 years—what we call 203X.
- We believe these solutions, if adopted at realistic but aspiration rates, could bend the curve on emissions by 203X, while working with the grain of market forces and taking advantage of existing infrastructure.
- Accelerating adoption of these solutions will require a mix of policy, technology, corporate, and consumer actions and innovation.

Addressing the Dual Challenge will require an all-of-us effort. Pragmatic, system-oriented action is needed to curb emissions while expanding energy supply to support continued human development.



Table of contents



Section 1 – Slide 8
Solutions approach



Section 2 – Slide 28
Solutions assessment framework



Section 3 – Slide 33
Top 10 solutions overview



Section 4 – Slide 55
Country archetypes



Section 5 – Slide 64
Appendix A: Detail on Top 10 solutions



Section 6 – Slide 97
Appendix B: Background on methane

Agenda



01

Solutions approach

02

Solution assessment framework

03

Top 10 solutions overview

04

Country Archetypes

05

Appendix A: Detail on Top 10 solutions

06

Appendix B: Background on methane

Our Approach to Solutions Development is Systematic and Focused on Identifying Pragmatic Actions

1 Identify largest opportunity zones

Understand energy sources, consumption patterns, and emissions to spot crucial action areas



2 Evaluate potential solutions

Identify and systematically evaluate a long list of potential technical solutions



3 Determine the top 10 global solutions

Identify the solutions with the highest potential for impact through 203X and actions required to drive adoption



4 Incorporate regional context

Assess solution feasibility at a country-level, based on varying resources and priorities, to calibrate deployment rates



Accelerate progress against the Dual Challenge by 203X

We First Identify the Largest Opportunity Areas Based on Emissions and Energy Consumption Analysis

Energy and Emissions

By source	By end use	Industry			Transport			Buildings			Agriculture			Other			Total	
		Energy	Emission	En/Em	Energy	Emission	En/Em	Energy	Emission	En/Em	Energy	Emission	En/Em	Energy	Emission	En/Em	Energy	Emission
ENERGY																		
Electricity/heat	18%	12%	-	<1%	0%	-	20%	12%	-	1%	1%	-	2% ¹	7% ²	-	42%	32%	
Coal	8%	8%	●	<1%	0%	●	9%	8%	●	<1%	<1%	●	<1%	5%	●	18%	21%	
Oil products and oil	<1%	<1%	●	-	-	-	<1%	<1%	●	-	-	-	-	-	-	<1%	1%	
Natural gas	4%	3%	●	-	-	-	5%	3%	●	-	-	-	<1%	1%	●	10%	7%	
Bio/waste ⁶	<1%	<1%	●	-	-	-	1%	<1%	●	-	-	-	-	-	-	2%	2%	
Nuclear	3%	<1%	●	-	-	-	3%	<1%	●	-	-	-	-	-	-	6%	<1%	
Renewables ⁷	2%	<1%	●	-	-	-	2%	<1%	●	-	-	-	<1%	<1%	●	5%	<1%	
Direct combustion	14%	13%	-	22%	17%	-	14%	6%	-	<1%	<1%	-	8%³	7%⁴	-	58%	44%	
Coal	6%	6%	●	-	-	-	1%	<1%	●	-	-	-	<1%	1%	●	7%	7%	
Oil products and oil	2%	2%	●	20%	16%	●	2%	1%	●	<1%	<1%	●	6%	5%	●	31%	24%	
Natural gas	5%	3%	●	<1%	<1%	●	5%	2%	●	-	-	-	1%	1%	●	12%	6%	
Bio/waste	1%	2%	●	<1%	1%	●	6%	3%	●	-	-	-	-	-	-	8%	6%	
NON-ENERGY																		
Industrial processes	-	6%	N/A	-	-	N/A	-	-	N/A	-	-	N/A	-	-	N/A	N/A	6%	
Agriculture	-	-	N/A	-	-	N/A	-	-	N/A	-	12%	N/A	-	-	N/A	N/A	12%	
Other	-	-	N/A	-	-	N/A	-	-	N/A	-	-	N/A	-	7% ⁵	N/A	N/A	7%	
Total	32%	31%		22%	17%		34%	18%		2%	13%		10%	21%		100%	100%	

Key impact areas

- A** Electricity generation from fossil fuels
- B** Oil and oil products for transportation
- C** Energy usage in buildings
- D** Fugitive emissions
- E** Industrial processes
- F** Energy supply needs to expand in a lower carbon manner to support economic growth in the developing world





Legend:

- Key impact areas
- High Energy/Emissions ratio
- Moderate Energy/Emissions ratio
- Low Energy/Emissions ratio


Note: Data reflected above is for 2019. Energy data reflects primary energy and emissions data reflects greenhouse gas emissions in terms of CO₂ equivalent. 1: Electricity/heat going to non-specified and non-energy uses, 2: Unallocated fuel combustion for electricity, 3: Energy going to non-specified and non-energy uses, 4: Emissions from energy production and fugitive emissions, 5: Emissions from LUCF and food waste (6%), 6: Includes traditional biomass and animal materials/waste 7: Includes geothermal, solar/tide/wind, and hydro, CO₂ equivalent includes methane and nitrous oxide emissions. **Figures are directional.** Sources: IEA, WRI, Climate Watch, German Environment Agency, EIA

We Then Map Solutions to Each of Those Opportunity Areas

Across end uses, there is a common set of high-level technical decarbonization levers

Category	Technical lever
Change fuels 	Clean up existing fuels
	Switch to new fuels (compatible with existing equipment)
Change equipment 	Switch to new fuels (requires new equipment)
	Electrify
Change consumption 	Improve technical efficiency
	Improve material efficiency
	Change behavior
Capture 	Capture emissions

Example: Impact area - oil and oil products for transportation (light duty vehicles)



Overview of Solution Assessment Framework

Criteria overview

CO₂ abatement potential



Carbon abatement: What is the realistic medium-term CO₂ emissions abatement potential of the solution?

Technological and economic readiness “Could we scale this to have an impact quickly?”



Technology and resources: What is the degree of technological development of the solution? Are there sufficient resources to deploy at scale?

Economics and affordability: What is the marginal abatement cost of the technology relative to other solutions? Is the solution cost-competitive with existing or incumbent technologies? Is it aligned with consumer preferences?


Social, System, and Environmental Viability “Should we scale this given the social, system, environmental and political considerations?”




Reliability and security: Is the solution reliable? Does it have any impact on system reliability? Is the solution aligned with national security objectives and social priorities?

Fair and equitable: Does the solution have a fair and equitable distributional impact?

Upstream and downstream environmental impact: To what degree are there negative environmental consequences associated with the solution?



Evaluation of Long List of Solutions Showed Large Spread With Regards to Impact by 203X



***Social, System, and Environmental Viability:**

- Impact on system reliability
- Environmental impact
- Distributional effects/impact on communities
- National security and social priority alignment



***Technological and Economic Readiness:**

- Technological Readiness
- Marginal cost of abatement
- Cost relative to alternatives
- Resource availability
- Consumer preferences

Medium-term annual CO₂e abatement potential

1.5 abatement potential GtCO₂e

Key impact areas for solutions:

- Electricity generation from fossil fuels
- Oil and oil products for transportation
- Energy usage in buildings
- Fugitive emissions
- Industrial processes
- Other

Note: Abatement potential refers to medium-term annual CO₂e emissions reduction; building efficiency and retrofits refers to insulation and HVAC only; DACCS abatement potential virtually infinite; industrial efficiency includes solutions such as waste to heat recovery; renewable solutions include battery component in cost and abatement potential; geothermal represents enhanced geothermal systems; assumes methane has global warming potential 30 times that of CO₂

Source: IEA; IRENA; Goldman Sachs; Project Drawdown; OpenMinds research and lit. scan

The 10 Highest Potential Solutions Are Shortlisted for Additional Exploration

APPENDIX / PRELIMINARY

Mission: Abundant, reliable, affordable, and clean energy to enhance human well-being

Clean up traditional energy | Accelerate electrification and low-carbon electricity generation | Deploy new technologies for tough to abate sectors | Improve energy efficiency | Capture, store, and utilize what remains | Invest in adaptation

Across "today-forward" scenarios, many of these solutions are consistently deployed to reduce carbon emissions by the 2030s

SOLUTIONS APPROACH / PRELIMINARY

Global energy-related carbon emissions (Gt CO₂e)

Renewables | Solar | Wind | Nuclear

FOR DISCUSSION

Ten solutions stand out with high abatement potential and a sufficient degree of readiness and viability to have '203X' impact

Solution	Abatement potential (Gt CO ₂ e/yr)	Tech and economic readiness	Viability
Coal-to-gas switching	~1.5	High	High
Abate methane emissions from energy	~1.0	High	High
Renewables (i.e., solar and wind)	~1.0	High	High
Transportation energy efficiency	~0.8	High	High
Transport electrification	~0.8	High	High
Industrial efficiency and electrification	~0.8	High	High
Buildings efficiency	~0.8	High	High
Heat pumps	~0.8	High	High
CCUS in electricity and industry	~0.8	Medium	Medium
New and existing nuclear	~0.8	Medium	Medium

Our preliminary shortlist of solutions

Clean up traditional energy

- Abate methane emissions from energy
- Coal-to-gas switching
- CCUS in electricity and industry

Low-carbon electricity

- Renewables (i.e., solar and wind)
- New and existing nuclear

Efficiency and electrification

- Transportation energy efficiency
- Transport electrification
- Industrial efficiency and electrification
- Buildings efficiency
- Heat pumps

1

We Assess Our Top 10 as Having the Highest Impact Potential, but There Are a Range of Other Important Solutions

'Top 10' solutions

Prioritized set of solutions with high viability and sufficient technological and economic readiness to “bend the curve” by 203X

Abating methane emissions from energy	Transportation on energy efficiency	Coal-to-gas switching	Electric LDVs
CCUS in electricity and industry	Industrial efficiency and electrification	Renewables (i.e., solar and wind)	Heat pumps
		New and existing nuclear	Buildings efficiency

Other important solutions

Solutions that **may be critically important** but are assessed as having less overall impact potential by 203X relative to our list of 'top 10' solutions

Behavioral change	Adaptation	We are considering whether and how to incorporate these more fully into our efforts	
Distributed generation	Green steel and cement	Nature-based solutions	Hydrogen
LED lighting	Direct air capture	Geothermal	Circular economy

But Not Every Country Has the Same Starting Point — We Need to Account For This As We Work Toward Specific Actions


~3 billion people
Birth rate: ~25/1,000 people

~3.5 billion people
Birth rate: ~15/1,000 people

~1 billion people
Birth rate: ~11/1,000 people

CO₂ emissions per capita, 2019

Consumption-based emissions (i.e., Adjusted for trade), measured in tons per person



Low-income developing countries

How do we lift countries out of energy poverty in a low-carbon way without erecting barriers to economic development? (i.e., without following the previous trajectory of the Advanced countries)

Emerging countries

How do we support countries in industrialization and accessing low cost clean energy?

Advanced countries


How do we reduce emissions while maintaining high quality of life and growth?

Note: GDP is adjusted for purchasing power parity


Source: Bain & Company analysis; Max Roser, "The world's energy problem", Our World in Data; Switch On (2020); World Bank; Global Carbon Project; IMF; UN World Population Prospects 2019

For That Reason, We Segment the World Into Eight Archetypes To Understand Solution Applicability


Country archetypes inform applicability of a given solution at a regional level



We identified a list of **unique metrics that influence energy and emissions** and for which high quality and reliable data is available across geographies



We found that **segmenting countries into archetypes along two dimensions – traditional fuel reserves and GDP**, enables a better understanding of how the shared attributes within each archetype informs their approach to the Dual Challenge



We looked at emissions by archetype across a range of categories to **identify most impactful solutions**

Solution Feasibility Tested by Segmenting Countries Into Archetypes and Considering Regional Priorities and Challenges

Our approach to country archetypes


- Two key dimensions influence how countries approach the energy transition: **traditional energy reserves** per capita and **economic output** per capita
- Together, these dimensions define the **fundamental challenges facing each archetype** around expanding secure, reliable, affordable access to energy while balancing the need to decarbonize

Advanced economy

Resource abundant¹

A


Advanced economy with abundant traditional energy reserves



Resource deficient¹

B


Advanced economy with limited traditional energy reserves



Emerging economy


C

China




D

India




F

Emerging economy with limited traditional energy reserves



E

Emerging economy with abundant traditional energy reserves



Low-income economy

G

Low-income economy with untapped traditional energy reserves



H

Low-income economy with limited traditional energy reserves




Note: (1) Resource abundance based on reserves of traditional energy; GDP per capita <\$5,100 – Low Income; \$5,100 > & <\$30,000 Emerging ; > \$30,000 Advanced (2017 International \$, PPP adjusted). Energy abundant countries fall into the 75th percentile of coal, oil and gas reserves per capita combined

Source: Our World in Data, IEA, Global Carbon Atlas, EIA, EuroMonitor, World Bank, IMF

Energy, Emissions, and GDP Skew Toward Advanced Economies Relative to Population

SOLUTIONS APPROACH

Energy, population, and economic indicators by archetype (%)




Note: GDP per capita <\$5,100 – Low Income; \$5,100 > & <\$30,000 Emerging ; > \$30,000 Advanced (2017 International \$, PPP adjusted); Energy abundant countries fall into the 75th percentile of coal, oil and gas reserves per capita combined; CO₂ emissions includes land use, land use change and forestry and non-CO₂ emissions like methane; 2019 population comes from World Bank; Population projection uses UN Medium Fertility Scenario; GDP uses 2017 International \$, PPP adjusted

Source: Our World in Data, Global Carbon Atlas, World Bank, UN

Crucially, Economies Not Considered “Advanced” Account for the Bulk of Population, Energy, and Emissions

Total emissions by archetype

Percent of CO₂e emissions – 2023



Note: Countries are grouped into archetypes by level of development and resource abundance. CO₂e emissions includes land use, land use change, and forestry
 Source: EDGAR GHG emissions of all world countries, 2024 report; Our World in Data

These Archetypes Provide Important Perspective on Where Solutions Need to Be Deployed

	Characteristics		CO2 emissions by fuel (2021) ¹					Greenhouse gas emissions by sector (2021) ³								
	GDP ⁵	Pop.	Coal	Oil	Gas	Other ²	Total	Electricity & heat	Transport	Mfr'ing. & Constr.	Other industry	Agriculture	Buildings	Fugitive emissions	All other sources ⁴	Total
A Advanced, resource abundant	35%	8%	5%	10%	9%	0%	24%	7%	5%	2%	1%	1%	2%	1%	1%	20%
B Advanced, resource deficient	21%	7%	3%	5%	3%	0%	11%	3%	2%	1%	1%	1%	1%	0%	1%	9%
C China	19%	18%	24%	5%	2%	1%	31%	13%	2%	6%	3%	1%	1%	1%	0%	26%
D India	3%	18%	5%	2%	0%	0%	7%	3%	1%	1%	0%	2%	0%	0%	0%	7%
E Emerging, resource abundant	16%	21%	6%	7%	8%	0%	20%	6%	3%	2%	1%	3%	2%	3%	3%	24%
F Emerging, resource deficient	4%	12%	1%	2%	1%	0%	4%	1%	1%	0%	0%	1%	0%	0%	1%	6%
G Low income, resource abundant	1%	3%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	1%	2%
H Low income, resource deficient	1%	13%	0%	1%	0%	0%	1%	0%	0%	0%	0%	2%	0%	0%	3%	6%
Total	100%	100%	44%	31%	23%	1%	100%	33%	14%	13%	7%	12%	6%	6%	10%	100%

Top 10 Solutions


Coal-to-gas switching
 CCUS
 Methane abatement
 Heat pumps
 Building efficiency
 Transportation efficiency and electrification
 Industrial efficiency and electrification
 High impact areas

Note: (1) Share of global production-based CO2 emissions. Does not account for emissions embedded in traded goods. Excludes non-CO2 greenhouse gases like methane. Excludes land use change. (2) "Other" includes process emissions from cement manufacturing, flaring, and other industry process emissions. (3) Share of global greenhouse gas emissions, including non-CO2 GHG emissions like methane. Includes land use change. Does not include International Bunkers, which is 1,400 Mt of GHG (4) "All other sources" includes aviation/shipping, land use change and forestry, waste, and other fuel combustion. (5) % of global total
 Source: Our World in Data; Climate Watch; Global Carbon Project; World Bank

And Help Pinpoint Region-Specific Challenges to Implementation of Solutions

		Characteristics		CO2 emissions by fuel (2021) ¹						
		GDP ⁵	Pop.	Coal	Oil	Gas	Other ²	Total	Electricity & heat	Transport
A	Advanced, resource abundant	35%	8%	5%	10%	9%	0%	24%	7%	5%
B	Advanced, resource deficient	21%	7%	3%	5%	3%	0%	11%	3%	2%
C	China	19%	18%	24%	5%	2%	1%	31%	13%	2%
D	India	3%	18%	5%	2%	0%	0%	7%	3%	1%
E	Emerging, resource abundant	16%	21%	6%	7%	8%	0%	20%	6%	3%
F	Emerging, resource deficient	4%	12%	1%	2%	1%	0%	4%	1%	1%
G	Low income, resource abundant	1%	3%	0%	0%	0%	0%	1%	0%	0%
H	Low income, resource deficient	1%	13%	0%	1%	0%	0%	1%	0%	0%
Total		100%	100%	44%	31%	23%	1%	100%	33%	14%

Top 10 Solutions



Coal-to-Gas Switching



27% **CO₂ emissions:** Emissions from coal power generation in China and India account for about one-quarter of global CO₂ emissions¹

69% **Power generation:** China and India together account for over two-thirds of global coal power generation, and both are heavily reliant on coal for electricity (China 61%, India 75% of electricity generation)

 **Energy security:** Both have abundant domestic coal production and reserves but limited production and reserves of other energy sources

 **Energy affordability:** Average price of coal since 2010 is ~\$3-5/Mbtu compared to gas which has ranged from ~\$6-20/Mbtu


 **Jobs:** The coal industry supports millions of jobs in both countries

13yr **Age of fleet:** The average age of coal power plants in both India and China is only 13 years compared to 41 years in Russia and the U.S.

For these reasons and others, moving these countries away from coal will be challenging

Note: (1) CO₂ emissions from fossil fuels and land use change, excludes non-CO₂ emissions like methane
Source: IEA; Reuters; S&P; Our World in Data











Considering Solution Feasibility Around the Globe, the Rates of Deployment are Tuned to be Aspirational but Realistic



Note: (1) CCUS evaluated for potential in the power sector only; (2) ICE vehicles include hybrid electric; (3) TFC = total final consumption; IEEJ does not provide data for methane emissions, sector-specific data on electricity share of TFC, or new ICE vehicle rated fuel consumption; IEEJ energy intensity and change in primary energy show 2020-30 change; OM energy intensity is for 2019-30; IEA STEPS is the Stated Policies Scenario; IEA APS is the Announced Pledges Scenario; IEEJ Adv is the Advanced Technologies Scenario; OM shows the impact of the 'top 10 solutions' only and does not consider the impact of additional policies or solutions
Source: IEA; IEEJ; Climate Interactive

Putting It All Together, a Picture Emerges of Where These Solutions Need to Be Deployed at a Regional Level to Drive 203X Impact


Top 10 Solutions

-  Abate methane emissions from energy
-  Coal-to-gas switching
-  Transportation energy efficiency
-  Electric LDVs
-  Renewables (i.e., solar and wind)
-  CCUS in electricity and industry
-  New and existing nuclear
- Not reflected in the chart
-  Industrial efficiency and electrification
-  Heat pumps
-  Buildings efficiency

Projected greenhouse gas abatement by solution in 2035

GIGATONS OF CO₂-EQUIVALENT

■ Advanced, resource abundant ■ Advanced, resource deficient ■ China ■ India ■ Emerging, resource abundant ■ Emerging, resource deficient



1: Methane converted to CO₂-equivalent using a GWP-100 factor of 30, 2: Projected solution abatement potential by 2035 reflects net emissions reduction on switching from coal to gas. 3: CCUS evaluated for potential in the power sector only
 Source: Our World in Data, IEA, Ember, Lit search; GEM


1

Early Analysis Indicates the Collective Implementation of These Solutions Could Be Enough to “Bend the Curve” by 203X


Projected emissions impact

Global annual net GHG emissions

GIGATONS OF CO₂E PER YEAR



Source: Climate Interactive



Multiple Enablers Required Across Each Solution in Order to Achieve '203X' Impact (1 of 2)



Abating methane emissions

- Enhance **international policy support** for the Global Methane Pledge
- Apply **technology standards, bans on venting**, and stricter standards on flaring
- Energy companies implement **positive ROI projects** using LDAR, new devices, etc.
- **Invest in midstream infrastructure** necessary to capture fugitive emissions




Coal-to-gas switching

- **Ensure stable natural gas availability and price** to support economics
- **Support for natural gas** as an important ongoing source of energy
- **Implement policies** supporting the shift away from coal (e.g., coal phase-out)
- Establish a robust and transparent **market for liquefied natural gas**



CCUS in electricity and industry


- **Improve technology and project economics** for lower-purity CO₂ streams
- **Introduce carbon markets** or other forms of carbon pricing
- Significantly **scale existing CO₂ transport systems** to meet expected demand
- **Improve permitting processes** and timelines for injection wells



Renewables

i.e., solar and wind

- Expand electrical **grid with increased transmission capacity** and reliability
- Expand **electrical storage capacity** to address **variability** in generation
- **Ensure diversified supply chains** for critical minerals for batteries and components
- **Incentivize backup generation capacity** to meet peak demand



New and existing nuclear

- **Develop policy environment** favorable to lifetime extensions for existing plants
- **Provide policy support** for construction of **new plants** (e.g., regulatory reform)
- Deliver new projects **on-time and on-budget**
- Establish fuel supply chain and **disposal infrastructure and labor force**

Source: IEA; U.S. Department of Energy; OpenMinds research and lit. scan


Legend: ● Technology ● Markets ● Policy

Multiple Enablers Required Across Each Solution in Order to Achieve '203X' Impact (2 of 2)




Transportation energy efficiency

- Implement and strengthen fuel economy standards for new vehicles
- Shift vehicle attributes toward lighter, smaller models and away from SUVs
- Provide subsidies to support sales of fuel-efficient vehicles and cleaner fuels
- Increase penetration of hybrid electric vehicles in new car sales



Electric LDVs

- Ensure sufficient supply of critical minerals needed for batteries and other key inputs
- Provide subsidies to support electric vehicle production and sales
- Develop widespread charging infrastructure network for electric vehicles
- Improve EV range, charging time, and upfront cost to consumers



Industrial efficiency and electrification

- Substitute electricity for fossil fuels in low- and medium-heat processes
- Subsidize development and commercialize high efficiency heavy industrial technology
- Integrate smart technologies (e.g., AI, monitoring) to enhance productivity
- Improve recovery of energy (e.g., waste heat, carbon capture) where possible



Heat pumps

- Improve cost competitiveness and awareness of heat pumps relative to alternatives
- Commercialize cold climate air-source heat pumps supported by gas furnaces
- Scale up supply chains for HP expansion (manufacturers and contractors)
- Adopt regulations and building codes promoting heat pumps over fossil fuels



Buildings efficiency residential and commercial

- Adopt and expand building codes with energy efficiency requirements
- Provide incentives for retrofitting existing buildings to increase energy efficiency
- Update and enforce minimum energy performance standards for new appliances
- Develop and improve key energy efficient technologies for buildings

Agenda



01

Solutions approach

02

Solution assessment framework

03

Top 10 solutions overview

04

Country archetypes

05

Appendix A: Detail on Top 10 solutions

06

Appendix B: Background on methane

Overview of Solution Assessment Framework

Criteria overview

CO₂ abatement potential



Carbon abatement: What is the realistic medium-term CO₂ emissions abatement potential of the solution?

Technological and economic readiness
“Could we scale this to have an impact quickly?”

Technology and resources: What is the degree of technological development of the solution? Are there sufficient resources to deploy at scale?

Economics and affordability: What is the marginal abatement cost of the technology relative to other solutions? Is the solution cost-competitive with existing or incumbent technologies? Is it aligned with consumer preferences?




Social, System, and Environmental Viability
“Should we scale this given the social, system, environmental and political considerations?”

Reliability and security: Is the solution reliable? Does it have any impact on system reliability? Is the solution aligned with national security objectives and social priorities?

Fair and equitable: Does the solution have a fair and equitable distributional impact?

Upstream and downstream environmental impact: To what degree are there negative environmental consequences associated with the solution?



2

Tech and Economic Readiness: Five ‘Readiness’ Criteria Evaluated to Determine Ability to Scale the Solution Quickly

	Technological readiness	Marginal cost of abatement	Cost relative to alternatives	Resource availability	Consumer preferences
Description	Degree of technological maturity of the solution	Relative cost per ton of carbon abated by the solution	Cost of the solution to consumers relative to the existing technology	Material resource sufficiency to deploy at scale (e.g., metals, biofuel feedstocks, etc.)	Alignment of the solution with consumer behavior and choice
Weighting	25%	25%	25%	15%	10%
Scale	<ul style="list-style-type: none"> 5 Mature ↓ 4 Early adoption ↓ 3 Demonstration ↓ 2 Large prototype ↓ 1 Small prototype ↓ Concept 	<ul style="list-style-type: none"> -\$120 per tn CO₂e ↓ \$1,000 per tn CO₂e 	<ul style="list-style-type: none"> Least-cost option ↓ Cost-competitive ↓ Not cost-competitive 	<ul style="list-style-type: none"> Sufficient ↓ Potentially sufficient (minimal investment) ↓ Potentially sufficient (moderate investment) ↓ Potentially sufficient (significant investment) ↓ Not sufficient 	<ul style="list-style-type: none"> Aligned ↓ Somewhat aligned ↓ Not aligned
Sources	IEA	IEA, Goldman Sachs	OM research and lit. scan	OM research and lit. scan	OM research and lit. scan

2

Social, System, and Environmental Viability: Four Criteria Evaluated to Determine if a Solution Should Be Implemented

	Impact on system reliability	Environmental impact	Distributional effects / impact on communities	National security and social priority alignment
Description	Reliability of the solution and potential impact, if any, on broader system reliability	Presence of any negative environmental externalities beyond CO2 emissions	Fairness of the solution and impact on local communities (e.g., job losses, displacement)	Alignment of the solution with national security objectives and social priorities
Weighting	30%	30%	20%	20%
Scale	<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); background-color: #335566; color: white; padding: 5px; margin-right: 10px;">5 4 3 2 1</div> <div style="text-align: center;"> <p>Significantly expands</p> <p>↓</p> <p>Somewhat expands</p> <p>↓</p> <p>Maintains</p> <p>↓</p> <p>Somewhat negatively impacts</p> <p>↓</p> <p>Negatively impacts</p> </div> </div>	<div style="text-align: center;"> <p>None</p> <p>↓</p> <p>Minimal</p> <p>↓</p> <p>Slight</p> <p>↓</p> <p>Moderate</p> <p>↓</p> <p>Substantial</p> </div>	<div style="text-align: center;"> <p>Minimal</p> <p>↓</p> <p>Moderate</p> <p>↓</p> <p>Substantial</p> </div>	<div style="text-align: center;"> <p>Aligned</p> <p>↓</p> <p>Moderately aligned</p> <p>↓</p> <p>Misaligned</p> </div>
Sources	OM research and lit. scan	OM research and lit. scan	OM research and lit. scan	OM research and lit. scan

Example: Detailed Solutions Scoring Analysis for Methane Abatement



Methane abatement

The energy sector contributes **~40% of human methane emissions**, primarily from fossil fuel operations and leaks from end-use equipment

Many existing technologies could be **deployed at minimal (or even negative) cost** to minimize methane emissions

Technological and economic readiness

Criteria	Score	Detail
Technological readiness (25%)	4.5	Integration needed at scale Majority of potential solutions already in practice
Marginal cost of abatement (25%)	4.2	Cost of abatement is competitive with many other technologies
Cost relative to alternatives (25%)	3.0	~25% of fossil fuel emissions could be avoided in a profitable way
Resource availability (15%)	5.0	Limited to no resource constraints present
Consumer preferences (10%)	3.0	Dependent on company willingness to make long-term investments
Composite score	4.0	

Social, System, and Environmental Viability

Criteria	Score	Detail
Impact on system reliability (30%)	4.0	Investments in infrastructure could improve or expand system reliability
Environmental impact (30%)	5.0	Significant positive environmental impact
Distributional effects / impact on communities (20%)	5.0	No distributional effects anticipated
National security and social priority alignment (20%)	5.0	Generally aligned with national security objectives and social priorities
Composite score	4.7	

Low readiness / viability

1

2

3

4

5

High readiness / viability

Agenda



01

02

03

04

05

06

Solutions approach

Solution assessment framework

Top 10 solutions overview


Country archetypes

Appendix A: Detail on Top 10 solutions

Appendix B: Background on methane

We Shortlisted 10 High Potential Solutions with the Collective Potential to “Bend the Curve” by 203X

Solutions evaluated based on readiness, viability, and emissions abatement potential



Near-term priorities

Ten high potential solutions with sufficient degree of technological and economic readiness and viability prioritized based on ability to deliver results by “203X”


Abating methane emissions from energy	Coal-to-gas switching	CCUS in electricity and industry	Renewables (i.e., solar and wind)
New and existing nuclear	Transportation energy efficiency	Electric LDVs	Industrial efficiency and electrification
Heat pumps	Buildings efficiency		

Note: (1) Includes impact on system reliability, environmental impact, distributional effects, and national security and social priority alignment; (2) Includes technological maturity, marginal cost of abatement, cost relative to alternatives, resource availability, and consumer preferences. Additional detail on approach is included in the appendix.

Energy-Related Methane Emissions are Significant but Cost-Effectively Addressable

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- Since COP26 in 2021, more than 150 countries have signed onto the Global Methane Pledge, **committing to reduce methane emissions by 30% by 2030** relative to 2020 levels
- Meeting the Global Methane Pledge target has the **potential to reduce end-of-century warming by 0.2°C**
- Many countries already have at least some oil & gas methane emissions regulations in place, **but more action is needed**

Background

- Methane is an extremely potent greenhouse gas: its **global warming potential is >80X** that of CO₂ over a 20-year period
- Global **energy-related methane emissions account for ~7%** of anthropogenic GHG on a CO₂-equivalent basis
- **Oil & gas accounts for ~62% of energy-related methane** emissions, either through venting, fugitive emissions, or incomplete flaring

Source: Climate Watch; Our World in Data; IEA; EIA

Solution details

- Given that methane can be captured and sold, many abatement opportunities can be **achieved at low or even negative net cost by leveraging existing technologies**
- Potential solutions include **leak detection and repair (LDAR)**, installation of **new devices** (e.g., vapor recovery units), **replacement of existing devices**, and reductions in non-emergency flaring



3

Methane Abatement Could Reduce Emissions by ~1.3 Gt CO₂e in 2035, With Majority of Potential Achieved Through Policy

Abatement potential

Projected greenhouse gas abatement by solution in 2035

Gigatons of CO₂-equivalent

1.3



Abate methane emissions from energy²

Actions across archetypes to achieve abatement potential


Enabler	Advanced	China	Other
<p>Markets</p>	<ul style="list-style-type: none"> Build infrastructure for recovered methane 	<ul style="list-style-type: none"> Adopt coal mine methane utilization 	<ul style="list-style-type: none"> Include methane in CBAM⁵ to increase cost of carbon and incentivize abatement
<p>Technology</p>	<ul style="list-style-type: none"> Use satellite tracking to identify and prioritize opportunities 	<ul style="list-style-type: none"> Improve thermal or catalytic oxidation technologies for ventilation air methane oxidation 	<ul style="list-style-type: none"> Use satellite tracking to identify and prioritize opportunities
<p>Policy</p>	<ul style="list-style-type: none"> Adopt LDAR³ and technology standards Implement zero venting and flaring policies Include small producers in policy development 	<ul style="list-style-type: none"> Adopt the Global Methane Pledge and Zero Routine Flaring Initiative Institute reporting requirements and monitoring programs 	<ul style="list-style-type: none"> Adopt LDAR³ and technology standards NOCs⁴ comply with national methane reduction pledges Reduce flaring in select countries

Note: (1) Data for 2021; (2) Methane converted to CO₂-equivalent using a GWP-100 factor of 30; (3) Leak detection and repair; (4) National oil companies; (5) CBAM = carbon border adjustment mechanism
 Source: Our World in Data; IEA; Columbia Center on Global Energy Policy; OpenMinds research and lit. scan

Switching Fuels from Coal to Natural Gas Can Significantly Reduce Power Sector Emissions

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- Between 2010 and 2018, **coal-to-gas switching saved ~500 Mt CO₂ globally**
- The majority of these savings were **concentrated in the U.S. and China**
- The **shale revolution drove fuel switching in the U.S.** as the economic case for switching improved
 - From 2011-2019, 103 coal-fired power plants were converted to or replaced by natural gas
- Fuel switching in China **driven primarily by air quality policies**

Background

- **Fuel switching from coal to natural gas** can significantly reduce power sector emissions
- **Natural gas emits half as much carbon dioxide** as coal to generate the same amount of electricity
- Coal-to-gas switching may also provide a path to emissions reduction in **high-heat industrial processes**
- Particularly when **coupled with methane abatement and CCUS**, coal-to-gas switching is an effective solution to the Dual Challenge

Source: Climate Watch; Our World in Data; IEA; EIA

Solution details

- In many cases, coal-to-gas switching can occur by **leveraging existing infrastructure and converting coal-fired plants** to burn gas, significantly lowering switching costs
- Without policy support, **economics has historically functioned as the key driver**
- Broader **acceleration would require robust, liquid LNG markets with transparent hub-based pricing** to support adoption in countries lacking domestic gas reserves



Coal-to-gas
switching


Coal-to-Gas Switching Could Reduce Emissions by ~1.0 Gt CO₂ in 2035, With the Largest Opportunity in the U.S. and Europe

Abatement potential

Projected greenhouse gas abatement by solution in 2035




Gigatons of CO₂-equivalent

1



Coal-to-gas switching¹

Actions across archetypes to achieve abatement potential


Enabler	Advanced	China	India	Other
 <p>Markets</p>	<ul style="list-style-type: none"> Invest in new LNG infrastructure in Europe In the U.S., increase existing NGCC load factors 	<ul style="list-style-type: none"> Establish hub-priced LNG markets Invest in new production, storage, and LNG infrastructure 	<ul style="list-style-type: none"> Establish hub-priced LNG markets Invest in pipeline infrastructure 	<ul style="list-style-type: none"> Establish hub-priced LNG markets
 <p>Technology</p>	<ul style="list-style-type: none"> Scale up use of biomethane 	<ul style="list-style-type: none"> Expand biogas production 		
 <p>Policy</p>	<ul style="list-style-type: none"> Adhere to coal phase-out pledges Close coal mines at end of current operating licenses 	<ul style="list-style-type: none"> Replace industrial coal-fired boilers with gas Replace coal for use in heating 	<ul style="list-style-type: none"> Improve permitting of gas networks Replace industrial coal-fired boilers with gas 	<ul style="list-style-type: none"> Create and adhere to coal phase-out plan

Note: (1) Projected solution abatement potential by 2035 reflects net emissions reduction on switching from coal to gas
Source: IEA; OpenMinds research and lit. scan

Point-Source Carbon Capture in Power and Industry Can Help Reduce Emissions in Difficult to Abate Sectors

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- CCUS is currently deployed primarily in **high-purity CO₂ streams in industrial applications** (primarily natural gas processing)
- A **large share of existing CCUS capacity is located in the U.S.** and stores captured CO₂ through enhanced oil recovery
- A **significant number of projects are in various stages of development**—both in the U.S. and internationally, with geological storage expected to expand

Background

- **Carbon capture, utilization, and storage (CCUS) is a three-step process** that involves the point-source capture of CO₂, its compression and transportation, and its use or storage
- CCUS can be **deployed in both the power and industrial sectors**, leveraging existing infrastructure and thereby limiting switching costs

Solution details

- Given its high cost relative to some alternatives, **government support will be required** in the form of grants, tax credits, or carbon pricing mechanisms
- **Technological improvements are also required** to improve the efficiency of carbon capture technologies
- Additional regulatory changes are required to **improve the permitting process for injection wells**



CCUS

Source: Climate Watch; Our World in Data; IEA; U.S. Department of Energy

CCUS in Electricity Could Reduce Emissions by ~300 Mt CO₂e in 2035, with Majority of Opportunity in Advanced Economies

Abatement potential

Projected greenhouse gas abatement by solution in 2035

Gigatons of CO₂-equivalent




0.3

Advanced, resource abundant

Advanced, resource deficient

CCUS in electricity and industry¹

Actions across archetypes to achieve abatement potential

Enabler	Advanced
	<ul style="list-style-type: none"> • Significant scaling of existing CO₂ transport systems • Standardization of business models across the value chain
Markets 	<ul style="list-style-type: none"> • Improved technology and project economics for lower-purity CO₂ streams
Technology 	<ul style="list-style-type: none"> • Introduction of carbon markets or other forms of carbon pricing • Improved permitting processes and timelines for injection wells
Policy	




Note: (1) CCUS evaluated for potential in the power sector only
 Source: U.S. Department of Energy; OpenMinds research and lit. scan

Renewables Are One of the Most Cost-Effective Solutions to Decarbonize Power, but Present Challenges

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- COP26 featured several pledges to accelerate the clean energy transition, including **phasing out coal by 2040**
- To achieve this goal, wind and solar capacity are **expected to continue growing steadily at ~9-12% p.a.** through 2030
- Utility-scale solar and onshore wind have **experienced >40% cost declines in the last decade**, making many projects cost competitive with conventional generation¹

Background

- Global **fossil fuel electricity emissions account for ~30%** of anthropogenic GHG on a CO₂-equivalent basis
- **Wind and solar have experienced significant capacity growth** over the past decade (~15% and ~33% p.a., respectively), supported by subsidies and improving economics
- However, the **share of fossil fuels in the energy mix has remained fairly stable** at ~80% of global primary energy supply

Note: (1) As measured based on levelized costs of energy
 Source: Climate Watch; Our World in Data; IEA; IRENA; Lazard; Lit. scan

Solution details

- Solar and wind projects are **expected to become increasingly cost competitive** over the coming years
- As these renewable sources increase their share of electricity generation, **solutions will need to address supply intermittency** with backup capacity or improved battery technology
- In addition, renewable supply chains will need to **achieve greater diversification of critical minerals** for batteries and other components



3

Renewables Could Reduce Emissions by ~2.3 Gt CO₂e in 2035




Abatement potential

Projected greenhouse gas abatement by solution in 2035

Gigatons of CO₂-equivalent
2.3



Actions across archetypes to achieve abatement potential

Enabler	Advanced	China	India	Other
 Markets	←	<ul style="list-style-type: none"> Expansion of transmission lines to connect renewable generation 	→	<ul style="list-style-type: none"> Provide financing support to offset country risk premium
 Technology	←	<ul style="list-style-type: none"> Decrease manufacturing costs through efficiency and scale Improve energy storage 		→
 Policy	<ul style="list-style-type: none"> Improve permitting and grid interconnection process Incentivize pairing of storage with new renewables 	<ul style="list-style-type: none"> Meet renewables energy generation targets Continue incentivizing renewable development (e.g., tax, pricing) 	<ul style="list-style-type: none"> Improve system integration and flexibility 	


Note: (1) Data for 2021
Source: IEA; IRENA; OpenMinds research and lit. scan



Replacing Fossil Fuels with Nuclear Has High Potential to Decrease Emissions, but Requires Public Buy-In

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- Globally, nuclear supplies **~10% of all electricity generation**
 - **In the U.S., nuclear provides ~18%** of utility-scale electricity generation
- To enable decarbonization in the power sector, the IEA's Announced Pledges Scenario **projects a ~50% (~200 GW) increase in nuclear capacity by 2040**
- **Nuclear is positively trending**, as 50+ countries (e.g., Finland and France) have plans to build new reactors

Background

- Global **fossil fuel electricity emissions account for ~30%** of anthropogenic GHG on a CO₂-equivalent basis
- Nuclear is a particularly attractive alternative to fossil fuels in the power sector given **limited land use requirements, competitive marginal costs of electricity, and relative safety**
- However, nuclear has historically had **poor public perception** due to high-profile nuclear accidents (e.g., Fukushima)

Source: Climate Watch; Our World in Data; IEA; Lit. scan

Solution details

- A large portion of the existing nuclear fleet is nearing the end of its originally planned operational life, but **regulatory approval for lifetime extensions** could allow these facilities to continue operation
- Economic case for nuclear would be greatly improved by **delivering new projects on-time and on-budget**
- **Disposal of radioactive waste** also poses a barrier to continued expansion of nuclear



Nuclear Energy Could Reduce Emissions By ~0.4 Gt CO₂e in 2035 If Construction Accelerates in Advanced Economies

Abatement potential

Projected greenhouse gas abatement by solution in 2035




Gigatons of CO₂-equivalent

0.4



New and existing nuclear

Actions across archetypes to achieve abatement potential

Enabler	Advanced	China	India
 <p>Markets</p>	<ul style="list-style-type: none"> Deliver projects on-time and on-budget Address shortage of skilled labor Increase capacity across supply chain 	<ul style="list-style-type: none"> Deliver projects on-time and on-budget Improve land access for building of nuclear reactors 	<ul style="list-style-type: none"> Deliver projects on-time and on-budget Secure contracts for stable import of uranium
 <p>Technology</p>	<ul style="list-style-type: none"> Develop small modular reactors (SMRs) 	<ul style="list-style-type: none"> Fully closed nuclear fuel cycle using recycled plutonium 	<ul style="list-style-type: none"> Development of fast reactors and thorium nuclear fuel cycle
 <p>Policy</p>	<ul style="list-style-type: none"> Reform of regulatory bodies and policies Grant lifetime extensions to plants near end of license Enhance incentives for nuclear development 	<ul style="list-style-type: none"> Continue commitment to air quality improvement and coal phase out Align on agencies in charge of nuclear 	<ul style="list-style-type: none"> Meet coal phase out goals Provide foreign aid for construction of nuclear plants


Note: (1) Data for 2019
 Source: Our World in Data; IEA; U.S. Department of Energy; World Nuclear Association; OpenMinds research and lit. scan



Improving Fuel Economy Standards in LDVs Would Help Reduce Transport Sector Emissions

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- The majority of historical improvements in LDV fuel economy have been **driven by stricter government standards**
- Despite significant improvements in engine efficiency, fuel economy has **not improved at a similar rate due to increasing vehicle weight**
- The consumer **preference for SUV models has been a global trend**, particularly in the U.S. and China

Background

- **Road transportation represents ~12% of all anthropogenic GHG** on a CO2-equivalent basis
- By improving fuel economy, **vehicles can travel more miles per gallon of fuel consumed**, reducing the amount of carbon dioxide released into the atmosphere
- Improving LDV fuel economy is an **important complement to efforts to increase EV penetration**

Source: Climate Watch; World Resources Institute; Our World in Data; IEA

Solution details

- Fuel economy is **improved by maximizing the energy efficiency of the vehicle's engine and drivetrain**, reducing internal friction, optimizing aerodynamics, and minimizing weight
- **Government policy** will be a significant lever in improving LDV fuel economy, as will **advanced engine technologies and shifting consumer preferences** toward smaller, lighter vehicle models



3

Improving LDV Fuel Economy Could Reduce Emissions by ~0.3 Gt CO₂e in 2035, Driven Mostly By Regulation

Abatement potential

Projected greenhouse gas abatement by solution in 2035




Gigatons of CO₂-equivalent

0.3

- Advanced, resource abundant
- Advanced, resource deficient
- Emerging, resource abundant

Transport energy efficiency

Actions across archetypes to achieve abatement potential

Enabler	Advanced	China	India	Other
 Markets	<ul style="list-style-type: none"> Increase number of hybrid vehicle models Shift toward smaller, lighter models 	<ul style="list-style-type: none"> Shift toward smaller, lighter models 	<ul style="list-style-type: none"> Shift toward smaller, lighter models 	<ul style="list-style-type: none"> Decrease upfront purchase price
 Technology	<p>← ————— • Improve fuel efficiency for ICE and hybrid LDVs ————— →</p>			
 Policy	<ul style="list-style-type: none"> Tighten fuel economy standards Offer purchase incentives and subsidies Adopt policies encouraging smaller, lighter models 	<ul style="list-style-type: none"> Tighten fuel economy standards Adopt policies encouraging smaller, lighter models 	<ul style="list-style-type: none"> Tighten fuel economy standards 	<ul style="list-style-type: none"> Phase out fuel subsidies Monitor vehicle trade flows


Note: (1) Data for 2019
 Source: Our World in Data; IEA; OpenMinds research and lit. scan

3

EV Market Has Experienced Rapid Growth Over the Past Several Years, With Continued Momentum Expected

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- In 2022, ~14% of all cars sold globally were electric, with continued momentum going into 2023
 - This penetration is up from ~5% of new cars sold in 2020
- Government subsidies have supported sales over the past several years
- Despite increasing penetration as a share of new vehicle sales, EVs will take time to constitute a significant share of vehicles on the road as the existing fleet turns over gradually

Background

- Road transportation represents ~12% of all anthropogenic GHG on a CO2-equivalent basis
- The global market for electric vehicles has experienced significant growth in recent years
- Increasing awareness of climate change, advancements in battery technology, government incentives, and falling costs have contributed to the rapid adoption of EVs

Solution details

- Continued EV adoption will be driven by improved technology (e.g., range, charging time, etc.) and decreased upfront costs
- Greater EV adoption will also require expanding existing infrastructure, including charging networks and power grids
- To maximize abatement potential, adoption of EVs must be complemented with renewable energy integration



3

Increased EV Penetration Could Reduce Emissions by ~0.8 Gt CO₂e in 2035, Through Subsidies and Technological Innovation




Abatement potential

Projected greenhouse gas abatement by solution in 2035

Gigatons of CO₂-equivalent



Actions across archetypes to achieve abatement potential

Enabler	Advanced	China	Other
 Markets	<ul style="list-style-type: none"> Increase diversity of non-SUV EV vehicle models Invest in vehicle charging infrastructure Increase market competition to drive down upfront price 	<ul style="list-style-type: none"> Additional investment in vehicle charging infrastructure 	<ul style="list-style-type: none"> Decrease upfront purchase price Improve access to low-cost charging infrastructure
 Technology	<ul style="list-style-type: none"> Improve vehicle range, charging time, and lower battery costs 	<ul style="list-style-type: none"> Improve vehicle range, charging time, and lower battery costs 	<ul style="list-style-type: none"> Improve vehicle range, charging time, and lower battery costs
 Policy	<ul style="list-style-type: none"> Achieve ICE phase-out targets Improve supply chain resilience and diversification Reform grid permitting 	<ul style="list-style-type: none"> Support purchase incentives and strict registration requirements 	<ul style="list-style-type: none"> Increase adoption of electrified 2- and 3-wheelers


Note: (1) Includes plug-in hybrid electric vehicles
 Source: Our World in Data; IEA; OpenMinds research and lit. scan



Heavy Industry Will Require Coordination to Accelerate Solutions

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- Industrial energy intensity has historically **improved at a rate of only ~1% p.a. since 2000**, lagging intensity improvements in transportation and buildings
- Adoption of new technology has been **gradual due to low production equipment turnover rates**
- However, some companies are starting to realize the **economic benefits of improved energy efficiency** in addition to improving their environmental footprint

Background

- In order to achieve reduced energy intensity, heavy industries (e.g., steel, cement, etc.) require **improved energy efficiency and electrification of processes**
- However, **many processes have high heat requirements** that render them difficult to abate
- Abatement will require company **coordination, government support, and technological development**

Solution details

- **Emerging economies present a growing opportunity** in the space because they can install lower carbon technology (e.g., monitoring, optimization software, etc.) during first construction of plants
- Opportunities for electrification such as electric arc furnaces, electric boilers, and induction heating are **greatest in low- and medium-heat processes**

Source: Climate Watch; Our World in Data; IEA



3

Industrial Solutions Could Reduce Emissions by ~0.5 Gt CO₂e by 2035, Driven by Less Energy Intensive Processes

Abatement potential

Projected greenhouse gas abatement by solution in 2035




Gigatons of CO₂-equivalent

Regional assessment in progress

0.5

Industry energy efficiency

Actions across archetypes to achieve abatement potential


Enabler	Advanced	China	India	Other
 Markets	<ul style="list-style-type: none"> Invest in research and development Electrify low- to medium-heat processes 	<ul style="list-style-type: none"> Establish carbon markets to financially incentivize growing companies to decarbonize 	<ul style="list-style-type: none"> Expand energy grid to support electrification of heavy industry 	<ul style="list-style-type: none"> Establish carbon markets to financially incentivize growing companies to decarbonize
 Technology	<ul style="list-style-type: none"> Enable use of electricity for high-heat processes 	<ul style="list-style-type: none"> Implement efficient technologies in new factories 	<ul style="list-style-type: none"> Improve monitoring and control technology 	
 Policy	<ul style="list-style-type: none"> Provide incentives (i.e., green bonds) for energy efficient investments 	<ul style="list-style-type: none"> Subsidize research and development of efficient technologies 	<ul style="list-style-type: none"> Continue PAT² scheme in energy intensive industries Expand minimum efficiency standards 	

Note: (1) Data for 2019; (2) PAT = perform, achieve, and trade scheme, which is an energy efficiency trading scheme
 Source: Our World in Data; IEA; OpenMinds research and lit. scan

Building Emissions May Be Mitigated by Transitioning to Heat Pumps, Supported by Public Awareness

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- In 2021, heat pumps supplied only **~10% of heating for all building types**
- Global **heat pump sales have grown at 11-13% p.a.** the past two years, with Europe in particular seeing significant growth as natural gas prices increased
- **Policy support has driven significant uptake** in countries such as Norway, Sweden, and Finland

Background

- **Almost half of building energy use** comes from space and water heating
- Heat pumps **function by extracting heat from a source** (usually air or ground) and then transferring that heat
- Heat pumps can lead to **50%+ in energy savings** compared to conventional heating systems (i.e., commercial electric)
- **Up to 3x energy is produced** compared to energy consumed by heat pumps

Source: Climate Watch; Our World in Data; IEA; Lit. scan

Solution details

- Countries with high demand for heat pumps often face **supply chain issues**
- Expansion will require significant **growth in the number of contractors and the supply of heat pumps**
- High upfront costs of installation also deter consumers from purchasing heat pumps but can be addressed through **improved education about the lifetime cost competitiveness of heat pumps**




Heat Pump Development and Deployment Could Play a Critical Role in Lowering Building Emissions




Abatement potential

Projected greenhouse gas abatement by solution in 2035

Gigatons of CO₂-equivalent



Actions across archetypes to achieve abatement potential

Enabler	Advanced	China
 <p>Markets</p>	<ul style="list-style-type: none"> Scale up heat pump manufacturing capacity Promote heat pumps as economic option to consumers Standardize qualifications and increase number of experts (e.g., plumbers, pipefitters, etc.) Adopt alternative business models 	<ul style="list-style-type: none"> Increase number of heat pump installers, particularly in rural areas Scale up heat pump manufacturing capacity
 <p>Technology</p>	<ul style="list-style-type: none"> Commercialize cold climate air-source heat pumps supported by gas furnaces Develop and deploy electricity demand-side management technologies 	<ul style="list-style-type: none"> Develop and deploy electricity demand-side management technologies
 <p>Policy</p>	<ul style="list-style-type: none"> Provide subsidies to offset high initial installation costs of heat pumps 	<ul style="list-style-type: none"> Provide subsidies to offset high initial installation costs of heat pumps

Note: (1) Data for 2019
 Source: Our World in Data; IEA; OpenMinds research and lit. scan




3

Technology to Improve Building Efficiency is Available, but Requires Support to Achieve Uptake

Emissions

Global greenhouse gas emissions – share of total (2021)



Current state

- **80+ countries have mandatory or voluntary building efficiency codes** in place (~30% increase since 2015)
- However, **building codes vary in coverage** (i.e., single family, multifamily, commercial, etc.), stringency, and level of enforcement
- **Broad uptake has been challenging** due to lack of incentives to adopt new technology and high upfront costs to consumers

Background

- To decrease emissions, **new and existing buildings will need to be more energy efficient** and have a higher share of their energy come from electricity
- **Space heating is the most energy intense** residential activity, followed by appliances and water heating
- Emissions can be reduced through **replacement with new technology and monitoring** to improve efficiency

Source: Climate Watch; Our World in Data; IEA; Lit. scan

Solution details

- Solutions **generally leverage existing technologies** (e.g., high R-value insulation, smart meters) but must be **adopted across new construction and existing buildings** through retrofits
- Regulations are an important driver of uptake, but they **require both adoption and enforcement**
- High upfront costs can be overcome by improved **education about cost savings** or increased cost competitiveness



Buildings efficiency

3

Buildings Energy Efficiency Could Reduce Emissions by ~0.5 Gt CO₂e by 2035, Driven by Retrofits and Updated Policies

Abatement potential

Projected greenhouse gas abatement by solution in 2035

Gigatons of CO₂-equivalent




Regional assessment in progress

0.5



Building energy efficiency

Actions across archetypes to achieve abatement potential

Enabler	Advanced	China	India	Other
 Markets	<ul style="list-style-type: none"> Retrofit and replace existing units with low carbon appliances and materials 	<ul style="list-style-type: none"> Equip new buildings with low carbon appliances and materials 	<ul style="list-style-type: none"> Expand grid to enable electrification in buildings 	<ul style="list-style-type: none"> Improve cost competitiveness of energy efficient technologies
 Technology	<ul style="list-style-type: none"> Drive improvements in appliance efficiency and building materials (e.g., low carbon materials, cork insulation, etc.) 			
 Policy	<ul style="list-style-type: none"> Subsidize efficiency improvements Enforce minimum energy performance standards 	<ul style="list-style-type: none"> Develop disclosure requirements Enforce and improve standards for near-zero energy buildings 	<ul style="list-style-type: none"> Enforce commercial efficiency standards Subsidize LEED-certified buildings construction 	<ul style="list-style-type: none"> Establish new construction efficiency requirements Update building codes for least efficient buildings



Note: (1) Data for 2019
 Source: Our World in Data; IEA; OpenMinds research and lit. scan

Agenda



01

02

03

04

05

06

Solutions approach

Solution assessment framework

Top 10 solutions overview

Country archetypes

Appendix A: Detail on Top 10 solutions

Appendix B: Background on methane


4

We Identified Metrics That Characterize How Countries Make Choices with Respect to Climate and Energy

We considered many metrics...

Traditional energy reserves per capita	Energy consumption per capita	Emissions per capita	Access to electricity	Electricity prices	Percent electricity from renewables
Percent of average household income spent on electricity	Deaths from air pollution	GDP per capita	Access to technology	Access to clean water	Access to education
Access to clean cooking fuel	Wind potential	Solar potential	Other natural resource reserves (e.g., hydro)	Public transportation availability	

filtered based on several criteria...



and two metrics emerged

- **Countries arrange themselves around two dimensions:** traditional energy reserves per capita & gross domestic product per capita
- These metrics will **inform how countries approach the energy transition**
- Additional considerations not included in current approach: current stated policy, public perception, geopolitical environment

Archetypes Inform Priorities and Challenges For Countries As They Navigate the Energy Transition

Advanced economy

Resource abundant

Advanced economy with abundant traditional energy reserves

Challenge: Balance use of traditional energy with low carbon energy to maintain energy security & affordability, sustain economic growth, and achieve decarb goals



Resource deficient

Advanced economy with limited traditional energy reserves

Challenge: Invest in low carbon energy to enhance energy security, promote economic growth, and achieve decarb goals



Emerging economy

China

Challenge: Reduce reliance on traditional energy sources and emerge as a global leader in renewable technology innovation



India

Challenge: Balance decarb goals with growing energy demand in a manner that supports economic growth and strengthens energy sector



Emerging economy with abundant traditional energy reserves

Challenge: Balance meeting the needs of a growing economy via traditional energy production and use with investing in low carbon energy



Low-income economy

Low-income economy with untapped traditional energy reserves

Challenge: Attract investment in traditional energy resources to improve energy access and spur economic growth




Low-income economy with limited traditional energy reserves

Challenge: Lift the country out of energy poverty with limited resources



Split by archetypes




Note: GDP per capita <\$5,100 – Low Income; \$5,100 > & <\$30,000 Emerging ; > \$30,000 Advanced (2017 International \$, PPP adjusted). Energy abundant countries fall into the 75th percentile of coal, oil and gas reserves per capita combined
 Sources: Our World in Data, IEA, Global Carbon Atlas, EIA, EuroMonitor, World Bank

4

Crucially, Economies Not Considered “Advanced” Account for the Bulk of Population, Energy, and Emissions

Total emissions by archetype

Percent of CO₂ emissions – 2023



% of emissions **20%**
 % of final energy consumption **26%**
 % of population **8%**

8%
13%
7%

China	India	Resource abundant	Resource deficient	Rest of World
31%	8%	23%	5%	4%
28%	6%	21%	4%	3%
18%	18%	21%	11%	16%









Globally, these countries account for **84% of the population, 62% of primary energy consumption, and 71% of anthropogenic CO₂ emissions**

Note: CO₂ emissions includes land use, land use change and forestry and excludes non-CO₂ emissions like methane
 Source: Flourish, Global Carbon Atlas, OWID, IEA, EuroMonitor, EIA, World Bank

These Archetypes Provide Important Perspective on Where Solutions Need to Be Deployed

		Characteristics		CO2 emissions by fuel (2021) ¹					Greenhouse gas emissions by sector (2021) ³								
		GDP ⁵	Pop.	Coal	Oil	Gas	Other ²	Total	Electricity & heat	Transport	Mfr'ing. & Constr.	Other industry	Agriculture	Buildings	Fugitive emissions	All other sources ⁴	Total
A	Advanced, resource abundant	35%	8%	5%	10%	9%	0%	24%	7%	5%	2%	1%	1%	2%	1%	1%	20%
B	Advanced, resource deficient	21%	7%	3%	5%	3%	0%	11%	3%	2%	1%	1%	1%	1%	0%	1%	9%
C	China	19%	18%	24%	5%	2%	1%	31%	13%	2%	6%	3%	1%	1%	1%	0%	26%
D	India	3%	18%	5%	2%	0%	0%	7%	3%	1%	1%	0%	2%	0%	0%	0%	7%
E	Emerging, resource abundant	16%	21%	6%	7%	8%	0%	20%	6%	3%	2%	1%	3%	2%	3%	3%	24%
F	Emerging, resource deficient	4%	12%	1%	2%	1%	0%	4%	1%	1%	0%	0%	1%	0%	0%	1%	6%
G	Low income, resource abundant	1%	3%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	1%	2%
H	Low income, resource deficient	1%	13%	0%	1%	0%	0%	1%	0%	0%	0%	0%	2%	0%	0%	3%	6%
Total		100%	100%	44%	31%	23%	1%	100%	33%	14%	13%	7%	12%	6%	6%	10%	100%

Top 10 Solutions

 Coal-to-gas switching
  CCUS
  Methane abatement
  Heat pumps
  Building efficiency
  Transportation efficiency and electrification
  Industrial efficiency and electrification
  High impact areas

Note: (1) Share of global production-based CO2 emissions. Does not account for emissions embedded in traded goods. Excludes non-CO2 greenhouse gases like methane. Excludes land use change. (2) "Other" includes process emissions from cement manufacturing, flaring, and other industry process emissions. (3) Share of global greenhouse gas emissions, including non-CO2 GHG emissions like methane. Includes land use change. Does not include International Bunkers, which is 1,400 Mt of GHG (4) "All other sources" includes aviation/shipping, land use change and forestry, waste, and other fuel combustion. (5) % of global total
 Source: Our World in Data; Climate Watch; Global Carbon Project; World Bank

Putting it All Together, a Picture Emerges of Where These Solutions Need to Be Deployed at the Regional Level...

Breakdown of projected emissions abatement potential by 2035 by solution by archetype – in CO₂e

Projected solution abatement potential by 2035 for relevant archetype/Total addressable archetype emissions from underlying source or end-use³

	Clean up traditional energy			Low-carbon electricity		Efficiency and electrification			
	Methane abatement for energy ¹	Coal-to-gas switching ²	CCUS in electricity	Accelerate wind and solar	Promote nuclear	Transport energy efficiency	Accelerate EVs	Industry energy efficiency	Buildings energy efficiency
A Advanced, resource abundant	0.4 Gt/0.8 Gt	0.4 Gt/0.6 Gt	0.2 Gt/3.5 Gt	0.5 Gt/3.5 Gt	0.1 Gt/3.5 Gt	0.1 Gt/2.7 Gt	0.1 Gt/2.7 Gt	0.1 Gt/0.5 Gt	0.1 Gt/0.9 Gt
B Advanced, resource deficient	0.0 Gt/0.1 Gt	0.1 Gt/0.2 Gt	0.1 Gt/1.5 Gt	0.6 Gt/1.5 Gt	0.1 Gt/1.5 Gt	0.1 Gt/1.0 Gt	0.3 Gt/1.0 Gt	0.0 Gt/0.3 Gt	0.2 Gt/0.5 Gt
C China	0.3 Gt/0.6 Gt	0.2 Gt/2.0 Gt	0.0 Gt/5.6 Gt	0.6 Gt/5.6 Gt	0.1 Gt/5.6 Gt	0.0 Gt/0.9 Gt	0.4 Gt/0.9 Gt	0.2 Gt/1.2 Gt	0.2 Gt/0.5 Gt
D India	0.0 Gt/0.1 Gt	0.1 Gt/0.5 Gt	0.0 Gt/1.2 Gt	0.1 Gt/1.2 Gt	0.1 Gt/1.2 Gt	0.0 Gt/0.3 Gt	0.0 Gt/0.3 Gt	0.0 Gt/0.2 Gt	0.0 Gt/0.2 Gt
E Emerging, resource abundant	0.6 Gt/1.5 Gt	0.2 Gt/0.5 Gt	0.0 Gt/3.2 Gt	0.4 Gt/3.2 Gt	0.0 Gt/3.2 Gt	0.1 Gt/1.6 Gt	0.0 Gt/1.6 Gt	0.2 Gt/0.5 Gt	0.0 Gt/0.8 Gt
F Emerging, resource deficient	0.0 Gt/0.1 Gt	0.0 Gt/0.1 Gt	0.0 Gt/0.5 Gt	0.1 Gt/0.5 Gt	0.0 Gt/0.5 Gt	0.0 Gt/0.4 Gt	0.0 Gt/0.4 Gt	0.0 Gt/0.2 Gt	0.0 Gt/0.1 Gt
G Low income, resource abundant	0.0 Gt/0.1 Gt	0.0 Gt /0.0 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.1 Gt	0.0 Gt/0.1 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.0 Gt
H Low income, resource deficient	0.0 Gt/0.0 Gt	0.0 Gt /0.0 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.0 Gt	0.0 Gt/0.1 Gt	0.0 Gt/0.1 Gt	0.0 Gt/0.1 Gt	0.0 Gt/0.1 Gt
Total	1.3 Gt/3.3 Gt	1.0 Gt/3.9 Gt	0.3 Gt/15.6 Gt	2.3 Gt/15.6 Gt	0.4 Gt/15.6 Gt	0.3 Gt/7.1 Gt	0.8 Gt/7.1 Gt	0.5 Gt/3.0 Gt	0.5 Gt/3.0 Gt


Work in progress

Note: (1) Considers all energy related methane emissions; tons of methane converted to CO₂-equivalent using a GWP-100 factor of 30 (2) Projected solution abatement potential by 2035 reflects net emissions reduction on switching from coal to gas; total addressable archetype emissions reflect 50% of total emissions from coal power generation as gas power generation is ~50% less carbon intensive than coal power generation (3) Total addressable archetype emissions reflect 2019 emissions from relevant underlying source or end-use; these may overlap across solutions where multiple solutions target the same underlying emissions sources or end-uses (e.g., coal-to-gas switching and CCUS in electricity both target emissions from power generation)
Source: Our World in Data, IEA, Ember, Lit search; GEM

So Far, Only Advanced Economies Have Decoupled Economic Growth From Energy Consumption and Emissions


Primary energy consumption per capita

(MWh. Only 1990, 2000, 2010, and 2019 plotted for each country)



CO2 emissions per capita

(Tons of CO2*. Only 1990, 2000, 2010, and 2019 plotted for each country)



Note: * CO2 emissions are consumption based (i.e., adjusted for trade) and do not include non-CO2 emissions like methane
 Source: Our World in Data; World Bank; Global Carbon Project; BP Statistical Review of World Energy, 2021

Detailed List of Country Archetypes (1/2)

Advanced, resource abundant	Advanced, resource deficient		China	India	Emerging, resource abundant	
Australia	Aruba	Panama	China	India	Algeria	Malaysia
Bahrain	Austria	Portugal			Angola	Mexico
Brunei Darussalam	Belgium	Puerto Rico			Argentina	Mongolia
Canada	Bermuda	Romania			Azerbaijan	Russia
Czechia	Cayman Islands	San Marino			Bolivia	Serbia
Denmark	Estonia	Singapore			Brazil	South Africa
Germany	Finland	Slovakia			Bulgaria	Trinidad & Tobago
Hungary	France	Slovenia			Colombia	Turkey
Israel	Hong Kong	South Korea			Egypt	Turkmenistan
Kuwait	Iceland	Spain			Equatorial Guinea	Ukraine
New Zealand	Ireland	St. Kitts and Nevis			Gabon	Uzbekistan
Norway	Italy	Sweden			Greece	Venezuela
Oman	Japan	Switzerland			Guyana	Vietnam
Poland	Latvia	United Kingdom			Indonesia	
Qatar	Lithuania				Iran	
Saudi Arabia	Luxembourg				Iraq	
United Arab Emirates	Malta				Kazakhstan	
United States	Netherlands				Libya	

Note: GDP per capita <\$5,100 – Low Income; \$5,100 > & < \$30,000 Emerging ; > \$30,000 Advanced (2017 International \$, PPP adjusted). Energy abundant countries fall into the 75th percentile of coal, oil and gas reserves per capita combined. China and India fall within emerging abundant but are individual archetypes due to population size and unique characteristics

Source: Our World in Data

Detailed List of Country Archetypes (2/2)

Emerging, resource deficient				Low income, resource abundant	Low income, resource deficient		
Albania	Dominican Republic	Maldives	Seychelles	Chad	Afghanistan	Kiribati	Somalia
Antigua and Barbuda	Ecuador	Marshall Islands	Sri Lanka	Nigeria	Benin	Lesotho	Sudan
Armenia	El Salvador	Mauritania	St. Lucia	Papua New Guinea	Burkina Faso	Liberia	Tajikistan
Bangladesh	Eswatini	Mauritius	St. Vincent and the Grenadines	Zimbabwe	Burundi	Madagascar	Tanzania
Barbados	Fiji	Moldova	Suriname		Cambodia	Malawi	Timor-Leste
Belarus	Georgia	Montenegro	Thailand		Cameroon	Mali	Togo
Belize	Ghana	Morocco	Tonga		Central African Republic	Micronesia	Tuvalu
Bhutan	Grenada	Namibia	Tunisia		Comoros	Mozambique	Uganda
Bosnia and Herzegovina	Guatemala	Nauru	Turks and Caicos Islands		DRC	Myanmar	Vanuatu
Botswana	Honduras	Nicaragua	Uruguay		Djibouti	Nepal	Zambia
Chile	Jamaica	North Macedonia			Ethiopia	Niger	
Costa Rica	Jordan	Palau			Gambia	Rwanda	
Cote d'Ivoire	Kosovo	Paraguay			Guinea	Sao Tome and Principe	
Croatia	Kyrgyzstan	Peru			Guinea-Bissau	Senegal	
Curacao	Lao PDR	Philippines			Haiti	Sierra Leone	
Cyprus	Lebanon	Samoa			Kenya	Solomon Islands	

Note: GDP per capita <\$5,100 – Low Income; \$5,100 > & < \$30,000 Emerging ; > \$30,000 Advanced (2017 International \$, PPP adjusted). Energy abundant countries fall into the 75th percentile of coal, oil and gas reserves per capita combined. China and India fall within emerging abundant but are individual archetypes due to population size and unique characteristics

Source: Our World in Data

Agenda



01

02

03

04

05

06

Solutions
approach

Solution
assessment
framework

Top 10
solutions
overview

Country
archetypes


**Appendix A:
Detail on
Top 10
solutions**

Appendix B:
Background
on methane

Global Energy-Related Methane Emissions Account for ~6% of Anthropogenic Greenhouse Gas Emissions

Global anthropogenic greenhouse gas (GHG) emissions, 2021

BILLION TONS OF CO₂-EQUIVALENT



Methane is an extremely potent greenhouse gas: its **global warming potential is >80X** that of CO₂ over a 20-year period

On a CO₂ equivalent basis, the **energy sector** (including coal) emitted **3-4 billion tons of methane in 2019**. This is approximately the equivalent of...


- **India's total GHG emissions in 2019** (3.4 Gt CO₂-e)
- The annual emissions from **800 million passenger cars**

Note: GHG=greenhouse gas; passenger cars calculation assumes 4.6 metric tons of CO₂ emitted per car (US average)
Source: Our World in Data; Climate Watch, [Historical GHG Emissions](#); IEA, [Methane Tracker](#)



There is Clear Scope to Reduce Methane Emissions in O&G, Often Cost Effectively

Oil & gas methane abatement cost curve, 2017-2021 prices and 2022 prices (IEA analysis)




Note: Henry Hub average annual spot price: 2017-2021 = \$2.92/Mbtu; 2022 = \$6.45/Mbtu
Source: IEA

~1 Gt of CO₂e of Methane Can Be Abated at Net Negative Cost, With ~Half Coming From Emerging Resource Abundant Countries

Oil, gas, and coal methane abatement cost

\$/MMBtu

Advanced, resource abundant Advanced, resource deficient China India Emerging, resource abundant Emerging, resource deficient Low income, resource abundant Low income, resource deficient



Note: Methane cost assumptions based on average prices from 2017-21; methane to CO₂e conversion factor of 30; 1,000,000 Kt in 1 Gt
 Source: IEA (2022), Global Methane Tracker 2022, IEA, Paris <https://www.iea.org/reports/global-methane-tracker-2022>, License: CC BY 4.0



Near-Term Abatement Potential of ~1.2 Gt CO₂, With Nearly Half Concentrated in the U.S. and Europe

~1.2 Gt CO₂ can be abated globally by leveraging existing infrastructure

Average cost of potential emissions savings from coal-to-gas switching in the power sector, 2025

\$/t CO₂

100

50

0

-50

Rest of World Southeast Asia India
 China Europe United States

0.2

0.4

0.6

0.8

1.0

1.2

Abatement potential
(Gt CO₂)

Source: IEA World Energy Outlook 2019


Commentary

- Globally, ~1.2 Gt CO₂ can be abated annually through coal-to-gas switching in the near-term by leveraging existing infrastructure
 - Nearly half of near-term coal-to-gas switching **abatement potential concentrated in the U.S. and Europe**
- The marginal cost of this abatement ranges from -\$20/t to +\$90/t
 - **Marginal cost of abatement generally higher in China and India** given the high efficiency of the relatively young fleet of coal-fired power plants




Coal-to-gas switching

Global Electricity Generation Capacity by Country: Coal Accounts for 25% of Global Total



Source: [Ember](#)

Coal in Power Generation: Ten Countries Account for ~90% of Global Coal Power Production; China, India, and the US Alone Make Up 75%




Source: [Ember](#)

Coal in Power Generation: Many of the Top Coal Consuming Countries are Heavily Dependent on it For Power Generation

Bar height: Coal power generation as a share of country electricity generation, 2023 (%)

Bar width: Country coal power generation as a share of global coal power generation, 2023




Source: [Ember](#)

Coal-to-Gas Switching is Under Way in North America, Asia, and Europe...

Coal-to-gas conversions by region by development stage

As of February 2023 in GW




...And Coal Energy Consumption is Trending Down Across Many Countries

Coal energy consumption decreased in most countries from 2018 to 2019

Annual change in coal energy consumption – 2019

Change in coal energy consumption relative to the previous year in terawatt-hours



Source: Our World in Data , [NPR](#); Lit search

Commentary

- **Advanced economies**, both resource abundant and deficient, were trending away from coal in 2019 compared to 2018
- **The Ukraine war resulted in a return to coal usage across the EU** as countries severed ties with Russian gas
 - EU has outlined a plan to **fully replace Russian gas by 2028**
 - EU reliance on coal likely to continue in near-term, plateau and again decrease ahead of 2035
- **India and China remain coal dependent** but have made verbal commitments to reduce coal usage by 2030s




Coal-to-gas switching

CCUS Will Be a Necessary Lever to Achieve a Low Carbon Economy

What is CCUS and how is it used?

- Carbon capture, utilization and storage (CCUS) is a term for **emissions reduction technologies that capture CO₂ and prevent its release into the atmosphere**
- CCUS technologies involve two broad stages:
 - ① The **capture of CO₂ from fuel combustion, industrial processes or directly from the air**, and either
 - ②a **Re-usage** as a resource to create products or services, or
 - ②b **Permanent storage** in geological formations
- CCUS will be key to companies **achieving ambitious energy transition targets**
- CCUS technologies are **particularly significant for hard-to-abate sectors** such as cement and steel
- **Regulatory support** will be crucial for CCUS technologies to **scale up** and **become economically viable**

Illustration of CCUS value chain



CCUS in Electricity and Industry: Currently 30 Operational Facilities With ~43Mtpa CO₂ Capacity; Majority In N. America

North America

- **Operational: 18 facilities** with capture capacity of **24 Mtpa of CO₂** (13 facilities in the US, 5 in Canada)¹
- **Under development: 76 facilities** with combined capture capacity of **94 Mtpa**

South America

- **Operational: 1 facility** in Brazil with capture capacity of **7 Mtpa of CO₂**
- **World Bank CCS Trust Fund funding 2 CCS pilot projects in Mexico**

Europe


- **Operational: 4 facilities** with capture capacity of **1.86 Mtpa of CO₂**
- **Under development: 69 facilities** with combined capture capacity of **66 Mtpa of CO₂**

Asia Pacific

- **Operational: 4 facilities** with capture capacity of **5.7 Mtpa of CO₂**
- **Under development: 17 facilities** with combined capture capacity of **37 Mtpa of CO₂**

Middle East and Africa

- **Operational: 3 facilities** with capture capacity of **4 Mtpa of CO₂**
- **Under development: 3 facility** with combined capture capacity of **3.3 Mtpa of CO₂**



Note: (1) Excluding two USA facilities currently suspended: Petra Nova coal station and Lost Cabin Gas Plant; Includes commercial facilities > 0.1MTPA and Orca DAC plant (Europe, 4ktpa); Large-scale defined as > 0.4Mtpa of CO₂ capacity
Source: Global CCS Institute Report, 2022; Lit search




Electricity and Industry: Majority of Capacity in the US, Though Europe Expected to See Increasing Share

More than ~75% of facilities are under early or advanced development

CCUS facilities by country and development stage

(volume Mtpa CO2, # facilities)

Total = 243



	Operational	In Construction	Advanced Development	Early Development
% of volume for perm. storage (not EOR)	29%	93%	93%	96%
# facilities	30	11	79	75

Note: "Other" includes Saudi Arabia, Hungary, Iceland, Norway, China, Belgium, Thailand, Sweden, Denmark, Australia, New Zealand, South Korea, France, Finland, Italy, Malaysia; Excluding 2 suspended operational facilities (2 Mtpa)

Source: Global CCS Institute Report, 2022, lit. search




Strong Momentum in CCS Capacity Pipeline Growth in Past Few Years

Pipeline development of commercial CCS facilities by CO₂ capture capacity

2010-2022, MTCO₂ P.A.

■ In Operation ■ In Construction ■ Advanced Development ■ Early Development



Growth towards 2011 mainly driven by large **Natural Gas**

Processing projects:

- Snøhvit CO₂ storage, NO (2008, 0.7 Mt/year)
- Century Plant, US (2010, 5 Mt/year)
- Petrobras Santos Basin, BR (2011, 4.6 Mt/year)

Continuous decrease in both early and advanced development phase projects from 2011-2017 driven by

- Need for recovery after financial crisis of '08-09 in private and public sector
- Low/stagnating carbon emission costs in Europe (EUA) and the US (LCFS) until 2017

Operational capacity saw a slow and steady growth during the same period from 20 to 32 Mt/Year (2012 to 2017)

Strong growth in dev. pipeline driven globally by **growing interest in CCUS** to reach net zero emission targets

- 83% of countries now with CCS in national long-term strategy
- Recognized as a decarbonisation lever at COP26
- Strong policy makers and investors appetite for committing to new projects (e.g. IRA's 45Q boost in the USA, Fit for 55 in Europe, dedicated CCUS funds in UK, NL, USA, etc.)

Majority of projects expected to materialize by 2030


Note: Large-scale defined as > 0.4Mtpa of CO₂ capacity; 2021 and 2022 figures retreated with a new methodology, 2 suspended operational facilities excluded in 2021 and 2022 (2 Mtpa, Petra Nova and Lost Cabin Gas plant)

Source: Global CCS Institute Report, 2019, 2020, 2021 and 2022



Electricity and Industry: Majority of CCS Facilities Use Enhanced Oil Recovery, but Geological Storage Growing

Global CCS facility capacity by storage type (2022, Mtpa)



# In evaluation & NA	1	4	16	29
# EOR plants	20	2	4	4
# Geological storage plants	9	5	59	42

Note: Excluding 2 suspended operational facilities (2 Mtpa)
Source: Global CCS Institute Report, 2022

Key considerations


- **Enhanced Oil Recovery** helps permanently store the **CO₂** that would have otherwise been emitted to the atmosphere
- **31 Mtpa of CO₂** are currently stored each year by **20 CO₂—EOR facilities in operation**; additional **11 Mtpa** will be stored by **10 plants in pipeline**
- **CO₂—EOR is not suitable for every oil field** and dependent on the capture cost of CO₂ which is the most expensive operational cost element of CO₂—EOR facility



Electricity and Industry: CCUS Projects Are Emerging in a Number of Different Applications

CCS cumulative capture capacity development by application and region, 2020-30

(Mt/year)



	2020	2021	2022	2023	2024	2025	2026	2027	2028*	2029*	2030
Americas	31	31	33	34	64	99	112	116	116	125	125
EMEA	6	6	6	6	13	54	56	64	65	73	75
APAC	5	5	6	10	13	15	27	37	38	43	43


Note: Projects with due dates in "mid 20s" were allocated in years 2024-26 (10Mt in 2024, 13 in 2025, 10 in 2026); projects with no due date were allocated to 2029 *) Capacity not yet announced for majority of 2028-2030 projects, being in the early development phase; **) Other applications include methanol production (2 projects), oil refining (4 projects), synthetic gas (1 project) and various fuel projects (24 projects)

Source: GCCSI, Global status of CCS 2021; IEA



Electricity and Industry: Projects Coming Online Through 2030 Bring Total CO2 Capture Capacity to ~245Mtpa

Commercial CCS facilities by industry, commencement of operation, and CO₂ storage option



Note: Petra Nova paused operations in May 2020, due to low oil prices (E&E News, accessed 2020, November 11); (*) Capture capacity currently evaluated (not always estimated for each project)
Source: Global CCS Institute Report, 2022




Renewables: Realistic “Today-Forward” Scenarios

Project Continued Growth in Wind and Solar Capacity


Wind capacity grows ~9-12% p.a.

Global installed wind capacity



Solar capacity grows ~9-16% p.a.

Global installed solar capacity



Commentary

- In these “today-forward” scenarios, **wind and solar continue to add capacity rapidly** through 2030, though at slightly reduced growth rates compared to historical trends from low bases
- All scenarios envision **faster growth in solar than wind** through 2030
 - IEEJ Advanced Technologies scenario projects large **majority of the world’s wind and solar capacity located in Asia** by 2030
- OpenMinds projections represent **potential levels of capacity from implementation of the ‘Top 10 Solutions’ only** and do not consider the impact of additional policies, regulations, or solutions

Note: (1) OpenMinds capacity projections are illustrative and do not represent a future scenario but rather the cumulative impact of the implementation of the OpenMinds ‘Top 10 Solutions’ only
 Source: IEA, IEEJ; Climate Interactive




5

Advanced and Emerging Archetypes Are Adding Both Solar and Wind Energy but Are Bearish on Nuclear (excl. China and India)

China leads solar and wind installations

Solar and Wind capacity in development¹


GW



China and India are aggressively expanding nuclear

Nuclear capacity in development¹

GW



Legend:

- Advanced, resource abundant
- Advanced, resource deficient
- China
- India
- Emerging, resource abundant
- Emerging, resource deficient
- Low income, resource abundant
- Low income, resource deficient

Note: (1) In development capacity includes announced, pre-construction, and under construction capacity
 Source: Global Energy Monitor [Solar](#), [Wind](#), and [Nuclear](#)



5


Wind Energy Penetration to Grow Globally, Driven by Government Support and Technological Advancements

Energy generation through wind has seen a CAGR of ~20% historically but is expected to grow at a slower rate; China to lead the growth

Installed wind capacity

G W

- Other
- China
- United States
- Germany
- India



Source: Global data, Global Wind Energy Council Report

Key factors driving wind energy growth globally

- **Regulatory support** is a key driver with policies for **tax credits (US)**, **target installations** and **better tariffs (China)**, and development of overall renewable ecosystem
- **Tech advancements** for **efficient turbines** (higher towers & bigger blades) have led to reduction of LCOE by ~7% p.a. in the past 10 years

Wind energy's growth is moderated at 8-10% CAGR

- **Challenges with approvals** for setting-up wind farm and land allocation in **emerging countries** due to complex processes and permit requirements




New and Existing Nuclear: Today's GW-Scale Nuclear Market is Large, Supplying ~9% of Electricity Worldwide

Nuclear accounts for ~9% of global electricity supply

Global power production

2023, TWH




Source: Our World in Data, IAEA, Ember

Nuclear power plants operate in 32 countries

Number of operational reactors

AS OF OCT 2024





New and Existing Nuclear: Nuclear is Attractive but Lags in Public Acceptance Compared to Other Energy Sources

Sustainability




⊕ Nuclear fission does not emit CO₂



⊕ Dense energy limiting land use

GHG emissions


gCO₂-eq/kWh



Include life cycle CO₂ emissions, e.g., concrete

Land requirement per energy sources

Acres/MWh




Safety



⊕ Among the **safest** energy sources looking at facts

Death rate from accidents and air pollution

Death/TWh



Competitiveness




⊕ **Competitive** when system costs are considered



⊕ **Dispatchable/firm power** with high-capacity factor

Levelized Cost of Electricity (LCOE)


USD/MWh



LCOE differs between sources, discount rates & geographies

Capacity factor

US, 2020 - %



Differences largely driven by dispatchable vs. intermittent behavior


Perception



⊖ Negative public perception

Share of respondents willing to "see more emphasis" by energy source


Gallup Survey, US, %, March 2021



Highly dependent on geography; Positive trend on nuclear support in some regions

Note: * Includes deaths from Chernobyl and Fukushima accidents as well as deaths from occupational accidents (largely mining and milling)
Source: OWID, Bill Gates "How to avoid a climate disaster", US EIA, Morgan Stanley, IPCC; NIAUK; Bain analysis

While Every Energy Technology Has Benefits and Limitations, Nuclear is Crucially Both Low Carbon and Firm as an Electricity Source




Desired characteristics	GW-scale nuclear fission	Small & advanced nuclear fission	Renewables	Natural Gas	Oil	Coal
Summary perspective	Operated in 30+ countries but debated option	Improve some aspects of existing nuclear technologies	Strong growth market, but practical limits to scale over time	Transition fuel depending on local supply conditions	EVs approaching viability which will put long-term oil at risk	Pledge to phase-out coal in many countries
Carbon Low/no carbon fuel consistent with Net Zero	●	●	●	●	●	●
Economics Low Levelized cost of Electricity (LCOE)	●	?	●	●	●	●
Safety performance Factual view on deaths per energy output	●	●	●	●	●	●
Safety perception Perceived risks	●	●	●	●	●	●
Resource availability Fuel is easily extractable, limited/no imports	●	●	●	●	●	●
Dispatchable energy source Available "on demand"	●	●	●	●	●	●
Resource density High energy density, reduces space required	●	●	●	●	●	●
Waste Limited waste byproducts	●	●	●	●	●	●
Critical raw material Limited use of critical raw materials, rare earth	●	●	●	●	●	●

Source: Market participants interviews



New and Existing Nuclear: Adoption of Nuclear is Starting to Change, With 50+ Countries Considering New Programs

Sentiment toward nuclear power largely differs by region



Note: As of January 2022

Source: PRIS, World Nuclear Association, lit. search

Commentary

- The potential of nuclear energy as a part of a broad, low carbon portfolio is becoming **attractive to governments that want to take action on climate change**
 - Nuclear energy innovation part of Biden's campaign pledge to address climate change
- **Mixed sentiment in Europe**
 - **Wave of anti-nuclear movements in Europe** (e.g. Germany) driven by fear created by high-profile disasters such as Chernobyl and Fukushima
 - **Nuclear new build plans** to reach Net Zero (e.g. Finland, France, Netherlands, Czech Republic, Poland, Estonia)




Nuclear New Build Growth is Expected to Come Primarily From Countries in Asia

Asia accounts for >50% of NPPs under construction and planned NPPs

Current NPP capacity by region

DEC. 2021, NET MW



India and China are leading the push for more nuclear energy



China: Goal of becoming global leader in nuclear energy space

- 54 nuclear reactors in operation with 14+ under construction and +35 reactors planned¹
- Air pollution concerns have created opportunities for nuclear



India: Nuclear is part of push to provide access to electricity for growing population

- 23 nuclear reactors in operation with 6+ under construction and 14+ reactors planned¹
- Government expects to have 10% of its energy generated by nuclear power in 10 years (currently only ~3% of total energy)



Western Europe: Public sentiment towards nuclear has declined post-Fukushima and remain mixed

- Some countries (e.g., Germany) are phasing out nuclear
- Eastern European countries, France, Finland, the Netherlands (and UK) support the development of new nuclear projects
- Disposal and storage of radioactive waste are key concerns among population

Note: Gross MW shown for planned reactors bar. (1) As of January 2022
 Source: IAEA, World Nuclear Power Reactors & Uranium Requirements, lit. search




Improvements Expected to Continue Near Historical Rates Driven by Global Standards

LDV fuel efficiency has improved at ~1% each year, driven by gains in NAM and Western Europe

LDV Car Parc fuel efficiency

Weighted miles per gallon of gasoline/diesel




Emission standards significantly impact LDV fuel economy

	Past targets for new vehicles	Future targets for new vehicles
NAM 	<ul style="list-style-type: none"> US policy under Obama required 5% improvement in emissions; Trump reduced to 1.5% through 2026 (potentially superseded by Biden's new executive order) 	<ul style="list-style-type: none"> Biden's plan would require ~10% emissions reductions in 2023 and ~5% every year after through 2026
EU 	<ul style="list-style-type: none"> Beginning in 2009, EU set emissions standards that required new vehicles to reach 95g/km in 2021 Ambitious targets set for 2015 were already achieved by 2013 	<ul style="list-style-type: none"> In 2020, EU set new targets for 2025 of 15% annual reduction in average emissions EU has put in place legislation to reduce total emissions by at least 40% by 2030
China 	<ul style="list-style-type: none"> China phase IV passenger vehicle consumption required an annual drop of emissions from 2012 to 2020 by ~4% annually 	<ul style="list-style-type: none"> China phase V passenger vehicle consumption standards published end of 2019 continues same requirements of ~4% annual improvements
India 	<ul style="list-style-type: none"> Annual emissions reductions of ~2% required from 2006 to 2017 In 2015, India adopted fuel consumption regulations with targets phasing in starting 2017, and stepping up in 2022 	<ul style="list-style-type: none"> India's target set for 2023 requires a 1.5% annual improvement in emissions


Note: Emissions are directly tied to fuel efficiency

Source: GFEI Global Status Report, IEA Oil Market Report 2021, https://ec.europa.eu/clima/policies/transport/vehicles_en, <https://www.usnews.com/news/business/articles/2021-08-06/explainer-the-impact-of-joe-bidens-new-fuel-economy-rules>



Transportation Energy Efficiency: Fuel Efficiency Standards are a Key Tool in Mitigating CO2 Emissions

Continued improvement in fuel efficiency reflects enacted policy targets and demonstrated historical improvement (policy schedules as of Dec 2022)



Note: NEDC = New European Drive Cycle, a test designed to assess emission levels of car engines
Source: GFEI Global Status Report; ICCT International Council on Clean Transportation


Commentary

- Fuel efficiency standards are an important tool in lowering total emissions and are among the most effective climate-change mitigation measures to have been implemented in the past decade
- In observed countries, fuel efficiency has improved ~1-2% p.a. over the last two decades
- Enacted policy targets (as of December 2022) suggest this trend will continue

Global Car Parc Expected to Reach ~12% BEV Penetration by 2030 and ~40% by 2040

Global LV car parc

Global LV car parc by engine type



Commentary

- ICE (incl. PHEV) vehicles in the car parc expected to peak in 2027, with ~1.6B ICEs on the road
- Global car parc expected to grow to ~1.9B vehicles in 2040
- ICE vehicles continue to dominate, but share of car parc expected to decline at an increasing rate
- BEV penetration increasing rapidly after 2030 as penetration of new car sales grows

Note: Scrapping rate forecast from 2028 based on rolling 5-year average
 Source: IHS Markit/ S&P Mobility (January 2023); Bain EV Market Model




China Leads EV Adoption, 45% of Car Parc Projected to be Electric by ~2035



Europe

LV car parc by engine type


M UNITS



USA

LV car parc by engine type


M UNITS



China

LV car parc by engine type


M UNITS



Opportunity in Industrial Efficiency Likely to Grow but Coordination Needed in Low-Margin Industries

Gains in industrial energy intensity have been steady over past decade

MJ per dollar value added



Source: [IEA Energy Efficiency Indicators Data Explorer](#); [IEA Energy Efficiency 2022 report](#)

Heat needs are most important determinant of efficiency priorities

- Solutions include both **electrification of industrial processes and application of other technologies** that improve overall energy efficiency in industrial processes
 - Key industries for consideration include **steel, cement, petrochemicals**, and raw materials mining and processing
- Electrification opportunities are greatest in **low-medium heat processes**; technologies include:
 - Electric arc furnaces and electric boilers
 - Industrial-scale induction heating
- Other technologies promoting industrial efficiency include:
 - Converting **high heat processes** to more efficient or **cleaner fuels** (e.g., coal to gas)
 - Adopting **next-generation processes** that require less heat or are otherwise more efficient (e.g., low clinker concrete)

Long equipment lifetimes and high upfront costs are main uptake drivers

- Widespread **adoption in industry is likely to be gradual** as production equipment often has a long lifespan
 - Some equipment can be retrofitted, but **replacement at end of life is often more feasible** due to cost and down time
- Relevant industries often characterized by low margins where **high upfront investments are challenging in a competitive landscape**
 - **International standards, coordination** among industry leaders, or **subsidies** could help speed adoption
- **Opportunity likely to grow** as demand for concrete, steel, and other basic materials increases in emerging economies



Multiple Drivers Will Influence the Rate of Heat Pump Adoption



Climate/number of heating degree days (HDDs)

Heat pump technology is **best suited for ambient climates** where heating degree days (i.e., the number of days per year with temperatures below 65°F) **are lower**; heat pump tech uses electricity to extract heat from the outside air or ground in order to heat.

While heat pumps can be used in colder climates (e.g., the Midwest, Northeast), **they are less effective in heating the whole home** with the same efficacy as furnaces (the predominant heating tech in the US).



Total cost of ownership (TCO)



Upfront cost

Upfront cost is determined by the **tradeoff between heat pumps vs. the alternative** (either standalone HVAC or furnace, or the combination) and **influenced by government incentives**



Electricity and natural gas price differentials

Relative spread between electricity and gas prices **varies greatly by region** given established infrastructure; **potential gas bans** may also influence HP adoption



Contractor recommendations & consumer preferences

Customers typically defer to **contractor recommendations** when replacing their existing HVAC and/or furnace, thus broader **HP adoption will be heavily influenced by contractors**.


Contractors **often avoid recommending drastic changes** in technology for consumers if there haven't been issues previously; while heat pumps can work well, **they do not deliver the same effect (i.e., instant blast of hot air)** that furnaces do, which customers in colder climates often prefer.



Buildings Efficiency: Several Proven Technologies are Available, but Achieving Broad Uptake is Challenging

Gains in buildings energy intensity have been modest over past decade

GJ per dwelling



Source: [IEA Energy Efficiency Indicators Data Explorer](#); [IEA Energy Efficiency 2022 report](#)

Efficiency priorities differ between advanced and emerging economies











- Buildings efficiency includes **applications of technologies in residential and commercial settings** that can be incorporated in **new construction or through retrofitting** existing structures
- In advanced economies, prioritized technologies include:
 - High R-value insulation
 - High efficiency HVAC systems
 - Smart meters
 - High efficiency appliances
 - High efficiency windows
- In emerging economies, **switching from traditional biomass to cleaner fuels** is imperative

Regulation and upfront cost are the main purchase drivers

- **Regulations can be an important driver of uptake** in buildings energy efficiency technologies
 - Global residential appliance energy use governed by regulations is ~70-80%, but is often **much lower in emerging economies**
- Solutions generally have **higher upfront costs relative to less-efficient technologies**, but usually result in **lower energy bills** that pay off the investment over several years
 - **Subsidies in advanced economies** are a common tool to help reduce upfront investment



Notes and Key Sources for 'Top Ten Solutions'

Solution	Marginal cost of abatement	End-user cost perspective
 Abating methane emissions from energy	Source: IEA methane abatement cost curve Note: weighted average price; range represents max and min	Many positive ROI opportunities (e.g., upstream leak repair); ROI sensitive to gas prices (e.g., see MACC for '17-'21 average vs. '22 on slide 64)
 Coal-to-gas switching	Source: IEA WEO 2019 (p. 213) Note: weighted average price	Involves upfront investment in new or retrofitted equipment; ROI varies with commodity price environment for coal and natural gas
 CCUS in electricity and industry	Source: G.S. Carbonomics 2021 Note: weighted average price of CCUS in coal and NG applications; range represents max and min	Higher cost vs. operating without CCUS absent subsidy or tax, trending down according to cost curve analysis
 Renewables (i.e., solar and wind)	Source: G.S. Carbonomics 2021 Note: weighted average price of utility-scale solar PV, onshore wind, and offshore wind; range represents max and min	Somewhat lower cost for utility-scale solar and wind vs. fossil fuels (LCOE), trending down as technology and manufacturing processes continue to improve
 New and existing nuclear	Source: Bain Intersect model	Higher cost vs. other fuels due to high capex requirements and regulatory burden, trending unclear
 Transportation energy efficiency	Source: IEA Abatement costs for road vehicles Notes: average of hybrid car in \$60/bbl scenario; range represents max and min	Higher upfront cost, but long-term benefits to the consumer from lower fuel costs; other key drivers include weight and engine efficiency
 Electric LDVs	Source: G.S. Carbonomics 2021 Note: weighted average price of switching to EVs from ICE vehicles in urban and rural gasoline and diesel vehicles	Somewhat higher upfront cost vs. ICEs today, trending down; major investment in charging networks required to achieve high penetration rates
 Industrial efficiency and electrification	Source: G.S. Carbonomics 2021 Note: weighted average price of four industrial efficiency and electrification interventions	Varies by application and end use sector; often involves high upfront costs with extended payback periods that can be challenging in low-margin industries
 Heat pumps	Source: G.S. Carbonomics 2021 Note: weighted average of heat pumps, excluding applications with hydrogen	Near parity vs. existing technology, trending down; often involves higher upfront costs with extended payback periods
 Buildings efficiency	Source: G.S. Carbonomics 2021 Note: weighted average of appliance efficiency standards	Often involves higher upfront cost with a payback period; subsidies can be effective in boosting penetration; solutions differ in advanced vs. emerging economies

Agenda



01

02

03

04

05

06

Solutions approach

Solution assessment framework

Top 10 solutions overview

Country archetypes

Appendix A: Detail on Top 10 solutions

Appendix B: Background on methane

Methane Abatement: Executive Summary

Overview of methane emissions in oil & gas

- Methane (CH₄) is an **extremely potent greenhouse gas**. While it remains in the atmosphere for only about 12 years (versus decades to thousands of years for CO₂), its **global warming potential is >80X that of CO₂** over a 20-year period, and it is responsible for at least **one-quarter of global warming in the industrial area**
- Methane emissions from the **oil & gas sector account for 4-5% of global anthropogenic greenhouse gas emissions** on a CO₂-equivalent basis, or roughly **2.5 billion metric tons of CO₂-e** annually, the equivalent of the annual emissions from **500 million passenger cars**
 - **Venting** in upstream O&G is the source of two-thirds of O&G-related methane emissions globally
 - Nearly half of **fugitive** (unintended) emissions occurs in **gas pipelines and LNG facilities**

The outlook for methane abatement in oil & gas


- Because of its potency and lifespan, reducing methane emissions quickly is **one of the best ways to slow global warming**, and there is **clear scope to reduce emissions cost effectively**, in part because methane has commercial value
- Moreover, it is imperative O&G operators address these emissions to **maintain their social license to operate**. For example, at leakage rates of ~3-4% per unit of natural gas produced, natural gas in electricity generation is on par with coal in terms of overall climate impact
- There is significant policy and corporate momentum behind methane abatement. 150 countries have signed the **Global Methane Pledge**, and **recently enacted and proposed regulations in the US, EU, and UK would strengthen existing regulatory regimes**
- There are a **wide range of abatement products and services** to address methane emissions in O&G, from leak detection and repair (LDAR) to replacing existing equipment (e.g., compressors) to designing fossil fuel infrastructure differently
- In the US, achieving a 30% reduction **could require annual abatement spending of ~\$2-2.5B through 2030** (preliminary figure) inclusive of LDAR, installing new controls, and replacing existing devices

Source: IEA; IPCC; EPA; Ocko et al., “Acting rapidly to deploy readily available methane mitigation measures by sector can immediately slow global warming” (2021); S&P Global Market Intelligence, “Natural gas use may affect climate as much as coal does if methane leaks persist” (2021)

Within Energy-Related Methane Emissions, the Oil and Gas Sector Accounts for Almost Two-Thirds of the Global Total

Global energy-related methane emissions by segment – 2022

MILLION METRIC TONS OF METHANE




Note: Tons of methane converted to CO2-equivalent using a GWP-100 factor of 30
 Source: IEA, [Methane Tracker](#)

And Within the Oil & Gas Sector, the Top 20 Methane Emitting Countries (Including the EU) Account for More Than 80% of the Global Total

Global energy-related methane emissions by segment – 2022

Million metric tons of methane




Note: Europe includes European Union countries, plus UK, Ukraine, Israel, Norway, and other countries in Europe
 Source: IEA, [Methane Tracker](#)

Oil & Gas Sector Methane Emissions Have Plateaued in Recent Years

Global energy-related methane emissions by segment – 2022

MILLION METRIC TONS OF METHANE



Source: [IEA](#)

Emissions Occur Across the Gas Value Chain, but in Oil, the Vast Majority of Emissions are in Upstream Production

O&G VALUE CHAIN



Production



Processing



Transmission



Distribution

SOURCES OF EMISSIONS

Natural gas and oil wells

- Used to increase pressure of gas in the gathering pipelines
- **Emission sources:** Leaks, gas driven pneumatic devices, compressors

Gathering compressor

- **Emission sources:** Leaks, unloading liquids from wells, gas driven pneumatic devices, compressors, storage tanks, dehydrators, flaring

Gas processing plant

- Cleans raw natural gas (removing impurities and non-methane hydrocarbons), producing pipeline quality natural gas
- **Emission sources:** Compressor venting, leaks, blowdowns during routine maintenance

Transmission compressor

- Compressor stations which maintain gas pressure along pipeline
- **Emission sources:** Venting of gas for maintenance and repair, leaks, pneumatic devices, compressor seal oil de-gassing

Storage

- Stockpiled in underground storage facilities
- **Emission sources:** Compressor venting and leaks

Gas Gates

- Measures and decompresses gas before being placed into final sales lines
- **Emission sources:** Leaks from unprotected steel mains, service lines and metering/regulating stations

Oil & Gas Methane Emissions Fall Broadly Into Three Categories: Venting, Fugitive and Incomplete Flaring



DESCRIPTION




- **Intentional release of methane** used to power the operation of equipment (e.g., pneumatic devices) or as part of maintenance requirements

EXAMPLE MITIGATION MEASURES

- **Retrofitting or replacing components** which are operationally driven by natural gas, with lower emitting devices which emit less or run on electricity
- **Installing new equipment:** Vapour Recovery Units (VRUs), installing flares, etc.

Source: EPA; IEA



- **Unintentional emissions resulting from leaks** out of valves, faulty seals, pipe flanges, etc.

- **Leak Detection and Repair (LDAR) programs** which **survey sites with a variety of technologies** (infrared cameras, acoustic leak detectors, laser spectroscopy on drones, satellites data)
- Increasing survey frequency and new technology used to reduce emissions




- Flaring is used to **dispose of unwanted NG as a by-product of oil extraction**
- Methane is released into the atmosphere as a **result of incomplete combustion**
- **Operational mgmt. of flare maintenance** to prevent malfunction
- **Process changes** which allow operators to use the gas onsite
- **Installing portable CNG or mini-LNG facilities** to treat gas onsite


6

In the US and Europe, the Sources of O&G Methane Emissions Differ Somewhat, but in Both Cases, Fugitive Emissions are Problematic in the Gas Value Chain

US oil & gas methane emissions



UK/Europe oil & gas methane emissions



Note: Calculation assumes GWP-100 factor of 30 and 4.6 metric tons of CO₂ emitted per passenger car in the US per year. Europe includes European Union countries, plus UK, Ukraine, Israel, Norway, and other countries in Europe
 Source: IEA, [Methane Tracker](#)

Policy: Since COP26 in 2021, 150 Countries Have Signed Onto the Global Methane Pledge, Committing to Reduce Methane Emissions by 30% by 2030

The Global Methane Pledge



The Global Methane Pledge was launched at COP26 in Nov 2021. Since then, **more than 150 countries have signed on**




By joining the pledge, **countries commit to reduce methane emissions** (from all sources) **by at least 30%** below 2020 levels by 2030



In June 2022, the US, EU, and 11 countries launched the **Global Methane Pledge Energy Pathway** to catalyze methane emissions reductions in O&G



Meeting the Global Methane Pledge target has the **potential to reduce end-of-century warming by 0.2°C**, the equivalent of the entire global transport sector adopting net zero emission technologies



Policy: Many Countries Already Have At Least Some Oil & Gas Methane Emissions Regulations in Place

Category	Regulation	US	Norway	Saudi Arabia	Brazil
Prescriptive methane	Permitting requirements	●	●	●	●
	Leak detection and repair	●			
	Restrictions to flaring or venting	●	●		●
	Technology standard	●			●
	Enforcement and related provisions	●	●	●	●
Performance based	National or sectoral reduction targets and plans	●			
	Facility or company emissions standards	●			
	Process or equipment emissions standards	●			
	Flaring or venting standards	●			●
Economic	Taxes, fees and charges	●	●		●
	Emissions trading schemes and certified reduction credits				●
	Loans, grants and other financial incentives	●			
Information based	Emissions estimates and quantification	●	●		●
	Measurement requirements	Under consideration	●		
	Reporting requirements	●	●		●

Note: Policies as of January 2021
 Source: IEA, Driving Down Methane Leaks from the Oil & Gas Industry, Table 2

Policy: Momentum is Growing—Recently Enacted and Proposed US and EU Rules Could Meaningfully Strengthen Existing Regulatory Regimes



US: IRA-imposed fees and proposed EPA regulations will tighten emissions requirements

- **The IRA includes a fee on methane emissions** from O&G operations (“waste emissions charge”)
 - 2025: \$900/ton (for emissions reported in 2024)
 - 2026: \$1,200/ton
 - 2027 and thereafter: \$1,500/ton
- A November 2022 EPA proposal under consideration would, among other things, **require routine monitoring at all well sites** for fugitive emissions, regardless of production size, and would **oblige operators to repair leaks**



EU and UK: Stringent LDAR requirements were recently enacted

- The EU Parliament voted on May 9 for stricter measures to reduce methane emissions, including **stringent leak detection and repair (LDAR) requirements** for fossil fuel infrastructure
 - Companies operating fossil fuel infrastructure would be required to check for leaks as often as every 2 months
- The Parliament also asked the European Commission to develop a framework to **ensure exporting countries abide by similar rules**
- The UK, through its Net Zero Strategy (NZS), has **committed to reducing routine flaring and venting to zero by 2030 or sooner**

Abatement Levers: Across Both LDAR and Equipment Modifications, There is a Range of Potential Products & Services to Address O&G Methane Emissions

	Leak Detection & Repair	New Equipment & Replacements
New Equipment & Replacements	Assessment of baseline on leakage quantity & source	Assessment of process effectiveness & equipment standards, to create baseline.
	Co-creating desired end state with customer, incl. sustainability potential & pay-back	
Implementation of monitoring software	Placement of smart components on desired equipment and installation of monitoring software	
Diagnostic and benchmarking	Interpretation of aggregated data , including benchmarking against other facilities, identification and diagnostic of largest leakages in the infrastructure	
Engineering Solutions Design	Design of EPC + O&M work required	Design of EPC + O&M work required
Hardware modifications & upgrades		Installation of third party equipment which reduces venting, flaring or increases energy efficiency where diagnostic has shown need for improvements
Equipment maintenance & leak repair	Maintenance work to repair leak sources	
Data interpretation & savings verification	Interpretation of data to assess whether modifications have delivered the desired savings , and verification of savings as needed to apply for savings incentives/rebates	
Continuous monitoring	Real-time monitoring of infrastructure methane emissions performance, identifying faults and areas for improvement continuously	

Summary

- Methane is among the most potent greenhouse gases and is responsible for at least one-quarter of global warming
- Methane emissions from the oil & gas sector alone account for 4-5% of all anthropogenic greenhouse gas emissions
- Reducing these emissions could have a major impact on the world's warming trajectory through the end of century...
- ...And doing so is necessary for natural gas to play a beneficial supporting role through the energy transition
- Among the broader set of climate change solutions, methane abatement is among the most cost effective and appealing
- Consequently, there is considerable regulatory and corporate momentum to tackle O&G sector methane emissions
- There are a wide range of abatement products and services to address methane emissions in the oil & gas value chains
- In the US alone, achieving a 30% reduction could require annual abatement spending of more than \$2 billion

